BENGAL SECRETARIAT LIBRARY

CATALOGUE

OF

PLANTS

CULTIVATED IN THE

Royal Botanical Gardens Calcutta,

FROM

APRIL 1861,

TO

28TH SEPTEMBER 1864.

CALCUTTA.

PRINTED AT BISHOP'S COLLEGE PRESS.

1865.

PREFACE.

THIS Catalogue was commenced in April 1861, and the printing has progressed with the compilation of the manuscript until its completion on the 28th September 1864. It may thus be regarded as a record of the plants cultivated in the Botanical Garden within the above periods. The delay in completing the Catalogue has arisen from various causes, but principally from there being no list in existence, (except one of 400 species of trees drawn up by Dr. Thomson), which could be used as a basis for one, and no means of ascertaining the names of the plants in the garden, except from the Native Gardeners, whose only records are their memories and whose nomenclature was obsolete. I have therefore been obliged to determine carefully each species, a work of comparative ease in all the well-known orders, but which has occupied many months, in the case of *Euphorbiaceæ*, *Moraceæ*, and *Orchidaceæ*, and indeed in *Monocotyledones* generally. The want of any system of arrangement in the garden has also added much to the difficulty of compiling the Catalogue, specimens of closely allied species being, in many cases, at the opposite extremes of the garden, and more than a mile apart. From this same cause also, a few species, having escaped notice at the time of drawing up the order to which they belong, do not appear in the catalogue. Besides these, many of the plants introduced during the printing of the catalogue, are necessarily excluded. These probably amount to 500 species. The advantages, however, obtained, by placing the first few pages of the catalogue in the hands

of the more intelligent native gardeners, and the progress which I saw could be made in permanently labelling all specimens of thoroughly determined species, induced me to persevere in printing a sheet of the catalogue, from time to time, although, at its completion, the list would be an imperfect record of the species then under cultivation. The greater part of the species in the garden have been labelled, groups of most of the Natural Orders have been formed, and some of the native gardeners have mastered the specific names I have adopted, besides becoming more familiar with the limit of the Natural Orders. I shall endeavour to publish, as soon as possible, a scientific catalogue of the plants of this garden, one, in which the identification of Roxburgh's and Wallich's species will be shewn, and which will contain descriptions of hitherto unpublished plants.

It is hoped that the catalogue, in its present shape, will be useful to correspondents sending me either lists of their desiderata, or plants in exchange for those received from this garden.

T. ANDERSON, M. D.,
Superintendent.

BOTANICAL GARDEN,
28*th March*, 1865.

BENGAL SECRETARIAT LIBRARY

CATALOGUE OF PLANTS

IN THE

ROYAL BOTANIC GARDENS,

Calcutta.

RANUNCULACEÆ.

NARAVELIA Zeylanica, *DC.*	India, Ceylon, Burmah.
CLEMATIS flammula, *L.*	Southern Europe.
——— Gouriana, *Roxb.*	Trop. Ind. Malay Peninsula, & Islands.
——— viticella, *L.*	Southern Europe.
THALICTRUM elatum, *Murr.*	Hungary.
RANUNCULUS sceleratus, *L.*	India, Europe.
NIGELLA sativa, *L.*	India, Southern Europe.
DELPHINIUM Ajacis, *L.*	India, Persia.
——— consolida *L.*	Europe.

DILLENIACEÆ.

DELIMA sarmentosa, *L.*	Assam, Silhet, Ceylon, Eastern Islands.
DILLENIA speciosa, *Thunb.*	Tropical India, Ceylon.
——— scabrella, *Roxb.*	Assam, Silhet.
——— pentagyna, *Roxb.*	Tropical India, Burmah.
——— retusa, *Thunb.*	Ceylon.

MAGNOLIACEÆ.

TALUMA Hodgsoni, *Hf. et. T.*	Tropical Sikkim.
——— Rabaniana, *Hf. et. T.*	Khasia Hills.
——— pumila, *Andr.*	Amboyna.
MAGNOLIA sphenocarpa, *Roxb.*	Eastern Bengal.
——— grandiflora, *L.*	North America.
MICHELIA champaca, *L.*	Tropical Asia.
——— fuscata, *Blume.*	Java.

SCHIZANDREÆ.

KADSURA Roxburghiana, *Arnott.* Silhet, Tropical Eastern Himalayas.
SPHÆROSTEMA grandiflorum, *Blume.* Temperate Himalayas.

ANONACEÆ.

UVARIA purpurea, *Blume.* Malay Peninsula & Islands, Java.
————macrophylla, *Roxb.* East. Bengal, Burmah, Java.
————microcarpa, *Champ.* Hong Kong.
————macropoda, *Hf. et. T.* Ceylon.
GONIOTHALAMUS sesquipedalis, *Hf. et. T.* Khasia Hills, Tennasserim.
ANONA squamosa, *L.* Tropical Asia & America.
———— reticulata, *L.* Tropical Asia & America.
———— muricata, *L.* West Indies.
———— cherimolia, *Mill,* South America.
MELODORUM sp.
———————— n. sp. Andamans.
ARTABOTRYS odoratissimus, *R. Br.* Ceylon, Java.
———————— Zeylanicus, *Hf. et. T.* Ceylon.
CANANGA odorata, *Hf. et T.* Tennasserim, Java.
UNONA discolor, *Vahl.* Tropical India, Ceylon, Java, China.
———— Desmos, *Dunal.* Burmah, Malayan Peninsula.
———— Dasymaschala, *Blume.* Burmah, Malay Peninsula, Java.
———— penduliflora, *Wall.* Amherst.
———— lævigata, *Wall* mss. non cat. China.
GUATTERIA longifolia, *Wall.* Southern India, Ceylon.
———————— suberosa, *Dunal.* India, Ceylon, Philippines.
———————— Simiarum. *Ham.* Silhet, Assam.
MILIUSA montana, *Gardner.* Southern India, Ceylon.
———— velutina, *Hf. et. T.* Tropical Himalayas, Behar, Burmah.
SACCOPETALUM longiflorum, *Hf. et T.* Tropical Himalayas.
ALPHONSEA ventricosa, *Hf. et T.* Chittagong.

MYRISTICACEÆ.

MYRISTICA fragrans, *Houtt.* Tropical Asia & America.
MYRISTICA, sp. Java.
————————Horsfieldii, *Blume.* Ceylon.
————————sp. Malacca.
————————sp. Malacca.

MENISPERMACEÆ.

TINOSPORA crispa, *Miers.* Silhet, Burmah & Malayan Islands.
———————— cordifolia, *Miers.* Tropical India.
ANAMIRTA Cocculus, *W. et. A.* India, Ceylon & Malayan Islands.

TILIACORA acuminata, *Miers.*	Tropical India, Ceylon, Java.
COCCULUS laurifolius, *DC.*	Tropical Himalayas, Japan.
——— angustifolius, *Hassk.*	Java.
——— Nephroia, *DC.*	Cochin China.
MENISPERMUM Canadense, *L.*	North America.
STEPHANIA rotunda, *Lour,*	Tropical India, Siam, Cochin. China.
CISSAMPELOS Pareira, *L.*	Tropical Asia, Africa and America.
CLYPEA Burmanni, *Miers.*	Concan, Ceylon.

LARDIZABALEÆ.

AKEBIA quinata, *Dcne.*	China.
HOLBOLLIA latifolia, *Wall.*	Temperate Himalayas & Khasia.

BERBERIDEÆ.

BERBERIS aristata, *DC.*	Temperate Himalayas, Nilgherries, Ceylon.
———Asiatica, *Roxb.*	Temperate Himalayas, Parasnath.
———Fortunei, *Lindl.*	China.

NYMPHÆACEÆ.

VICTORIA regia, *Lindl.*	South America.
NYMPHAEA Lotus, *L.*	Tropical Asia, Africa, Hungary.
———stellata *Willd.*	Tropical India & North Africa.
EURYALE ferox, *Salisb.*	Bengal, N. W. India, China.

NELUMBIACEÆ.

NELUMBIUM speciosum, *Willd.*	Asia & Tropical Australia.
———luteum, *Willd.*	N. America.

PAPAVERACEÆ.

ARGEMONE Mexicana, *L.*	Tropical Asia & America.

CRUCIFERÆ.

LEPIDIUM sativum, *L.*	Europe, Temperate Asia.
CHEIRANTHUS Cheiri, *L.*	Europe.

CAPPARIDEÆ.

CLEOME pentaphylla, *L.*	India, Ceylon, Asia.
——— speciosa, *H. B. K.*	South America, West Indies.
POLANISIA viscosa *β. icosandra, DC.*	India Ceylon.
CRATAEVA Roxburghii, *Br.*	Southern India, Ceylon.
NIEBUHRIA linearis, *DC.*	Southern India.
———oblongifolia, *DC.*	Southern India.
CAPPARIS brevispina, *Wall.*	Malabar & Coromandel Coasts, Ceylon.
———horrida, *L.*	India, Ceylon.

CAPPARIS sepiaria, *L.*	India, Ceylon.
——————tylopylla, *Spr.?*	Java.
ROYDSIA suaveolens, *Roxb.*	Silhet.

RESEDACEÆ.

RESEDA odorata, *L.*	Shores of the Mediterranean.

FLACOURTIACEAE.

BIXA Orellana, *L.*	Southern India, Ceylon.
HOMALIUM longifolium, *Benth.*	Penang.
——————tomentosum, *Benth.*	Pegu, Java.
PHOBEROS Chinensis, *Lour.*	China.
——————Arnottianus, *Thew.*	Ceylon Bot. Garden.
FLACOURTIA sepiaria, *Roxb.*	Tropical India, Ceylon.
——————— sapida, *Roxb.*	Tropical India, Ceylon.
——————— cataphracta, *Roxb.*	Silhet.
——————— inermis, *Roxb.*	Southern India, Silhet.
——————— ferox, *Wall.*	Assam.

PANGIACEÆ.

HYDNOCARPUS inebrians, *Vahl.*	Southern India, Ceylon.
GYNOCARDIA odorata, *Roxb.*	Assam, Silhet.
CASEARIA ovata, *Willd.*	Assam.
——————— lanuginosa, *Buch. Mss.*	Assam.

VIOLACEÆ.

VIOLA Roxburghiana, *Voigt.*	Bengal.
——————— odorata, *L.*	Europe.
——————— cucullata *Ell.*	N. America.
——————— serpens, *Wall.*	Himalayas, Khasia Hills.
——————— tricolor, *L.*	Europe.
ALSODEIA Bengalensis, *Wall.*	Khasia Hills.
——————— Roxburghii, *Wall.*	Amboyna.

POLYGALACEÆ.

SECURIDACA scandens, *Buch.*	Assam.
——————— Brownii, *Gr.?*	West Indies.
MURALTIA ? Livingstonii, *T. Anders.*	River Zambesi.

TAMARISCINEÆ.

TAMARIX Gallica, *L.*	Europe, North Africa, India.
——————— dioica, *Roxb.*	Bengal, Deccan, N. W. India.

PORTULACACEÆ.

PORTULACA quadrifolia, *meridiana DC.*	India.

PORTULACARIA afra, Jacq.	Cape of Good Hope.

CARYOPHYLLACEÆ.

DIANTHUS barbatus, *L.*	Germany, France.
——— Chinensis *L.*	China.
——— caryophyllus *L.*	France.
——— plumarius, *L.*	Hab. ignot.
——— superbus, *L.*	Southern Europe.
SAPONARIA officinalis,	Britain, Europe, West Asia.

LINEÆ.

REINWARDTIA trigyna, *Planch.*	Himalayas.
——— tetragyna, *Planch.*	Himalayas.

MALVACEÆ.

ALTHÆA rosea, *L.*	Shores of the Mediterranean
ABUTILON Indicum, *W. & A.*	Tropical India, Ceylon, Africa, W. Indies.
——— striatum, *Dick.*	Brazil.
——— molle *G. Don.*	Peru.
PAVONIA odorata, *Willd.*	Southern India, Ceylon.
ABELMOSCHUS pentaphyllus, *Voigt.*	China.
——— moschatus, *Mœnch.*	India, Ceylon, Java.
HIBISCUS vesicarius, *Cav.*	Tropical Asia & Africa.
——— Lampas *Cav.*	India, Ceylon, Philippines.
——— Lindleyi, *Wall.*	Tavoy.
——— Jerroldianus. *Paxt.*	South America.
——— Rosa sinensis, *L.*	Tropical Asia.
——— Syriacus, *L.*	Levant.
———heterophyllus, *Vent.*	New Holland.
——— vitifolius, *L.*	Tropical India.
——— collinus, *Roxb.*	Southern India.
——— Sabdariffa *L.*	West Indies.
GOSSYPIUM acuminatum, *Roxb.*	Bengal, Malacca.
PARITIUM tiliaceum, *A. Juss.*	S. I. Ceylon & Tropical sea shores.
——— Beali, *Wall. Miss.*	China.
——— tortuosum, *Wall.*	Sunderbuns, Cochin China, Moluccas.
PARITIUM macrophyllum, *G. Don.*	Assam, Penang.
——— tricuspe, *G. Don.*	India, Ceylon.
THESPESIA populnea, *Corr.*	Society Islands.

STERCULIACEÆ.

ADANSONIA digitata, *L.*	Tropical Africa.
SALMALIA Malabarica, *Sch. et. End.*	India, Ceylon, Java.
ERIODENDRON orientale, *Steud.*	Southern India, Ceylon.
HELICTERES Isora, *L.*	India, Ceylon, Java.

HELICTERES hirsuta *Lam.*	Malayan Islands, Cochin China.
——— angustifolia, *L.*	China.
——— elongata, *Wall.*	Burmah.
——— virgata, *Wall.*	China.
——— pulchra, *Wall.*	Burmah.
——— n, *sp.*	
HERITIERA minor, *Lam.*	Bengal.
——— littoralis, *Ait.*	India, Ceylon, Java.
——— macrophylla, *Wall.*	East Bengal.
STERCULIA fœtida, *L.*	India, Ceylon, Malay. Islands.
——— urens, *Roxb.*	India, Ceylon.
——— villosa, *Wall.*	Tropical N. West Himalayas.
——— ornata, *Wall.*	Burmah.
——— pallens, *Wall.*	Nepal.
——— guttata, *Roxb.*	India, Ceylon.
——— comosa, *Wall.*	Amboyna.
——— coccinea, *Roxb.*	Silhet, Malay. Peninsula.
——— nobilis *R. Br.*	China.
——— angustifolia, *Roxb.*	Nepal, Malay. Peninsula.
——— parviflora, *Roxb.*	East Bengal, Malay. Peninsula.
——— campanulata, *Wall.*	Khasia Hills.
PTERYGOTA alata, *R. Br.*	Silhet, East Bengal. Ceylon.
HILDEGARDIA populifolia, *Sch. et. End.*	Coromandel coast.
FIRMIANA platanifolia, *Sch. et. End.*	China, Japan.
——— colorata, *R. Br.*	India, Ceylon.
OCHROMA Lagopus, *Swartz.*	West, Indies.

BYTTNERIACEÆ.

GUAZUMA tomentosa, *H. B. K.*	West Indies, S. America.
THEOBROMA Cacao, *L.*	S. America.
ABROMA augustum, *L. fil.*	India, Moluccas.
——— fastuosa, *R. Br.*	Timor. Tropical Australia.
BYTTNERIA pilosa, *Roxb.*	Silhet.
——— catalpæfolia, *Jacq.*	S. America.
——— spinosa, *Cujus ?*	Hab. ignot.
——— sp,	Hab. ignot.
KLEINHOVIA Hospita, *L.*	India, Ceylon, Java.
ACTINOPHORA fragrans, *Wall.*	Mauritius.
MELOCHIA tiliæfolia, *T. Anders.*	India.
——— Borbonica *Cav.*	Bourbon.
——— Guazumæfolia, *T. Anders.*	Mauritius.
PENTAPETES phœnicea, *L.*	India, Ceylon, Java.
DOMBEYA palmata, *Cav.*	Bourbon.
——— acutangula, *Cav.*	Bourbon.
——— angulata, *Cav.*	Bourbon.

DOMBEYA cuspidata, *Boj.*	Bourbon.
——— viburnifolia *Boj*	Bourbon.
ASTRAPÆA Wallichii, *Lindl.*	Madagascar.
PTEROSPERMUM acerifolium, *Willd.*	India.
——— aceroides, *Wall.*	Burmah.
——— lanceæfolium, *Roxb.*	Assam.
——— suberifolium, *Lam.*	India, Ceylon.
——— acuminatum *Wall.*	Silhet.
——— semisagittatum, *Ham.*	Assam.
KYDIA calycina, *Roxb.*	India.
ERIOLÆNA Hookeriana, *W. & A.*	Southern India, Parasnath.
——— Wallichii, *DC.*	Nepal.
——— spectabilis, *T. Anders.*	Nepal.
VISENIA, velutina, *Voigt.*	Java. Mauritius.

TILIACEÆ.

GREWIA sclerophylla, *Roxb.*	India.
——— columnaris, *Sm.*	India, Ceylon.
——— denticulata, *Wall.*	Nepal.
——— Asiatica, *L.*	India, Ceylon.
——— floribunda *Wall.*	Burmah.
——— sepiaria, *Roxb.*	Bengal.
——— humilis, *Wall.*	Burmah.
——— abutilifolia, *Juss.*	Southern India.
——— ulmifolia, *Roxb.*	China, Assam.
——— oppositifolia,	Himalayas, Parasnath.
BERRYA Ammonilla, *Roxb.*	Southern India, Ceylon.
BROWNLOWIA elata, *Roxb.*	East Bengal.
ELÆOCARPUS, prinoides, *W. & A.*	Tropical Himalayas, Assam.
——— longifolius, *Blume.*	Burmah.

DIPTEROCARPEÆ.

DIPTEROCARPUS lævis, *Ham.*	Eastern Bengal, Burmah.
——— alatus, *Roxb.*	Burmah.
VATICA robusta, *W. & A.*	India.
HOPEA odorata, *Roxb.*	East Bengal, Burmah.
——— faginea, *Wall.*	Penang.
VATERIA Indica, *L.*	Southern India, Ceylon.

TERNSTRŒMIACEÆ.

CAMELLIA Japonica,	China, Japan,

OLACINEÆ.

OLAX scandens, *Roxb.*	Southern India, Behar, Ceylon.

BALANITES Ægyptiaca, *Delile.*	Africa.

AURANTIACEÆ.

ATALANTIA monophylla, *DC.*	Southern India, Ceylon.
——————— pubigera, *Wall.*	Assam.
TRIPHASIA trifoliata, *DC.*	China.
LIMONIA acidissima, *L.*	Coromandel, Tropical Himalaya, Assam.
GLYCOSMIS pentaphylla, *DC.*	India, Ceylon, Java.
MURRAYA exotica, *L.*	India, Ceylon.
——————— Sumatrana, *Roxb.*	China, Eastern Islands.
BERGERA Königii,	S. India, Ceylon, Himalayas.
COOKIA punctata, *Retz.*	China.
CLAUSENA pubescens, *W. & A.*	Southern India, Ceylon.
——————— heptaphylla *W. & A.*	Bengal.
FERONIA elephantum, *Corr.*	India, Ceylon, Malay. Islands.
ÆGLE Marmelos, *Corr.*	India, Ceylon, Java.
CITRUS decumana, *L.*	Moluccas.
——————— Aurantium, *Linn.*	India, Moluccas.
——————— Bergamia, *Risso.*	India.

HYPERICINEÆ.

HYPERICUM cernuum *Roxb.*	Tropical Himalayas.
——————— patulum, *Thunb.*	Himalayas, Assam.
ANCISTROLOBUS carneus *Wall.*	China.

GUTTIFERÆ.

MAMMEA Americana, *L.*	West Indies.
GARCINIA Cambogia, *Desrous.*	Southern India, Ceylon.
——————— Mangostana, *L.*	Malay. Peninsula & Islands.
———————cornea *L.*	Malay Peninsula, Moluccas.
——————— Roxburghii, *W. & A.*	Southern India,
———————purpurea, *Roxb.*	Southern India.
XANTHOCHYMUS ovalifolius, *Roxb.*	Ceylon.
——————— pictorius, *Roxb.*	Southern India, Penang.
——————— dulcis, *Roxb.*	Malay. Peninsula & Islands.
MESUA ferrea, L.	Southern India, Ceylon.
CALOPHYLLUM Inophyllum, L.	India, Ceylon, Java.

HIPPOCRATIACEÆ.

HIPPOCRATEA obtusifolia, *Roxb.*	Southern India, Ceylon.
——————— sp.	Hab. ignot.
SALACIA prinoides, *DC.*	
——————— longifolia, *Wall.*	

MALPIGHIACEÆ.

MALPIGHIA glabra, *L.*	West Indies.
——————punicifolia, *L.*	West Indies.
——————urens, *L.*	West Indies.
——————coccifera, *L.*	West Indies.
BYRSONIMA lucida. *Rich.*	West Indies.
——————pulcherrima, *Wall*	South America.
——————spicata, *Rich*	West Indies and South America.
THRYALLIS brachystachys, *Lindl.*	Rio Janeiro.
STIGMAPHYLLON periplocifolium, *Juss.*	West Indies, S. America.
BANISTERIA *Sp.*	Hab Ignot.
HIPTAGE Madablota, *Gaertn.*	Coromandel, The Ghauts. Bengal.
——————obtusifolia, *DC.*	China.
ASPIDOPTERYS hirsuta, *Adr Juss.*	Burmah.

ERYTHROXYLACEÆ.

ERYTHROXYLON hypericifolium, *Lam.*	Mauritius.
SETHIA Indica, *DC.*	Carnatic, Ceylon.

ACERACEÆ.

ACER oblongum, *Wall.*	Sub.-Tropical Himalayas.
NEGUNDO Fraxinifolium, *Nutt.*	N. America.

SAPINDACEÆ.

CARDIOSPERMUM Halicacabum, *L.*	Tropical Asia.
PAULLINIA Carthagenensis, *Jacq.*	Brazil.
CUPANIA Madagascariensis *G. Don.*	Madagascar.
———————— canescens *Pers.*	Southern India, Ceylon
BLIGHIA sapida, *Koen.*	Western Africa.
SAPINDUS Saponaria, *L.*	West Indies.
———————— emarginatus, *Vahl.*	India, Ceylon.
———————— rubiginosus, *Roxb.*	Southern India.
———————— fruticosus, *Roxb.*	Moluccas.
HARPULLIA cupanioides. *Roxb.*	Eastern Bengal.
NEPHELIUM Longanum, *Cambess.*	India, Ceylon, China.
———————— Lichi, *W. & A.*	China.
———————— rimosum, *W. & A.*	Silhet.
SCHLEICHERA trijuga, *Willd.*	India, Ceylon.
MELICOCCA bijuga, *L.*	West Indies.
PIERARDIA dulcis, *Jack.*	Malayan Peninsula.
———————— sapida, *Roxb.*	Eastern Bengal, Burmah.
FILICIUM decipiens, *Thw.*	Ceylon.
MELIOSMA simplicifolia, *Walp.*	India, Ceylon.

MELIACEÆ.

MELIA sempervirens, *Sw.*	Tropical Asia, West Indies, S. America.
——— composita, *Willd.*	Southern India, Ceylon.
AZADIRACHTA indica, *Adr. Juss,*	India, Ceylon, etc.
MALLEA Rothii, *Adr. Juss,*	India, Ceylon.
MILNEA edulis, *Roxb.*	Silhet.
——— undulata, *Wall.*	Silhet.
AGLAIA odorata, *Lour,*	China·
SPHÆROSACME spectabilis. *Wall.*	Assam.
AMOORA Rohituka, *W. & A.*	Southern India, Ceylon,
SANDORICUM indicum, *Cav.*	Mysore, Ceylon.
WALSURA piscidia, *Roxb.*	Southern India, Ceylon
MONOCYCLIS robusta, *Wall.*	Silhet.
EPICHARIS exarillata, *Arn*	Eastern Bengal.
——— mollis, *Wall.*	Silhet.
HEYNEA affinis, *Juss.*	Himalayas.

CEDRELACEÆ.

CHICKRASSIA tabularis, *Adr. Juss.*	S. India, East Bengal, Ceylon.
SOYMIDA febrifuga, *Juss.*	India.
SWIETENIA Mahagoni, *L.*	West Indies, Mexico.
CHLOROXYLON Swietenia, *DC.*	Southern India, Ceylon.
CEDRELA Toona, *Roxb.*	India, Java.

CANELLACEÆ.

CANELLA alba, *Murr.*	West Indies.

AMPELIDEÆ.

CISSUS edulis, *Dalz.*	Tropical India, Ceylon.
——— glauca, *Roxb.*	Southern India, Ceylon.
——— pedata, *Lam.*	India, Ceylon.
LEEA macrophylla, *Roxb.*	Bengal.
—— Staphylea, *Roxb.*	India, Ceylon, Burmah.
—— hirta, *Banks.*	Bengal.
—— sanguinea, *Wall.*	Banks of the Irrawaddy.

COCHLOSPERMEÆ.

COCHLOSPERMUM Gossypium, *DC.*	Southern & Central India, Behar
——— Orinocense, *Stevdel.*	Banks of the Orinoco.

GERANIACEÆ.

GERANIUM Nepalense, Sweet	Himalayas, Parsnath, Neilgherries, Ceylon.
PELARGONIUM, *Sp.*	Cape of Good Hope.
——— *sp. ignot.*	Cape of Good Hope.

TROPÆOLACÆ.

TROPÆOLUM majus, *L.*	Peru :

OXALIDEÆ.

AVERRHOA Carambola, *L.*	Moluccas.
——— Bilimbi, *L.*	Moluccas.
OXALIS cernua, *Thunb.*	Cape of Good Hope.
——— variabilis, *Lindl.*	Cape of Good Hope.
——— Deppii, *B. Cab.*	Mexico.
——— caprina, *L.*	Cape of Good Hope.
——— biunciata, *Grah.*	Brazil.
BIOPHYTUM sensitivum, *DC.*	India, Ceylon.

BALSAMINEÆ.

IMPATIENS Balsamina, *L.*	Himalayas, Bengal, S. India, Ceylon, China, etc.
HYDROCERA triflora, *W. & A.*	India, Ceylon, Java.

PITTOSPOREÆ.

PITTOSPORUM Tobira *Ait.*	Japan.
——— Var. variegatum	Japan.
——— ferrugineum *Ait.*	Japan, Penang.
——— Nepalense, *Hf. et T.*	Himalayas Silhet.
——— sp.	Hab. Ignot

XANTHOXYLACEÆ

XANTHOXYLON Budrunga, *DC.*	Assam.
——— undulatum, *Wall.* & *Juss.*	Mauritius.
TODDALIA aculeata, *Pers.*	Southern India, Ceylon.
——— floribunda, *Wall.*	Nepal.
——— capparidea, *Wall.*	Bourbon.
AILANTHUS excelsus *Roxb.*	Southern & Central India, Oude.

SIMARUBACEÆ.

QUASSIA amara, *L. fil.*	Surinam.

OCHNACEÆ.

OCHNA squarrosa, *L.*	Southern India, Burmah, Ceylon.
——— sp.	Hab. ignot.

CELASTRINEÆ

MICROTROPIS garcinifolia, *Wall,*	Khasia Hills.
CELASTRUS paniculata, *Willd.*	Southern India. Ceylon.
——— montana, *Roxb,*	Coromandel.
——— trigyna, *Lam.*	Mauritius.

CELASTRUS stylosa, *Wall.*	Himalaya.
——— rufa, *Wáll.*	Himalaya.
——— spinosa,—	Hab. ignot.
——— fascicularis, *Wall.*	Khasia Hills.
——— pallida, *Wall.*	Ava.
——— *sp.*	Hab. ignot.
EUONYMUS Hamiltonianus, *Wall.*	Himalaya,
——— glaber, *Roxb.*	Chittagong.
——— grossus, *Wall.*	Himalaya.
——— variegatus,—	Hab. ignot.
——— scandens,—	Hab. ignot.
——— Javanicus, *Bl.*	Java.
ELÆODENDRON longifolium,—	Hab. ignot.
——— glaucum, *Pers.*	Ceylon.
RUBENTIA olivina, *Gmel.*	Madagascar, Mauritius.

RHAMNACEÆ.

ZIZYPHUS rugosa, *Lam.*	India.
——— glabrata *Heyn*	Mysore.
——— Lotus, *Lam.*	Arabia, Persia, S. Europe.
——— œnoplia, *Mill.*	India Ceylon.
——— sp,	Hab. ignot.
BERCHEMIA floribunda, *Wall.*	Himalaya.
VENTILAGO leiocarpa, *Benth.*	Malayan Peninsula, China.
RHAMNUS sp.	Hab. ignot.
——— utilis, Dcne.	China, Japan.
——— chlorophorus, Dcne.	China, Japan.
SCUTIA Indica, *Brongn.*	Southern India, Ceylon.
——— Commersonii, *Brongn.*	Northern India, Bengal.
COLUBRINA Nepalensis, *G. Don.*	Himalaya.
——— asiatica, *Brongn.*	India, Malayan Peninsula, Ceylon
GOUANIA Madagascariensis, *Rich.*	Bourbon.
——— leptostachya, *DC.*	Southern, India.

TEREBINTHACEÆ.

MANGIFERA Indica, *L.*	India.
BOUEA oppositifolia, *Meisn.*	Burmah.
ANACARDIUM occidentale, *L.*	West Indies.
SEMECARPUS Anacardium, *L.*	India.
——— acuminata, *Wall.*	Chittagong.
——— cuneifolia, *Roxb*	Himalayas.
——— Roxburghii *Blume.*	Malayan Islands.
BUCHANANIA latifolia, *Roxb.*	India.
——— angustifolia, *Roxb.*	S. India, Ceylon.
PHLEBOCHITON extensum, *Wall.*	Khasia Hills.

HOLIGARNA racemosa, *Roxb.*	Silhet, Assam, Chittagong.
ODINA Wodier, *Roxb.*	India Ceylon.
SORINDEJA Madagascariensis, *DC.*	Madagascar.
MELANORRHOEA usitatissima, *Wall.*	Burmah.
RHUS paniculata, *Wall.*	Burmah.
——— Mysurensis, *Heyne.*	Mysore.
——— parviflora, *Roxb.*	Himalaya.
——— Zangibarensis, *Bojer.*	Zanzibar.
SCHINUS terebinthifolius, *Raddi.*	Brazil
SPONDIAS, dulcis. *Forst.*	Friendly Islands, Otahiti.
——— mangifera, *Pers.*	India.
——— lutea, *L.*	West Indies.
——— acuminata, *Roxb.*	Malabar.
——— longifolia, *Roxb,*	Mauritius.
POUPARTIA Borbonica, *Lam.*	Mauritius, Bourbon.
BOSWELLIA thurifera, *Colebr.*	India
CANARIUM Bengalense *Roxb.*	Assam.
——— commune, *Linn.*	Southern India, Malayan Islands.
——— geniculatum,	Hab, ignot.
BALSAMODENDRON Agallocha,	*W. & A.* Silhet, Assam.
——— acuminatum,	Silhet.

MORINGACEÆ.

MORINGA pterygosperma, *Gærtn.*	Tropical Asia, West Indies.

LEGUMINOSÆ.

PAPILIONACEÆ.

CROTALARIA juncea, *L.*	India, Ceylon, Java.
——— assamica, *Benth ?*	Nat-toung Mounts, Burmah.
——— striata, *DC.*	West Indies, S. America, Africa.
——— sp.	Aden.
PRIOTROPIS cytisoides, *W. & A.*	Nepal, Burmah.
INDIGOFERA viscosa, *Lam.*	India, West Indies.
——— violacea, *Roxb.*	Himalayas.
——— atropurpurea, *Buch.*	Nepal.
——— tinctoria, *L.*	Tropical Asia, Africa, & W. Indies
TEPHROSIA candida, *DC.*	India.
OUGEINIA dalbergioides, *Benth.*	Central India, Parasnath.
——— fruticosa, *DC.*	Bengal.
——— Apollinea, *DC.*	Arabia, Egypt, Scinde.
——— urophylla *Wall.*	Khasia Hills.
WISTERIA Sinensis, *DC.*	China.
AGATI grandiflora, *Desv.*	India, Java, West Indies.

SMITHIA sensitiva, *Ait.*	India, Ceylon.
ORMOCARPUM sennoides, *DC.*	Southern India, Ceylon.
ALYSICARPUS nummularifolius, *DC.*	India.
URARIA picta, *Desv.*	Tropical Asia, and Africa,
——— campanulata, *Wall.*	Burmah.
——— macrostachya,	Hab. ignot.
DESMODIUM umbellatum, *DC.*	Southern India.
——— cephalotes, *Wall.*	India Burmah,
——— latifolium, *DC.*	Tropical Asia, Africa.
——— Gangeticum, *DC.*	India, Burmah, Java, Sumatra.
——— gyrans *DC.*	India, Burmah, Ceylon, Malay Islands.
——— triflorum, *DC.*	Tropical Asia, Africa & America.
PUERARIA tuberosa, *DC.*	Northern Circars.
CLITORIA heterophylla, *Lam.*	Mauritius.
——— Ternatea, *L.*	Tropical Asia, Africa, & W. Indies
——— cajanifolia. *Benth.*	West Indies, Brazil.
CENTROSEMA Plumieri, *Benth.*	West Indies, Tropical America.
——— virginianum, *Benth.*	West Indies, Tropical America.
ERYTHRINA herbacea, *L.*	Southern United States.
——— Indica, *Lam.*	Tropical Asia, Islands of Pacific.
——— stricta, *Roxb.*	Southern India.
——— Caffra, *Thunb.*	Southern Africa.
——— arborescens, *Roxb*	Himalayas, Khasia Hills.
——— Crista Galli, *L.*	S. America.
——— ovalifolia, *Roxb.*	Bengal, Burmah, Ceylon.
——— secundiflora, *Brot.*	Brazil.
——— laurifolia,	Hab. ignot.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
BUTEA frondosa, *Roxb.*	India, Burmah, Ceylon, Java.
——— superba, *Roxb.*	Circars, Northern India.
——— parviflora, *Roxb.*	Southern India, Assam.
——— Voigtii, *Griff. Mss.*	Himalaya, Jyntea Hills.
DOLICHOS incanus,	Hab. ignot.
——— speciosus,	Hab. ignot.
CAJANUS indicus, *Spr.*	Tropical Asia.
CYLISTA scariosa, *dit.*	Southern and Western India.
FLEMINGIA congesta, *Roxb.*	India, Ceylon, Malay Islands.
——— semialata, *Roxb.*	India, Ceylon.
——— nana, *Roxb.*	Northern India
——— Chappar, *Buch.*	Tropical Himlayas, Burmah.
ABRUS precatorius, *L.*	Tropical Asia, West Indies.
PTEROCARPUS Indicus, *Willd.*	Malayan Islands
——— Marsupium. *Roxb.*	Southern India.

PTEROCARPUS dalbergioides. *Roxb.* Andaman Islands.
BRACHYPTERUM scandens, *Benth.* India, Ceylon, Java
DERRIS sinuata, *Benth* Ceylon, Burmah.
PONGAMIA glabra, Vent. India, Ceylon, Malay Islands
——————— crassifolia, Hab. ignot.
——————— multijuga, Hab Ignot.
——————— tetraptera, Hab ignot.
——————— heterocarpa, *Wall Mss.* Burmah.
——————— sp. Hab. ignot
——————— sp. Hab ignot.
OTOSEMA macrophylla, *Benth.* Himalayas, Bengal.
DALBERGIA rimosa, *Roxb.* North India, Khasia, Assam
——————— latifolia, *Roxb* India, Andaman Islands.
——————— sympathetica, *Nimmo.* Southern India, Bombay
——————— Sissoo, *Roxb.* India.
——————— Melanoxylon, *Guill. et Perr.* Tropical Africa.
——————— lanceolaria. *L* Southern India, Ceylon.
——————— Zeylanica, *Roxb.* Hab, ignot,
ANDIRA Surinamensis *Hort. Bogor*, Surinam.
EDWARDSIA Madraspatana, *Voigt.* India.
SOPHORA tomentosa, *L.* India, Ceylon, Malay Islands, Mauritius.
——————— heptaphylla, *L.* Parisnath.
———————violacea, *Thw.* Ceylon.
VIRGILIA aurea, *Lam.* Abyssinia
ORMOSIA dasycarpa, *Jacks* West Indies.
CASTANOSPERMUM Australe, *Cunn.* Australia

CÆSALPINEÆ.

HÆMATOXYLON Campechianum, *L.* West Indies.
GUILANDINA, Bonducella, *L.* Tropical Asia, Africa, & America
POINCIANA Regia, *Boj.* Madagascar.
——————— pulcherrima, *L.* Java, Moluccas, America, Africa.
——————— elata, *L.* Southern India.
——————— Gilliesii, *Hook* Chili.
CÆSALPINIA, punctata, Hab ignot.
——————— Sappan, *L.* Java.
——————— sepiaria, *Roxb.* India, Ceylon, Java
——————— tortuosa, *Roxb.* Sumatra.
——————— mimosoides *Lam* Southern India, Ceylon.
——————— Grahami *Dalz.* Western India
——————— digyna, *Rottl.* Southern India, Ceylon.
MEZONEURON cucullatum, *W. & A.* Southern India, Bengal.
LEBIDIBIA coriara, *Schlecht.* West Indies, Tropical America
CASSIA Fistula, *L.*, Tropical Asia, Africa and America
——————— nodosa, *Buch* Chittagong

CASSIA marginata, *Roxb*	Southern India, Ceylon
——— grandis, *L.*	West Indies, America
——— viminea, *L*	West Indies, Equatorial and S. America
——— bicapsularis, *L*	West Indies, Tropical America
——— Tora, *L.*	India, Ceylon, Java.
——— glauca, *Lam.*	India, Ceylon, Malay Islands.
——— florida, *Vahl*	Tropical Asia and Islands.
——— alata, *L*	Tropical Asia and America
——— auriculata, *L.*	India, Ceylon.
——— australis, *Sims.*	Australia, New Zealand.
——— palmata, *Wall.*	Martaban.
BROWNEA coccinea, *Jacq.*	West Indies.
——— grandiceps, *Jacq*	Cumana.
——— Ariza, *Benth.*	Bogota.
AMHERSTIA nobilis, *Wall.*	Banks of the Irrawaddy,
JONESIA Asoca, *Roxb.*	Southern India, Ceylon, Java.
——— minor, *Zoll.*	Java.
——— sp.	Moulmein.
HUMBOLDTIA laurifolia, *Vahl.*	Southern India, Ceylon
SCHOTIA latifolia, *Jacq.*	South Africa
TAMARINDUS Indica, *L.*	Tropical Asia and America.
OUTEA bijuga, *D.C.*	India.
HYMENAEA Courbaril, *L.*	West Indies.
CASPAREA porrecta, *Kth.*	West Indies.
PHANERA purpurea, *Benth.*	India, Ceylon, Java.
——— variegata, *Benth*	India, Malay Islands.
——— retusa, *Benth.*	Hab. ignot.
——— Vahlii, *Benth.*	Southern, and Central India, Himalayas.
——— corymbosa,	China, Sumatra, Java.
——— semibifida, *Benth.*	Malayan Islands
——— diphylla, *Benth.*	Burmah
——— Roxburghiana,	Southern India.
——— aurantiaca,	Madagascar.
——— Richardiana,	Madagascar.
——— sp.	Burmah
BAUHINIA tomentosa, *L.*	India, Ceylon, Malay Islands.
LASIOBEMA anguinum, *Korth*	Bengal, Chittagong, Sumatra.
——— piperifolium,	Khasia Hills.
PILIOSTIGMA malabaricum, *Benth.*	Malabar,
——— racemosum, *Benth.*	India, Ceylon, Java.
CYNOMETRA cauliflora, *L.*	South India, Java. Sumatra.
——— polyandra, *Roxb*	Southern India, Bengal.
HARDWICKIA binata, *Roxb*	Central India.

HARDWICKIA pinnata, *Roxb.*	Southern India.
COPAIFERA pubiflora, *Benth.*	Guiana.
DIALIUM ovoideum, *Thw.*	Ceylon.
CRUYDA orientalis, *Hassk.*	Java.
GLEDITSCHIA triacantha, *L.*	North America.
——— Sinensis, *Lam.*	China.
CERATONIA siliqua, *L.*	Northern Africa, South Europe, Levant

MIMOSEÆ.

PARKIA biglobosa, *Benth.*	Tropical Asia and Africa.
ENTADA polystachya, *DC.*	West Indies.
——— Madagascariensis.	Madagascar.
ADENANTHERA pavonina, *L.*	Tropical Asia.
PROSOPIS spicigera, *L.*	Tropical Asia.
DICHROSTACHYS cinerea, *W, & A.*	Tropical Asia.
NEPTUNIA oleracea, *Lour.*	Tropical Asia, Africa, & America.
MIMOSA pudica, *L.*	Tropical America, & West Indies.
——— rubicaulis, *Lam.*	India.
——— brevipinna.	Hab ignot.
LEUCÆNA glauca, *Benth.*	West Indies, South America.
XYLIA dolabriformis, *Benth.*	Burmah, Malay Peninsula, & islands.
ACACIA Farnesiana, *Willd.*	Tropical Asia, Africa, and America.
——— Arabica, *Willd.*	India, central and South Africa, Egypt.
——— tomentosa, *Willd.*	India, Ceylon.
——— leucophlæa, *Willd.*	India, Burmah.
——— sphærocephala, *Cham et Sch.*	Tropical America.
——— modesta, *Wall.*	Northern India.
——— ferruginea, *DC.*	Central India, Ceylon.
——— hamulosa, *Benth.*	Arabia.
——— diluta, *Wall.*	Nagpore.
——— Catechu, *Willd.*	India, Ceylon.
——— Sundra, *DC.*	Southern India, Ceylon.
——— rugata, *Lam.*	India.
——— Intsia, *Willd.*	India, Ceylon.
——— pennata, *W, & A.*	India.
ALBIZZIA umbrosa, *Benth.*	Silhet.
——— odoratissima, *Benth.*	Tropical Asia, Africa.
——— procera, *Benth.*	India, Burmah, Phillipine Islands.
——— myriophylla, *Benth.*	East Bengal.
——— julibrissin, *Boiv.* var. mollis.	Central Asia, Himalayas, China.
——— stipulata, *Boiv.*	India, Burmah, Ceylon.

ALBIZZIA paludosa,	Hab ignot.
CALLIANDRA Portoricensis, *Benth.*	South America, West Indies.
——————— hæmatocephala *Hassk.*	Hab ignot.
——————— longipes,	Hab ignot.
PITHECOLOBIUM dulce, *Benth.*	Mexico.
——————— bigeminum, *Benth.*	Himalayas.

CHRYSOBALANACEÆ.

CHRYSOBALANUS Icaco *L.*	Africa, West Indies, Brazil.

ROSACEÆ.

PYGEUM Ceylanicum, *Gærtn.*	Ceylon, Southern India, China.
PERSICA vulgaris, *Mill.*	Persia.
PRUNUS sp.	Hab ignot.
——— sp.	Hab ignot.
PYRUS Sinensis, *Lindl.*	China.
COTONEASTER affine, *Lindl.*	Himalayas.
ERIOBOTRYA Japonica, *Lindl.*	Japan, China.
PHOTINIA dubia, *Lindl.*	East Bengal, Assam, Nepal.
——— eugenifolia, *Lindl.*	Silhet.
RHAPHIOLEPIS Indica, *Lindl.*	China.
CRATÆGUS crenulata, *Roxb.*	Himalayas.
ROSA multiflora, *Thunb.*	Japan.
——— indica, *L.*	China.
——— Banksiae *R Br.*	China.
——— involucrata, *Roxb.*	Bengal, China.
——— microphylla, *Roxb.*	China.
——— centifolia, *L.*	Culta, Hab. ignot.
——— gigantea.	Hab. ignot.
RUBUS rosæfolius, *Sm.*	Mauritius.
——— lasiocarpus *Sm.*	Himalayas, Neilgherries, Ceylon
——— hexagynus *Roxb.*	Neilgherries, Khasia Hills.
POTENTILLA argentea *L.*	Europe.
——— sp	Hab. iqnot.
——— sp	Hab. ignot.
FRAGARIA Indica, *Arnt.*	Neilgherries, Himalyas.
KERRIA Japonica, *DC.*	Japan.
SPIRAEA Cantonensis *Lour.*	China.
——— nutans,	Hab. ignot.

CALYCANTHACEÆ.

CALYCANTHUS floridus, *L.*	Carolina.

COMBRETACEÆ.

TERMINALIA angustifolia, *Jacq.*	Southern India, Malay. Islands,
——————— Catappa, *L.*	Malay, Islands. Cult. in India
——————— bialata, *Roxb.*	Hab. ignot.
——————— Belerica, *Roxb.*	India, Ceylon.
——————— Chebula, *Retz.*	India, Ceylon.
——————— citrina, *Roxb.*	Eastern Bengal.
——————— procera, *Roxb.*	Andaman Islands
——————— Fatraea, *DC.*	Madagascar.
——————— Berryi *W. &. A.*	Balaghaut.
——————— Arjuna, *W. &. A.*	India.
——————— Travancorensis, *W. & A.*	Travancore.
——————— tomentosa, *W. & A.*	India.
——————— oblonga, *Wall. Mss.*	Hab. ignot.
——————— paniculata, *W. & A.*	Khasia Hills
GETONIA floribunda *Roxb.* Var nutans. *Hf. et T.*	Behar.
——————— sp.	Hab. ignot.
CONOCARPUS latifolius, *Roxb.*	Southern Iudia, Ceylon.
——————— acuminatus, *Roxb.*	Southern India Burmah.
COMBRETUM chinense *Roxb.*	China.
——————— Wightianum, *Wall.*	Southern India, Ceylon.
——————— grandiflorum, *G. Don*	Sierra Leone
——————— latifolium, *G. Don.*	Sierra Leone
——————— acuminatum, *Roxb.*	Silhet.
——————— costatum, *Roxb.*	Silhet.
——————— comosum, *G. Don.*	Sierra Leone.
——————— bullatum, *Wall. mss.*	Martaban, Tenasserim.
——————— pinceanum,	American.
——————— densiflorum.	Hab. Ignot.
POIVREA Roxburghii, *DC.*	Southern & central India, Behar.
——————— coccinea, *DC.*	Madagascar
——————— pilosa, *W. & A.*	Southern India.
QUISQUALIS, Indica, *L.*	Southern India, Pegu, Malay Islands

MELASTOMACEÆ.

CENTRADENIA floribunda, *Planch.*	Mexico.
MELASTOMA Malabathricum, *L.*	India, Ceylon, Malay. Islands & Peninsula
ARTHROSTEMMA lineatum, *Don.*	Peru
PLEROMA trinervia,	South America.

MEDINILLA venosa, *Blume.*	Java.
MEMECYLON capitellatum, *L.*	Ceylon.
——— ———tinctorium, *Koen.*	Southern India, Caylon
——— ———umbellatum, *Burm.*	Ceylon,

ALANGIACEÆ.

ALANGIUM decapetalum, *Lam.*	India. Malay. Peninsula & Islands

MYRTACEÆ.

EUCALYPTUS resinifera, *Smith.*	Australia,
CALLISTEMON lineare, *DC.*	Australia.
———salignum, *DC.*	Australia.
——— ———lanceolatum, *DC.*	Australia.
MELALEUCA Cajeputi, *Roxb.*	Amboina.
——— ———styphelioides, *Smith.*	Southern Australia.
METROSIDEROS vera, *Rumph.*	Amboina.
PUNICA Granatum, *L.*	Tropical Asia and Africa.
JAMBOSA domestica, *Rumph.*	Islands of the Indian Archipelago
——— formosa, *Wight.*	South India, Java, Borneo.
———alba, *Rumph.*	Islands of the Indian Archipelago.
——— macrocarpa, *Wight.*	Southern India, Sumatra.
——— urceolata, *Korth.*	Silhet, Malaydl. Peninsula & Islands.
——— aquea, *Rumph.*	India, Ceylon, Islands of India Archipelago
——— pulchella *Miq.*	Moluccas.
——— vulgaris, *DC.*	Islands of Indian Archipefago
——— tenuifolia, *Wall Mss.*	Silhet, Chittagong.
——— decora, *Wall. cat.*	Chittagong.
——— myrtifolia, *Blume.*	Sumatra, Borneo
——— aromatica' *Miq.*	Java.
——— sp. nov.	Menado.
——— sp.	Java.
EUGENIA Michelii, *Lam.*	Brazil.
—— —— Brasiliensis, *Lam.*	Brazil.
——— polypetala, *Wall. cat.*	Chittagong, Silhet.
——— geminiflora *Wall.*	Silhet.
——— sp.	Hab. ignot.
——— bracteata, *Roxb.*	Sea shores of India.
SYZYGIUM caryophyllaeum, *Gaertn.*	Borneo.
——— Jambolanum, *DC.*	Indian Archipelago ; cult in Asia

SYZYGIUM nervosum, *DC.*	Amboina.
——— balsameum, *Wall.*	Silhet, Sikkim, Parasnath.
——— tetragonum, *Wall*	Silhet.
——— sp.	Parasnath.
——— sp.	Hab. ignot
PIMENTA vulgaris, *L.*	West Indian Islands.
———acris *W.*	West Indian Islands.
PSIDIUM Guajava, *L.*	
——— var pomiferum, *Raddi.*	cultivated in the tropics of Asia and America.
——— var *β.* Cujavillus,	
——— var pyriferum, *Raddi.*	
——— pumilum, *Vahl.*	Moluccas, Java.
——— Guiniense, *Swartz.*	Caribee Islands
——— Cattleianum, *Sabine,*	China. Brazil.
NELITRIS sp.	Java.
MYRTUS communis, *L.*	Southern Europe.
FŒTIDIA Mauritiana, *Lam.*	Mauritius.
RHODAMNIA ovata, *T. Anders.*	Singapore.
——— spectabilis, *Blume.*	Singapore, Java.
——— gracilis, T. *Anders,*	Singapore.
BARRINGTONIA. speciosa, *L.*	India, Ceylon. Java, Borneo.
——— alba ? *Hassk,*	Moluccas, Celebes.
——— sp.	Java.
——— sp.	Singapore.
——— racemosa, *Roxb.*	India, Ceylon. Java Philippines.
——— acutangula, *Gaertn,*	Malabar, Ceylon.
CAREYA herbacea, *Roxb.*	Bengal.
——— arborea, *Roxb,*	Southern and Central India.
——— sphærica, *Roxb,*	Chittagong.
GUSTAVIA augusta, *L.*	Surinam, New-Granada.

RHIZOPHORACEÆ.

BRUGUIERA gymnorhiza. *Lam;*	Sea shores of Tropical Asia.
CARALLIA integerrima, *DC.*	India, Ceylon, Malay Peninsula & Islands.
——— lucida, *Roxb,*	India, Indian Archipelego,
——— lancœfolia, *Roxb.*	Sumatra.
ANSTRUTHERIA, Zeylanica, *Garden.*	Ceylon.

LYTHRACEÆ.

NESAEA myrtifolia, *Desf.*	Brazil.
GRISLEA tomentosa, *Roxb.*	Tropical Asia, Madagascar.

LAWSONIA alba, *Lam.*	India, Ceylon, Islands of Indian Archipelago.
GINORIA Americana, *Jacq.*	Cuba.
LAGERSTRŒMIA Indica, *L.*	India, Java, Moluccas.
——— *Var alba.*	India.
——— ovalifolia, *Teys, et Binnen.*	Java.
——— elegans *Wall.*	Cult in gardens near Calcutta.
——— Reginæ, *Roxb.*	Malabar, Ceylon, Java.
——— apetala, *T. Anders. Mss.*	Burmah.
——— Sp.	Sikkim
——— Sp.	Pegu.
——— Sp.	Madras.
LAFŒNSIA Vandelliana, *DC.*	Brazil.
DUABANGA Sonneratoides, *Ham.*	East Bengal, Sikkim, Chittagong.

ONAGRARIACEÆ.

GAURA *liennis, l.*	Virginia Pensyhamu.
ŒNOTHERA Sp.	America.
JUSSIÆA suffruticosa, *L.*	Tropical Asia.
——— octofila, *DC.*	Caribee Islands.

HALORAGACEÆ.

MYRIOPHYLLUM Indicum, *Willd.*	Tropical Asia.
TRAPA bispinosa, *Roxb.*	India, Ceylon.

CUCURBITACEÆ.

ZANONIA clavigera, *Wall.*	Khasia hills.
BENINCASA cerifera, *Savi.*	Cultivated in Tropical Asia.
CUCUMIS sativus, *L.*	Cultivated in Asia, Africa, Europe and America.
COCCINEA Indica, *W, & A.*	Tropical Asia from Arabia to China.
MOMORDICA Charantia, *L.*	India, Ceylon, Java, Moluccas,
TRICHOSANTHES villosa, *Blume*	Java.
——— cucumerina, *L.*	India, Ceylon, Java.
——— laciniosa, *Klein.*	India, Java.
——— tricuspidata, *Lour.*	Cochin China, Java.
BRYONIA laciniosa, *L.*	India, Ceylon, Islands of Indian Archipelago.
MUKIA scabrella, *Arnt.*	India, Ceylon, Islands of Indian Archipelago.

PASSIFLORACEÆ.

PASSIFLORA holosericea, L.	Mexico, Cuba.

PASSIFLORA biflora, *Lam*	Caribee Islands
——— minima, *Jacq.*	West Indian Islands.
——— rotundifolia, *L.*	West Indian Islands, New Granada
——— adiantifolia	S. America ?
——— laurifolia *L.*	Antigua, South America.
——— quadrangularis, *L.*	West Indian Islands, South America.
——— racemosa, *Brot.*	Brazil.
——— cœruleo-racemosa, *Sab.*	Hybrid
——— edulis, *Sims.*	West Indian Islands, Tropical America.
——— foetida, *Cav.*	West Indian Islands.
——— lunata, *Juss.*	Peru.
——— Buonapartea.	Hab. ignot ;
——— Hartwissiana.	Hab ignot.
——— Goutierii	Hab ignot.
——— Horsfieldii, *Blume*	Java
——— Kermesina, *Link. & Otto.*	Brazil.
——— Sp.	Assam
MODECA extensa *Wall.*	Khasia hills
MURUCUJA ocellata, *Pers*	West Indian Islands.

TURNERACEÆ.

TURNERA Ulmifolia, *L.*	Jamaica, Tropical America.
——— trioniflora, *Sims.*	Brazil, Trinidad, Mexico

BEGONIACEÆ.

BEGONIA Malabarica, *Dryand.*	South India, Ceylon.
——— nitida, *Dryand.*	Jamaica.
——— humilis, *Dryand.*	Trinidad.
——— platanifolia, *Schott.*	Brazil.
——— argyrostigma, *Fisch*	Brazil.
——— reniformis, *Dryand.*	Brazil.
——— hydrocotylifolia, *Link.*	Brazil.
——— var. muricata,	
——— α hybrid.	B. malabarica, B. argyrostigma — raisd in the Botanic Gardens Calcutta.
——— β hybrid.	B. platanifolia. raised in the Botanic Gardens B. argyrostigma, Calcutta.

CRASSULACEÆ.

CRASSULA arborescens, *Willd.*	Cape of Good Hope.
BRYOPHYLLUM calycinum, *Salisb.*	Bengal, introduced from Tropical Africa.

BRYOPHYLLUM pyramidale,	Hab, Ignot,
KALANCHŒ varians, *Haw.*	Tropical Himalaya, Burmah.
——————— laciniata, *D.C.*	Bengal South-India, Ceylon, Java, Moluccas.
SEDUM oxyphyllum.	Hab, Ignot,

FICOIDEÆ.

MESEMBRYANTHEMUM, crystallinum, *L.*	Cape of Good Hope, Canary Islands
——————————— cordifolium *L. fil.*	Cape of Good Hope

CACTACEÆ.

MAMMILLARIA pusilla, *DC.*	Tropical America
——————— longimamma *DC.*	Tropical America.
——————— sp.	Tropical America.
MELOCACTUS erectus, *D.C.*	Tropical America.
ECHINOCACTUS Williamsi,, *Lem.*	Mexico.
——————— Echidne, *D.C.*	Mexico.
——————— platyceras,	America.
ECHINOPSIS multiplex, *Pfeiff et Otto.*	Brazil.
——————— Eyriesii, *Pfeiff et Otto.*	Buenos Ayres,
CEREUS Curtisii *Otto.*	Granada.
——————— niger, *S. Dyck.*	Tropical America.
——————— albispinus, *S. Dyck.*	Equatorial America.
——————— chiliensis, *Colla,*	Chili.
——————— regalis, *Haw.*	Tropical America.
——————— repandus *Haw.*	Antilles and Caribean Islands
——————— subrepandus, *Haw.*	Caribean Islands.
——————— divergens, *Otto.*	Island of Dominique
——————— gemmatus, *Zucc.*	Mexico.
——————— Jamacaru, *S. Dyck.*	Brazil.
——————— tetragonus, *Haw*	Tropical America
——————— serpentinus, *Lagasaca.*	Mexico
——————— obtusus, *Haw.*	Brazil
——————— variabilis, *Pfeiff*	Tropical America.
——————— grandiflorus, *Mill.*	Caribean Islands, Antilles
——————— nycticallus, *S. K.*	Mexico.
——————— triangularis, *Haw*	Mexico, Caribees.
——————— trigonus, *Haw.*	Caribees.
——————— tortuosus, *Forbes, Mss*	Buenos Ayres.
——————— Tweedii, *Hook.*	Buenos Ayres
——————— Mc Donaldeæ, *Hook.*	Hondurus.

CEREUS Jamaicensis,	West Indies
——— niveus,	Tropical America.
——— sp	Tropical America
——— sp.	Tropical America
——— sp.	Tropical America.
——— sp.	Tropical America.
——— sp.	Tropical America-
——— sp.	Tropical America
EPIPHYLLUM truncatum, *Haw.*	Brazil.
——— Hookeri, *Haw.*	Brazil.
——— Vandesii.	Tropical America.
RHIPSALIS pachyptera, *Pfeiff.*	West Indian Islands.
LEPISMIUM commune, *Pfeiff.*	Brazil.
HARIOTA salicornioides, *DC.*	Brazil.
OPUNTIA Curassavica, *Mill.*	Curacao, St. Thomas.
——— spinosissima, *Mill.*	West Indies.
——— Tuna, *Mill.*	South America.
——— elatior, *Mill.*	South America.
——— coccinellifera, *Mill.*	South America.
——— vulgaris, *Mill.*	Southern Europe.
——— crinifera, *S. Dyck.*	Brazil.
——— leucotricha, *DC.*	Mexico.
——— Brasiliensis, *Haw.*	Brazil.
——— parvula, *S. Dyck.*	Chili.
——— Stapelia, *DC.*	Mexico
——— leucocephalis,	America.
——— Chiliensis,	Chili.
——— sp.	America.
——— sp.	America.
——— sp.	America.
PERESKIA aculeata *Mill.*	Carribean Islands.
——— Bleo *H. B. K.*	New Granda.
——— sp.	America.

SAXIFRAGACEÆ.

SAXIFRAGA ligulata, *Wall.*	Sub Tropical Himalaya, Khasia Hills
——— sp.	Hab. ignot.
HYDRANGEA Hortensia, *DC*	China, Japan.

PHILADELPHEÆ.

DEUTZIA corymbosa, *R. Br.*	Temperate Himalaya.

UMBELLIFERÆ.

ŒNANTHE stolonifera, *DC.* Eastern Bengal.

ARALIACEÆ.

FATSIA papyrifera, *Miq.* China.
TREVESIA sp. Burmah.
PANAX fruticosum, *L.* Malayan Islands.
——— nodiflorum, Hab iguot.
——— cochleatum, *DC.* Java, Banda, Amboina
——— aculeatum, *Ait.* China.
——— sp. Singapore.
TUPIDANTHUS calyptratus, *H. f. et T.* Khasia Hills.
HEDERA Helix, *L.* Europe, Himalaya, Khasia Hills.
——— venulosa, *T. Anders,* Neilghirres, Sikkim, Khasia Hills.
——— umbraculifera, *T. Anders.* Mergui.

CORNACEÆ.

BENTHAMIA fragifera, *Lindl.* Himalaya, Khasia Hills, Assam.

LORANTHACEÆ.

LORANTHUS longiflorus, *Desr.* India, Ceylon.

CAPRIFOLIACEÆ.

LONICERA quinquelocularis, *Hardwicke.* Himalaya.
——— Japonica, *Thunb.* Himalaya, Khasia Hills, China, Japan
——— Periclymenum, *L.* Europe.
ABELIA triflora, *R. Br.* Temperate Himalaya.
VIBURNUM odoratissimum, *Ker.* Khasia Hills, China, Japan.
——— punctatum, *Ham.* Himalaya, Canara, Malabar, Java.
——— coriaceum, *Blume.* Himalaya, Khasia. Ceylon, Java.

RUBIACEÆ.

HAMELIA patens, *Swartz.* West Indies, South America.
PENTAS carnea, *Benth.* Western Africa.
WENDLANDIA paniculata, *DC.* Malayan Islands.
——— tinctoria, *DC.* Bengal.
RONDELETIA speciosa, *Lodd.* West Indies.
PORTLANDIA grandiflora, *L.* West Indies.
MANETTIA cordifolia, *Mart.* Brazil.
HYMENODICTYON thyrsiflorum, *Wall.* Bengal.
CINCHONA succirubra, *R. et. P.* Andes of Peru.

NAUCLEA undulata, *Roxb.*	Moluccas.
——— macrophylla, *Roxb.*	Amboina.
——— Cadamba, *Roxb.*	Bengal, South India, Ceylon.
——— parvifolia, *Roxb.*	South India, Java.
——— cordifolia, *Roxb.*	India, Ceylon.
——— microcephala, *Wall.*	Khasia Hills.
——— fagifolia, *Teysm. Mss.*	Java,
CATESBÆA spinosa, *L.*	Bahama Islands.
PETUNGA Roxburghii, *DC.*	Bengal.
STYLOCORYNE Webera, *A. Rich.*	India, Ceylon, Malay Archipelago, China.
——— ——— attenuata, *Wall.*	China,
——— ——— odorata, *W. & A.*	Silhet,
——— ——— coriacea, *Wall.*	Khasia Hills.
RANDIA dumetorum, *Lam.*	India, Ceylon, Malay Archipelago, China
——— fragrans, *Benth.*	Southern India.
——— uliginosa, *DC.*	India, Ceylon.
——— longispina, *DC.*	India.
——— cuneata, *Wall.*	Ava.
——— acuminata, *Wall.*	North East Bengal.
——— decussata, *Wall.*	Chittagong.
——— Madagascariensis, *DC.*	Madagascar.
——— ferox, *DC.*	Mexico.
HYPTIANTHERA stricta, *W.* and *A.*	India.
RHODOSTOMA gardenioides, *Scheider*	Hab Ignot.
GARDENIA florida, *L.*	China, Japan.
——— ennxandra, *Roxb.*	Coromandel coast.
——— lucida, *Roxb.*	Circas, Chittagong.
——— turgida, *Roxb.*	Bootan.
——— erecta,	Trinidad.
——— sp,	Pegu.
OXYANTHUS hirsutus, *DC.*	Sierra Leone.
MUSSÆNDA frondosa, *L.*	India, Ceylon, Java.
——— macrophylla, *Wall.*	Nepal.
——— corymbosa, *Roxb.*	Martaban.
SERISSA foetida, *Comm.*	China, Japan.
PSYCHOTRIA undata, *Jacq.*	Bahamas.
COFFEA Arabica, *L.*	Mountains of Arabia.
——— Benghalensis, *Roxb.*	Bengal, Khasia hills, Tropical Sikkim.
GRUMILEA Reevesii, *Wall.*	Eastern Himalaya.
PAVETTA angustifolia, *Thw.*	China, Canton.

PAVETTA Richardiana, *Wall.*	Madagascar.
——— diversifolia,	Hab. ignot.
——— sp.	Java.
——— tomentosa, *Sm.*	India, Ceylon.
IXORA coccinea, *L.*	India, Ceylon, China.
——— stricta, *Roxb.*	Malay, Archipelago, Philippines, China.
——— var, *alba*,	China.
——— Bhanduca, *Roxb.*	Central and Western India.
——— Colebrookii, *Voight.*	Southern India.
——— rosea, *Wall.*	Khasia Hills.
——— barbata, *Roxb.*	Hab ignot.
——— undulata, *Roxb.*	Bengal, Behar.
——— acuminata, *Roxb.*	India, Ceylon.
——— brachiata, *Roxb.*	Bengal.
——— parviflora, *Vahl.*	Western India, Bengal, Ceylon.
——— cuneifolia, *Roxb.*	Eastern Bengal, Khasia Hills.
——— villosa, *Roxb.*	Silhet, Malayan Peninsula.
——— opaca, *R. Br.*	Penang.
——— longiflora, *Rich.*	Madagascar.
——— Javanica, *DC.*	Java.
——— superba, T. Anders,	Assam.
——— sp.	Java.
——— sp.	Moulmein.
BACONIA corymbosa, *DC.*	Sierra Leone.
CHIOCOCCA racemosa, *Jacq.*	West Indies, Mexico.
CANTHIUM floribundum, *Wall.*	Khasia Hills.
PÆDERIA fœtida, *L.*	Tropical Asia.
LECONTEA Bojeriana, *A. Rich.*	Madagascar, Bourbon.
MORINDA bracteata, *Roxb.*	India, Ceylon, Malay Islands.
——— umbellata, *L.*	India, Ceylon, Malay Islands, China.
——— exserta, *Roxb.*	India, Ceylon, Malay Islands.
VANGUERIA edulis, *Vahl.*	Madagascar.
——— spinosa, *Roxb.*	Bengal, Behar, Sikkim,
GUETTARDA speciosa, *L.*	India, Ceylon, Malay Islands.
——— Viburnoides, *Teijsm.*	Java.
SPERMADYCTION suaveolens, *Spr.*	Behar, Tropical Himalaya,
LEPTODERMIS lanceolata, *Wall.*	Nepal.
MYONIMA obovata, *Lam.*	Bourbon.

VALERIANACEÆ.

CENTRANTHUS ruber, *DC.*	Southern Europe.

DIPSACACEÆ.

DIPSACUS ferox, *Lois.*	Central and Southern Europe.

COMPOSITÆ.

VERNONIA cinerea, *Less.*	India, Ceylon, Java, China, Arabia, N. Africa.
——— aspera, *Buch.*	Bengal, Behar, Burmah.
——— vagans, *DC.*	Khasia Hills.
DECANEURON grande, *DC.*	Madagascar.
EUPATORIUM Aya-pana, *Vent.*	South America, West Indian Islands.
——— repandum, *Willd.*	West Indian Islands.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
ASTER dumosus, *L.*	North America.
STENACTIS annua, *Nees.*	North America.
PSIADIA glutinosa, *Jacq.*	Mauritius.
——— dentata, *DC.*	Bourbon.
——— integerrima, *DC.* ?	Mauritius, cult. in India and Moluccas
MICROGLOSSA sessilifolia, *DC.*	Madagascar.
SOLIDAGO Canadensis, *L.*	North America.
BLUMEA lacera, *DC.*	Tropical Asia, West Africa, N. Australia.
——— Wightiana, *DC.*	Tropical Asia, Cape of G. Hope, N. Australia.
PLUCHEA indica, *Less.*	East. Bengal, Malay Penins, and Islands Philippines, China, N. Australia
ZINNIA elegans, *Jacq.*	Mexico.
RUDBECKIA laciniata, *L.*	North America.
——— digitata, *Mill.*	Virginia and Carolina.
——— triloba, *L.*	Virginia and Carolina.
CALLIOPSIS tinctoria, *DC.*	Arkansas.
COREOPSIS lanceolata, *L.*	Central United States.
BIDENS pilosa, *L.*	Tropical Asia, Africa, America, New Zealand.
COSMOS parviflorus, *H. B. K.*	Mexico.
SPILANTHES oleracea, *Jacq.*	South America.
TAGETES patula, *L.*	Mexico.
——— erecta, *L.*	Mexico.
TRIDAX procumbens, *L.*	Tropical America, Naturalized in India.
ACHILLAEA millefolium, *L.*	Europe, Northern Asia.
——— nobilis, *L.*	Southern Europe
PYRETHRUM indicum, *Cass.*	China, Japan, Burmah.

PYRETHRUM Sinense, *Sabin.*	Japan, China.
ARTEMISIA vulgaris, *L.*	Britain, Europe, temp. & trop. Asia
——— grata, *Wall.*	India.
——— lactiflora, *Wall.*	China.
CROSSOSTEPHIUM artemisioides, *Less.*	China, Philippines.
RHODANTHE Manglesii, *Lindl.*	Swan River Colony.
HELICHRYSUM sp.	South Africa.
GNAPHALIUM indicum, *L.*	Tropical Asia, Egypt.
GYNURA bicolor, *DC.*	Moluccas.
——— aurantiaca, *DC.*	Java.
KLEINIA carnosa, *DC.*	Cape of Good Hope.
KLEINIA sp.	Hab. Ignot.
NOTONIA grandiflora, *DC.*	India, Ceylon.
CENTAUREA leucocephala, *Hort.*	Hab. Ignot.
BARNADESIA spinosa, *L.*	Brazil, New Granada, Peru.
LEUCOMERIS spectabilis, *Don*	Sub Tropical Himalya.
SONCHUS oleraceus, *L.*	Tropical and Temperate Asia, America, Australia, Britain, Europe.
TARAXACUM Dens-leonis, *Desf.*	Temperate Himalaya, China, Britain, Europe.

GOODENOVIACEÆ.

SCAEVOLA Lobelia, *L.*	Sea-shores of Tropical Asia, Mauritius Madagascar, & islands of Pacific.

CAMPANULACEÆ.

CAMPANULA Bononiensis, *L.*	Russia, Caucasus, Siberia.
ISOLOBUS Roxburghianus, *DC.*	Java, China.
——— Careyanus, *T. Anders.*	Hab ignot.
LOBELIA excelsa, *Leschen.*	Mountains of Ceylon, Nilghirries

ERICACEÆ.

GAYLUSSACIA salicifolia, *Cham. et Schlecht.*	Brazil.

MYRSINACEÆ.

MÆSA ramentacea, *Wall.*	East Bengal, Burmah, Malay Penin. & Islands
——— montana, *A. DC.*	Himalaya, Khasia Hills, China.
——— indica, *A. DC.*	Mountains of India, Ceylon, Java and China, Fiji islands

EMBELIA robusta, *Roxb*	Himalaya, Behar, Nilghirries, Ceylon.
——— nutans, *Wall.*	Khasia Hills.
CHORIPETALUM aurantiacum, *A. DC.*	Southern India.
MYRSINE capitellata, *Wall.*	India, Ceylon, Java, China, Japan, Fiji Islands.
ARDISIA paniculata, *Roxb.*	Eastern Bengal, Khasia Hills, Ceylon.
——— nereifolia, *Wall*	Khasia Hills.
——— crispa, *A. DC.*	Islands of Malay Archipelago, China.
——— elliptica, *Thunb*	India, Ceylon, Malay Islands, Philippines, China.
——— Var. *β. Solanacea*	Cultivated in Gardens only.
——— macrocarpa, *Wall.*	Sikkim.
——— laevigata, *Blume* ?	Java
——— sp.	Ceylon.
——— Wallichii, *A. DC.*	Pegu.
——— sp.	Andamans.
CLIMACANDRA obovata, *Miq.*	Java.
ÆGICERAS majus, *Gaertn*	Sea shores of Tropical Asia & Australia.

THEOPHRASTACEÆ.

CLAVIJA ornata, *D. Don.*	Venezuela, British Giuana.
——— undulata, *D. Don.*	Guayaquil.
——— latifolia, T. *Anders.*	South America.
JACQUINIA ruscifolia, *Jacq.*	Cuba, Mexico.
——— sp.	America.

SAPOTACEÆ.

CHRYSOPHYLLUM Cainito, *L.*,	West Indian Islands
——— Roxburghii, *G. Don.*	Silhet.
SAPOTA Achras, *Mill.*	West Indian Islands.
——— sp.	Sikkim.
SIDEROXYLON attenuatum, *A. DC.*	Burmah, Singapore. Philippines.
——— inerme, *L.*	Cape of Good Hope,
BASSIA longifolia, *L.*	India, Ceylon.
——— latifolia, *Roxb.*	Bengal, Behar.
——— butyracea, *Roxb.*	Tropical Himalaya.
IMBRICARIA coriacea, *A DC.*	Madagascar.
MIMUSOPS Elengi, *L.*	India, Ceylon, Java.
——— hexandra, *Roxb.*	Northern Circars.
——— Indica, *A. DC.*	India, Ceylon.

EBENACEÆ.

ROSPIDIOS vaccinioides, *A. DC.*	Malabar, Malay Peninsula, China.
DIOSPYROS Melanoxylon, *Roxb.*	Malabar, Concan.
——— Sapota *Roxb.*	Mauritius.
——— tomentosa, *Poir.*	Tranquebar.
——— montana, *Roxb.*	India.
——— cordifolia, *Roxb.*	Southern India, Ceylon.
——— heterophylla, *Wall.*	Ava
——— lancæfolia, *Roxb.*	Silhet.
——— grata, *Wall.*	Nepal.
——— macrophylla, *Wall.*	Burmah,
——— ramiflora, *Roxb.*	Silhet.
——— Ebenum, *Retz.*	Sumatra, Moluccas.
——— Embryopteris, *Pers.*	India, Ceylon, Java.
——— discolor, *Willd*	Philippines.
——— nigricans, *Wall.*	Silhet.
——— calycina, *Wall.*	Khasia Hills.
——— insignis, *Thw.*	Ceylon.
——— sp.	Moulmein.
——— sp.	Andaman islands.
MABA buxifolia, *Pers.*	India, Ceylon, Burmah.
——— angustifolia, *Miq.*	Malabar, Ceylon, Java.

AQUIFOLIACEÆ.

ILEX Paraguariensis, *St. Hil.*	Paraguay.

STYRACACEÆ.

STYRAX Benzoin, *Dryandr.*	Sumatra, Java.

JASMINACEÆ.

FRAXINUS floribunda, *Wall.*	Sikkim, Nepal.
FORSYTHIA, viridissima, *Lindl.*	China.
OLEA Europæa, *L.*	Northern India, Persia, Levant.
——— glandulifera, *Wall.*	Himalaya, Southern India, Ceylon.
——— myrtifolia, *Wall.*	Silhet.
OSMANTHUS fragrans, *Lour.*	China, Japan, Sikkim.
VISIANIA robusta, *DC.*	Silhet.
——— paniculata, *DC.*	China.
NOTELEA Posua, *Don.*	Nepal.
LINOCIERA dichotoma, *Wall.*	Coromandel.
——— macrophylla, *Wall.*	East Bengal.

NORONHIA emarginata, *Poir.*	Madagascar.
CHONDROSPERMUM dentatum, *Wall.*	Hab. ignot.
——— smilacifolium, *Wall.*	Chittagong, Silhet.
JASMINUM Sambac, *Ait.*	India, Ceylon, Malay Islands.
——— pubescens, *Willd.*	India, Java, China.
——— angustifolium, *Vahl.*	Southern India, Ceylon.
——— trinerve, *Vahl.*	Khasia Hills, Chittagong, Java.
——— stenopetalum, *Lindl.*	Silhet.
——— ligustrifolium, *Wall.*	Malabar, Concan.
——— bifarium, *Wall.*	Penang.
——— syringæfolium, *Wall.*	Amherst.
——— Australe, *Pers.*	Friendly Islands.
——— latifolium, *Roxb.*	Central India, Concan.
——— approximatum, *Wall.*	Khasia Hills.
——— calycinum, *Wall.*	Khasia Hills.
——— sp.	Sikkim.
——— attenuatum, *Wall.*	Silhet.
——— auriculatum, *Vahl*	India, Ceylon, Java.
——— caudatum, *Wall*	Silhet, Eastern Bengal.
——— Azoricum, *L.*	Azores, Madeira.
——— heterophyllum, *Roxb.*	Nepal.
——— fruticans, *L.*	Southern Europe, Africa, Syria.
——— grandiflorum, *L.*	Malabar, Nepal.
NYCTANTHES arbor-tristis, *L.*	Central India, Ceylon.

APOCYNACEÆ.

ALLAMANDA cathartica, *L.*	Tropical America.
——— Aubletii, *Pohl.*	Brazil.
——— Schottii, *Pohl.*	Rio Janeiro.
——— sp.	Tropical America.
MELODINUS monogynus, *Carey.*	Silhet.
CARISSA Carandas, *L.*	India, Ceylon, Java, China.
——— paucinervia, *DC.* ?	Parasnath.
——— Arduina, *Lam.*	Cape of Good Hope.
RAUWOLFLIA canescens, *L.*	West India Islands.
CYRTOSIPHONIA reflexa, *Miq.*	Java.
OPHIOXYLON serpentinum, *Willd.*	India, Ceylon, Burmah, Java.
——— densiflorum, *Thw.*	Neilghirries, Ceylon.
THEVETIA neriifolia, *Juss.*	West India Islands, S. America.
HUNTERIA corymbosa, *Roxb.*	Penang.
KOPSIA fruticosa, *A. DC.*	Burmah, Tavoy.

CERBERA Odollam, *Gærtn*,	Sea coasts of Asia, from India to China, Islands of the Pacific.
LACTARIA salubris, *Rumph.*	Moluccas.
TANGHINIA venenifera, *Poir.*	Madagascar.
POOTIA grandiflora, *Miq.*	Java.
ROUPELLIA grata, *Wall. et. Hook.*	Sierra Leone.
TABERNÆMONTANA dichotoma, *Roxb.*	Southern India, Ceylon.
——— amygdalifolia, *Jacq.*	West Indian Islands, Central America.
——— crispa, *Roxb.*	Hab. ignot.
——— Wallichiana, *Steud.*	Sumatra.
——— coronaria, *R. Br.*	Cult. in tropical Asia.
——— longiflora, *Benth.*	Sierra Leone.
——— sp.	Andamans.
——— sp.	Hab. ignot.
——— Jasminoides,	Hab. ignot.
VINCA rosea, *L.*	West Indian Islands, tropical America, cult. in trop. Asia.
——— major, *L.*	Europe, Algeria.
PLUMIERA hypoleuca, *Gasparr.*	West Indian islands.
——— acutifolia, *Poir.*	Tropical America, cultivated in tropical Asia.
VALLARIS dichotoma, *Wall.*	Eastern Bengal, Silhet, Central India.
HELIGOME spiralis, *Thw.*	Bengal, Silhet, South India, Ceylon
HÆMADICTYON nutans, *A. DC.*	St. Vincent.
BEAUMONTIA grandiflora, *Wall.*	Khasia Hills, Nepal.
WRIGHTIA mollissima, *Wall.*	Tropical Himalaya.
——— coccinea, *Sims.*	Bengal, Silhet.
——— tinctoria, *R. Br.*	Southern India.
ALSTONIA scholaris, *R. Br.*	India, Ceylon, Burmah, Islands of Malay Archipelago.
——— macrophylla, *Wall.*	Penang, Philippines.
BLABEROPUS neriifolius, *A. DC.*	Nepal.
——— villosus, *Miq.*	Java,
ADENIUM obesum, *R. et. S.*	Arabia Felix, Aden.
——— Honghel, *A. DC.*	Central Africa from Senegambia to Abyssinia.
HOLARRHENA antidysenterica, *Wall.*	Chittagong, Silhet, tropical Himalaya, Malabar, Burmah.
ECHALTIUM piscidium, *Wight.*	Eastern Bengal.
STROPHANTHUS dichotomus, *DC.*	Coromandel Coast, Burmah, Java.

STROPHANTHUS sp. Hort. Society's Garden Madras.
——————— longicaudatus, *Wight.* Malacca.
NERIUM odorum, *Soland.* Tropical Himalaya.
NERIANDRA suberecta, *A. DC.* West Indian Islands.
CHONEMORPHA macrophylla, *G. Don.* Sikkim, Silhet, Malabar, Ceylon.
ECHITES picta, *Hort.* Hab. ignot.
AGANOSMA caryophyllata, *G. Don.* Behar.
——————— cymosa, *G. Don.* Bengal, Silhet.
——————— acuminata, *G. Don.* Bengal, Silhet.
ICHNOCARPUS frutescens, *R. Br.* India, Ceylon, Burmah.
FORSTERONIA corymbosa, *Mey.* Tropical South America.
ANODENDRON paniculatum, *A. DC.* Bengal, Martaban, Java.
MASCARENHASIA lisianthiflora, *A. DC.* Madagascar.
APOCYNACEA gen, ignot. Singapore.

ASCLEPIADACEÆ.

CRYPTOSTEGIA grandiflora, *R. Br.* Behar.
HEMIDESMUS indicus, *R. Br.* India, Ceylon, Burmah, Java.
CRYPTOLEPIS Buchanani, *R. et S.* India, Ceylon, Java.
——————— elegans, *Wall.* Khasia Hills.
STREPTOCAULON Wallichii, *Wight.* Prome.
PERIPLOCA græca, *L.* Southern Europe.
HOLOSTEMMA Rheedii, *Spreng.* Malabar, Mysore, Circars.
CALOTROPIS gigantea, *R. Br.* Bengal, Central and South India, Ceylon, Malay Penins. & Islands.
——————— procera, *R. Br.* Northern India, Persia, Arabia, Abyssinia, North Africa.
SARCOSTEMMA Mauritiana, Mauritius.
OXYSTELMA esculentum, *R. Br.* India, Ceylon, Java.
DÆMIA extensa, *R. Br.* India, Ceylon, Arabia Felix.
ASCLEPIAS curassavica, *L.* West Indies, naturalized in all tropical countries.
——————— paniculata, Hab. ignot.
TYLOPHORA asthmatica, *W. & A.* India, Ceylon, Malay Penins. and Islands.
MARSDENIA tinctoria, *R. Br.* Bengal, Assam, Burmah, Java China, Formosa.
PERGULARIA odoratissima, *R. Br.* India, Java, Timor.
——————— minor, *Andr.* India, Islands of Malay Archipelago.
STEPHANOTIS floribuuda, *Ad. Brongt.* Madagascar.

GYMNEMA affine, *Dcne.*	China.
——— pubigerum, *Wall.*	Khasia Hills.
——— sp.	Hab. ignot.
DISCHIDIA Benghalensis, *Colebr.*	Bengal, Assam, Sikkim.
——— sp.	Hab. ignot.
VICARYA cristata, *Wall.*	Assam.
CENTROSTEMMA multiflorum, *Dcne.*	Java.
HOYA orbiculata, *Wall.*	Burmah, Sikkim.
——— carnosa, *R. Br.*	China.
——— parasitica, *Wall.*	Bengal.
——— macrophylla, *Blume.*	Java.
——— viridiflora, *R. Br.*	India, Ceylon, Malay Archipelago, Timor.
——— mollis, *Wall.*	Assam.
——— sp.	Singapore.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot,
CEROPEGIA Gardneri, *Thw.*	Ceylon.
BOUCEROSIA umbellata, *W. & A.*	Southern India, Ceylon.
——— crenulata, *W. & A.*	Burmah.
——— sp.	Bombay.
ASCLEPIADACEA Gen. ignot,	Darjeeling.

LOGANIACEÆ.

STRYCHNOS nux vomica, *L.*	Southern India, Ceylon.
——— potatorum, *L,*	Southern India, Ceylon.
BREHMIA spinosa, *Harv.*	Madagascar.
BUDDLEIA paniculata, *Wall.*	Nepal.
——— diversifolia, *Vahl.*	Mauritius, Madagascar.
——— Lindleyana, *Fortune.*	China.
——— Neemda, *Hamilt.*	Tropical Himalaya, Philippines.
——— Madagascariensis, *Lam.*	Madagascar.
GARDNERIA ovata, *Wall.*	Khasia Hills.
FAGRÆA obovata, *Wall.*	India, Ceylon, Malay Peninsula, Java.
——— Zeylanica, *Thunb.*	Ceylon.

GENTIANACEÆ.

EXACUM tetragonum, *Roxb.*	Bengal, Nepal, Sikkim, Assam, China.

CANSCORA diffusa, *R. Br.* India, Ceylon, Burmah, Abyssinia.
——— decussata, *R. et S.* India, Ceylon, Malay Archipelago.
LIMNANTHEMUM cristatum, *Griseb.* Tropical Asia, Madagascar, Bourbon.
——— indicum, *Griseb.* India, Ceylon, Java.

BIGNONIACEÆ.

BIGNONIA capreolata, *L.* Southern United States.
——— unguis, *L.* West Indies, Brazil.
——— incarnata, *Aubl.* Guiana.
——— æquinoctialis, *L.* Caribees, British Guiana, Brazil.
——— Chamberlaynii, *Sim.* Brazil.
——— venusta, *Ker.* Minas Gæres, Brazil.
CALOSANTHES Indica, *Blume.* India, Ceylon, Java, Cochin China.
MACFADYENA uncinata, *A. DC.* Guiana.
MILLINGTONIA hortensis, *L.* Burmah,
AMPHILOPHIUM Mutisii, *H. B. K.* New Granada.
PITHECOCTENIUM muricatum, *Moc.* Mexico
ADENOCALYMNA grandifolium, *Mart.* Brazil.
SPATHODEA stipulata, *Wall.* Burmah.
——— Rheedii, *Wall.* Southern India, Ceylon.
——— adenophylla, *A. DC.* Burmah, Segain.
——— xylocarpa, *T. Anders.* Coromandel.
——— crispa, *Wall.* Mysore.
——— serrulata, *A. DC.* Burmah.
——— amœna, *A. DC.* Madagascar.
——— campanulata, *Beauv.* Tropical Western Africa.
SIMONSIA scandens, *T. Anders.* Assam.
NYCTOCALLUS brunsfelsiaeflorus, Teijs. et. Binn Java.
STEREOSPERMUM chelonoides, *A. DC.* Southern India, Ceylon.
——— fimbriatum, *A.DC.* Burmah.
——— suaveolens, *A. DC.* Bengal, Oude, Orissa.
serratifolia, *Don.* Trinidad.
——— undulata, *Don.* North West India, Affganistan. Beloochistan.
——— Capensis, *Lindl.* Cape of Good Hope, Port Natal.
——— radicans, *Juss.* Southern United States.
——— grandiflora, *Delaun.* Japan, China.
——— stans, *Juss.* West Indian Isands, Mexico.
——— var apiifolia, Guadaloupe.
——— var. velutina, Mexico ?

TECOMA jasminoides, *Lindl.*	Moreton, Bay.
PAJANELIA multijuga, *A. DC.*	Silhet, Malabar.
JACARANDA mimosifolia, *Don.*	Brazil.
——— Clausseniana, *Casor.*	Minas Geraes.
COLEA cauliflora, *A. DC.*	Madagascar.
PHYLLARTHRON Comorense, *Bojer.*	Comoro Islands.
CRESCENTIA Cujete, L	Caribæan Islands.
——— cuneifolia, *Gard.*	Brazil.
——— alata, *H. B. K.*	Mexico.
KIGELIA pinnata, *A. DC.*	Mozambique.

GESNERACEÆ.

ÆSCHYNANTHUS Perrottetii, *A. DC.*	Neilghirries.
——— grandiflora, *G. Don.*	Eastern Bengal.
——— Wallichii, *R. Br.*	Singapore.
GESNERA tubiflora, *Cav.*	Panama.
——— Donglasii, *Lindl.*	Rio Janeiro.
GLOXINIA maculata, *L'her.*	Central America.
——— speciosa, *Lodd.*	Brazil.
ACHIMENES coccinea, *Pers.*	Jamaica.

HYDROPHYLLACEÆ.

NEMOPHILA maculata, *Benth.*	California.

POLEMONIACEÆ.

PHLOX Drummondi, *Hook.*	Texas.
GILIA nivalis,	California.

SESAMEÆ.

SESAMUM Indicum, *L.*	Tropical Asia, Egypt.
MARTYNIA diandra, *Glox.*	Mexico.

HYDROLEACEÆ.

HYDROLEA Zeylanica, *Vahl.*	India, Ceylon, Java, Philippines,
——— spinosa, *L.*	Mexico, Guiana, Brazil, Caribees,

CONVOLVULACEÆ.

ERYCIBE paniculata, *Roxb.*	India, Ceylon, Burmah.
RIVEA tiliæfolia, *Chois.*	India, Ceylon, cult. in tropical Asia, Africa and America.
——— Bonanox, *Chois.*	Bengal.
ARGYREIA speciosa, *Sweet.*	India, Ceylon, Java.

ARGYREIA splendens, *Sweet.*	India, Ceylon.
——— cuneata, *Lindl.*	Southern India.
ARGYREIA argentea, *Chois.*	Silhet, Chittagong.
——— Wallichii, *Chois.*	Burmah.
——— ampla, *Chois.*	Sikkim, Nepal.
——— acuta, *Lour.*	China.
QUAMOCLIT coccinea, *Mœnch.*	Tropical America.
——— vulgaris, *Chois.*	Tropical America.
BATATAS edulis, *Chois.*	Cult. in the Tropics of Asia and America.
——— paniculata, *Chois.*	Sea shores of India, Ceylon, Java.
PHARBITIS Learii, *Hook.*	Mexico.
——— Nil, *Chois.*	Tropical Asia and America
CALONYCTION speciosum, *Chois.* β. muricatum,	Tropical Asia and America.
IPOMŒA reptans, *Poir.*	Tropical Asia from Arabia to China, Senegal.
——— pes-caprae, *Sweet.*	Sea Shores of tropical Asia, Africa, and America.
——— filicaulis, *Blume.*	Tropical Asia, Africa, America and Australia.
——— Turpethum, *R Br.*	India, Ceylon, Malay Archipelago, Polynesia.
——— vitifolia, *Sweet.*	India, Java, Timor.
——— tuberosa, *L.*	Tropical America, cult. in tropical Asia
——— obscura, *Jacq.*	Abyssinia, India, Malay Archipelago, China.
——— verrucosa, *Blume.*	Singapore, Java.
——— sepiaria, *Koen.*	India, Ceylon, Malay Islands, China.
——— staphylina, *R. et S.*	Mysore, Penang.
——— purga, *Wender.*	Mexico, Georgia, Carolina.
——— rubro cœrulea, *Hook.*	Mexico.
——— umbellata, *Mey.*	West Indies, South America.
——— chryseides, *Lindl.*	India, Ceylon, Java, China, Timor.
——— dasysperma, *Jacq.*	China.
——— semperflorens, *Hort.*	Hab ignot.
CALYSTEGIA hederacea, *Wall.*	Nepal.
PORANA volubilis, *Burm.*	India, Java, Moluccas, Philippines.
——— paniculata, *Roxb.*	Southern India, Bengal, Assam, Java.
BREWERIA Roxburghii, *Chois.*	India, Ceylon, Malayan Peninsula.

CUSCUTA reflexa, *Roxb.*	India, Ceylon, Malay Archipelago, Timor.

BORAGINEÆ.

CORDIA speciosa, *Willd.*	West Indian Islands.
——— lævis, *Jacq.*	Caraccas.
——— Myxa, *L.*	Southern India, Ceylon, cultivated in Egypt.
——— Rothii, *R. et. S.*	Mysore.
——— polygama, *Roxb*	Carnatic.
——— amplifolia, *A. DC.*	Cultivated in Mauritius.
——— grandis, *Roxb.*	Chittagong.
——— Bantamensis, *Blume.*	Java.
——— serrata, *Juss.*	India.
——— mollis, *Hort.*	Hab. ignot.
EHRETIA serrata, *Roxb.*	Silhet.
——— lævis, *Roxb.*	Southern India, Ceylon.
——— graveolens, *Wall.*	Khasia Hills.
——— buxifolia, *Roxb.*	Southern India, Ceylon.
TOURNEFORTIA viridiflora, *Wall.*	Chittagong.
——— Horsfieldii, *Miq*	Java.
HELIOTROPIUM Curassavicum, *L.*	Tropical America, West Indian Islands.
——— Peruvianum, *L.*	Andes of Peru.
——— Indicum, *L.*	Tropical Asia and America.
ECHIUM sp.	Hab-ignot.
TRICHODESMA Zeylanicum, *R. Br.*	India, Ceylon.

SOLANACEÆ.

SOLANUM nigrum, *L.*	All tropical and temperate countries.
——— verbascifolium, *L.*	Tropical Asia and America.
——— argenteum, *Dun.*	Brazil
——— spirale, *Roxb.*	Assam, Silhet.
——— Hookerianum, *Ant. Spreng.*	Mexico.
——— xanthocarpum, *Schrd et Wendl.*	Tropical Africa, India.
——— Indicum, *Nees. ab. Esen.*	Tropical Asia.
——— Maroniense, *Poitequ.*	Guiana, Brazil.
——— esculentum, *Dun.*	India, cultivated in the tropics.
CAPSICUM frutescens, *L.*	India, tropical America.

PHYSALIS Peruviana, *L.*	Brazil, cultivated in India, Ceylon, Java, Cape of Good Hope.
——————— angulata, *L.*	India, Ceylon, tropical Africa and America.
LYCIUM Barbarum, *L.*	Northern Africa, Persia.
SOLANDRA macrantha, *Dun.*	Havanna.
DATURA fastuosa, *L.*	India, Ceylon, Java, Moluccas, South America
——————— suaveolens, *H. B.*	Mexico.
——————— chlorantha, *Hook.*	America.
NICOTIANA plumbaginifolia, *Viv.*	Mexico, West Indies, Naturalized near Calcutta.
PETUNIA violacea, *L.*	Buenos Ayres.
——————— nyctaginiflora, *Juss.*	South America.
CESTRUM fœtidissimum, *Jacq.*	West Indies.
——————— fasiculatum *Miers.*	Mexico.

SCROPHULARINEÆ.

BROWALLIA demissa, *L.*	West Indies, tropical America.
BRUNFELSIA latifolia, *Benth.*	Brazil, Peru.
——————— Hopeana, *Benth.*	Brazil.
——————— Americana, *Swartz.*	West Indies.
——————— undulata, *Swartz.*	Jamaica.
——————— montana,	Tropical America.
——————— nitida, *Benth.*	Havanna.
——————— Cubense,	West Indies.
——————— erecta,	America.
CELSIA Coromandeliana, *Vahl.*	Northern India, Burmah.
ANGELONIA salicariaefolia, *H. B.*	West Indies, tropical South America.
MAURANDIA Barclayana, *Lindl.*	Mexico.
PAULOWNIA imperialis, *Sieb. et Zucc.*	Japan.
PENTSTEMON perfoliatus, *A. Brongn.*	Mexico.
——————— campanulatus, *Willd.*	Mexico, Guatimala.
TETRANEMA Mexicanum, *Benth.*	Mexico,
RUSSELIA juncea, *Zuccar.*	Mexico.
——————— rotundifolia, *Cav.*	Mexico.
MAZUS rugosus, *Lour.*	India, Burmah, Java, Philippines, China, Japan.
STEMODIA polyantha, *Hort.*	India ?

VANDELLIA Brownii, *Benth.*	Gulf of Carpentaria.
SCOPARIA dulcis, *L.*	Tropical Asia, Africa, America, and Australia.

ACANTHACEÆ.

THUNBERGIA grandiflora, *Roxb.*	Tropical Himalaya, Assam, Neilgherries, Burmah, Singapore, China.
——————— laurifolia, *Lindl.*	Burmah.
——————— Hawtaynii, *Wall.*	Neilgherries, Canara, Coorg, Ceylon.
——————— erecta, *T. Ander.* var. flore albo,	Western Africa.
——————— lutea, *T. Ander.*	Darjeeling.
——————— coccinea, *Wall.*	Tropical Himalaya, Assam, Khasia Hills.
——————— fragrans, *Roxb.*	Eastern tropical Himalaya, Neilgherries, Ceylon, Java.
——————— tomentosa, *Wall.*	Neilgherries.
——————— alata, *Bojer.*	Mozambique, Cult. in India, Ceylon, Java.
NELSONIA tomentosa, *Willd.*	Tropical Asia, Africa, America and Australia.
ADENOSMA triflora, *N. ab, E.*	Bengal, Behar, Singapore, Feejee Islands.
HYROPHILA salicifolia, *N. ab, E.*	Tropics of Asia, Africa, America and Australia.
——————— spinosa, *T. Anders.*	Tropical Asia and Africa.
RUELLIA prostrata, *Poir.*	India, Ceylon, Burmah.
——————— solitaria, *Vell.*	Brazil.
——————— ciliata, *Hornem.*	Burmah.
APHRAGMIA Caracasana, *T. Ander.*	Caracas.
STEPHANOPHYSUM repens, *T. Anders.*	Brazil.
——————— Herbstii, *T. Anders.*	Brazil.
STEMONACANTHUS formosus, *T. Anders.*	Brazil.
PETALIDIUM barleroides, *N. ab, E.*	Central India, tropical Himalaya.
HEMIAGRAPHIS hirta, *T. Anders.*	Bengal, Rohilcund, Central India.
STROBILANTHES Sabinianus, *N. ab, E.*	Khasia Hills.
——————— auriculatus, *N. ab E.*	Tropical Himalaya, Khasia Hills, Parasnath.

STROBILANTHES maculatus, *N. ab, E.* Sikkim, Bhotan, Mishmi Hills, Khasia Hills.
——————— glomeratus, *T. Anders.* Silhet.
——————— lanatus, *T. Anders.* Pegu.
——————— scabridus, *T. Anders.* Burmah, Bengal, Java.
——————— trichotomus, *T. Anders.* Java.
——————— flaccidifolius, *T. Anders.* Assam.
——————— anisophyllus, *T. Anders.* Khasia Hills.
——————— coloratus, *T. Anders.* Khasia Hills, Assam, Bhotan.
——————— isophyllus, *T. Anders.* Assam, Khasia Hills.
——————— lamiifolius, *T. Anders.* Nepal.
——————— sp. Neilgherries.
DÆDALACANTHUS, nervosus, *T. Anders.* Khasia Hills, Silhet.
——————— strictus, *T. Anders.* Silhet.
——————— montanus, *T. Anders.* Southern India, Ceylon.
WHITFIELDIA lateritia, *Hook.* Sierra Leone.
BARLERIA buxifolia, *L.* Southern India.
——————— sp. Hab. ignot.
——————— cristata, *L.* Ceylon to the Himalaya, Java, Philippines, China.
——————— Prionitis, *L.* India, Ceylon, Abyssinia.
——————— Arnottiana, *N. ab, E.* Ceylon
——————— cœrulea, *Roxb.* Orissa, Nepal, Sikkim, Assam, Burmah.
——————— hirsuta, *N. ab, E.* Burmah
——————— Gibsoni, Dalz. Western Ghauts.
——————— sp. Western India.
CROSSANDRA infundibuliformis, *N.ab, E.* Southen India, Ceylon.
LEPIDAGATHIS linearis, *T. Anders.* Burmah.
ACANTHUS ilicifolius, *L.* Estuaries in tropical Asia, and South Africa.
GEISSOMERIA aurantiaca, *Lindl.* Brazil.
APHELANDRA tetragona, *N. ab, E.* Equatorial America, Trinidad.
——————— fulgens, *Hort.* Tropical America.
——————— pectinata, *Willd.* Tropical North and South America.
ANDROGRAPHIS paniculata, *N. ab, E.* Tropical Asia and America.
——————— echioides, *N. ab, E.* Ceylon to the Himalaya.
PACHYSTACHYS coccinea, *N. ab, E.* Brazil, Guiana.
CYRTANTHERA magnifica, *N. ab, E.* Brazil.
SERICOGRAPHIS squarrosa, *N. ab, E.* Rio Grande.

SCHAUERIA calycotricha, *N. ab, E.*	Brazil.
JUSTICIA Adhatoda, *L.*	Ceylon to the Himalaya, Malayan Peninsula and Islands.
——— Betonica, *L.*	Ceylon, India, Burmah.
——— ventricosa, *Wall.*	China.
——— decussata, *Roxb.*	Burmah.
——— bilineata, *Hort. Bot. Calc.*	Hab. Ignot.
——— procumbens, *L.*	India, Ceylon, Java, China, Abyssinia, New Holland.
——— furcata, *Jacq.*	Mexico.
——— Neesiana, *Wall.*	Silhet.
——— Gendarussa, *L.*	India, Ceylon, Burmah, Malay Peninsula, and Islands.
——— asperata,	India.
——— sp.	Java.
——— secunda, *Vahl*	West Indies, South America.
——— androsaemifolia, *T. Anders.*	West Indies.
——— Armstrongii,	Hondurus.
——— Lindenii, *T. Anders.*	New Granada.
RUNGIA parviflora, *N. ab, E.*	Tropical Asia.
DICLIPTERA chinensis, *N. ab, E.*	China.
PERISTROPHE tinctoria, *N. ab, E.*	India, Ceylon, Burmah.
——— speciosa, *N. ab, E.*	Tropical Himalaya.
HYPOESTES laxiflora, *N. ab, E.*	Java, Philippines.
——— purpurea, *R. Br.*	Philippines, China.
——— sp.	India.
RHINACANTHUS communis, *N. ab, E.*	Neilgherries, Ceylon, Java.
GRAPTOPHYLLUM hortense, *N. ab, E.*	Islands of the Pacific Ocean.
ASYSTASIA Gangetica, *T. Anders.*	Tropical Asia, and Africa.

VERBENACEÆ.

VERBENA venosa, *Gill. et Hook.*	Brazil.
——— Bonariensis, *L.*	Brazil, Buenas Ayres, Cape of Good Hope.
——— Aubletia, *L.*	Southern United States, Texas.
STACHYTARPHA Indica, *Vahl.*	India, Ceylon, Malay Peninsula, Java.
——— Jamaicensis, *Vahl,*	Tropical America, West Indian Islands.
——— mutabilis, *Vahl.*	Tropical America, West Indian Islands.

STACHYTARPHA Orubica, *Vahl.*	New Granada, Guiana.
LIPPIA citriodora, *H. B. K.*	Uruguay, Argentine Republic, Chili.
LIPPIA nodiflora, *Rich.*	All tropical countries,
LANTANA nivea, *Vent,*	Brazil.
——— Camara, *L.*	Brazil.
——— mixta, *L.*	South America, Naturalized in India and Ceylon.
——— Sellowiana, *Link, & Otto.*	Brazil, Monte Video.
——— trifolia, *L.*	West Indian Islands, tropical S. America.
——— canescens, *H. B. K.*	Mexico, tropical S. America.
CITHAREXYLON subserratum, *Swartz.*	Cuba.
DURANTA Plumieri., *Jacq.*	Mexico, West Indian Islands, Brazil.
——— Ellisia, *Jacq.*	West India Islands.
PETREA macrostachya, *Benth.*	Tropical America.
SYMPHOREMA polyandrum, *Wight.*	Central India, Carnatic
SPHÆNODESMA Wallichiana, *Schauer.*	Silhet.
CONGEA tomentosa, *Roxb.*	Carnatic.
CARYOPTERIS Wallichiana, *Schauer.*	Prome, Martaban.
HYMENOPYRAMIS brachiata, *Wall.*	Banks of the Irawaddy.
TECTONA grandis, *L.*	Southern & Central India, Burmah, Java.
——— Hamiltoniana, *Wall.*	Burmah, Philippine Islands.
PREMNA cordifolia, *Roxb.*	Penang, Southern India, Ceylon.
——— scandens, *Roxb.*	Silhet.
——— mucronata, *Roxb.*	Bengal, Philippine Islands,
——— procumbens, *Wall.*	Ceylon.
——— esculenta, *Roxb.*	Chittagong.
——— spinosa, *Roxb.*	Bengal.
——— sp.	India.
CALLICARPA macrophylla, *Vahl.*	China, Assam, Tropical Himalaya.
——— arborea, *Roxb.*	Tropical Himalaya, Chittagong.
——— Reevesii, *Wall*	China.
——— cana, *L.*	Southern India, Penang, Malay Islands.
——— longifolia, *Lam.*	India, China, Malay Archipelago.
var. subglabrata,	India, China, Malay Archipelago.
——— purpurea, *Juss.*	Cochin China, China, Japan.

VOLKAMERIA aculeata, *L.*	West Indian Islands, Tropical South America.
CLERODENDRON ligustrinum, *R. Br.*	Mexico.
——— inerme, *R. Br.*	India, Ceylon, Malayan Archipelago, China.
——— splendens, *G. Don.*	Sierra Leone.
——— phlomoides, *L.*	India, Ceylon, Java.
——— nutans, *Wall.*	Bengal, Silhet.
——— serratum, *Spr.*	India, Ceylon, Malay Islands.
——— fallax, *Lindl.*	Java.
——— infortunatum, *L.*	India, Ceylon, Penang, Singapore, Java, Sumatra.
——— paniculatum, *L.*	Malay Peninsula, and islands, Cochin China, Moluccas.
——— squamatum, *Vahl.*	Japan.
——— urticæfolium, *Wall.*	Penang.
——— Siphonanthus, *R. Br.*	Tropical Himalaya, Silhet, Singapore, Java.
——— hastatum, *Wall.*	Silhet.
——— Colebrookianum, *Walp.*	Silhet.
——— sp.	Sikkim.
——— sp.	Sikkim.
——— sp.	Singapore.
——— sp.	Singapore.
——— sp.	Rangoon.
——— sp.	Hab. ignot.
GMELINA parvifolia, *Roxb.*	Carnatic.
——— Asiatica, *L.*	India, Ceylon, Philippines.
——— villosa, *Roxb.*	Penang, Moluccas, Sumatra, Java.
——— arborea, *Roxb.*	Tropical Himalaya, Assam.
VITEX trifolia, *L.*	Sea shores of tropical Asia, and Australia.
——— incisa, *Lam.*	China.
——— Negundo, *L.*	Tropical Asia.
——— alata, *Heyne.*	Burmah.
——— pubescens, *Vahl.*	India, Ceylon, Malayan Archipelago.
——— heterophylla, *Roxb.*	Burmah, Malayan Peninsula, Java, Philippines.
——— leucoxylon, *L. fil.*	India, Ceylon, Java.
——— saligna, *Roxb.*	Southern India.

VITEX sp.	Java.
HOLMSKIOLDIA sanguinea, *Retz.*	Tropical Himalaya, Silhet.

MYOPORACEÆ.

MYOPORUM *sp.*	Australia.

LABIATÆ.

OCIMUM Basilicum, *L.*	Tropical Asia and Africa.
var. pilosum,	India, Burmah, Java, central Africa.
var. glabratum,	Tropical Asia, Mauritius, Eastern Africa.
var. difforme,	Cultivated in gardens.
——— gratissimum, *L.*	India, Ceylon, Java, Madagascar, Brazil.
——— sanctum, *L.*	India, Ceylon, Java, Arabia.
ORTHOSIPHON stamineus, *Benth.*	Assam, Burmah, Java, Nicobars.
——— incurvus, *Benth.*	Silhet, Assam.
PLECTRANTHUS rugosus, *Wall.*	Western Himalaya, Cashmere.
SACCOSTOMA urticæfolium, *Wall.*	Munipore.
COLEUS barbatus, *Benth.*	Mountains of India, Ceylon and Abyssinia.
——— aromaticus, *Benth,*	Patna, cultivated in gardens.
——— scutellarioides, *Benth.*	Amboina, Tropical Australia.
——— Blumei, *Benth.*	Java.
——— sp.	Singapore.
ANISOCHILUS carnosus, *Wall.*	Central and Northern India, Himalaya, Burmah.
LAVANDULA vera, *L.*	Southern Europe, and European & African, Mediterranean region.
POGOSTEMON plectranthoides, *Desf.*	India.
——— Patchouly, *Pellet.*	Cultivated in Gardens in India.
DYSOPHYLLA auricularia, *Blume.*	India, Ceylon, Burmah, Islands of Malay Archipelago.
COLEBROOKIA oppositifolia, *Smith.*	Tropical Himalaya, Parasnath.
——— ternifolia, *Roxb.*	Carnatic.
MENTHA piperita, *L.*	Northern Europe, cultivated in Asia, Europe and America.
MENTHA arvensis, *L.* var. sativa,	Sub-tropical Himalaya, Central Asia, Europe.

HYSSOPUS officinalis, *L.*	Western Himalaya, Cashmere, Central and Western Asia, Europe.
MERIANDRA Benghalensis, *Benth.*	Abyssinia, cultivated in India.
SALVIA splendens, *Sellow.*	Rio Janeiro
MONARDA fistulosa, *L.*	Canada, United States, Texas, Mexico.
SCUTELLARIA discolor, *Colebr*	Nepal, Khasia Hills, Assam, Java
——————— cana, *Wall.*	Hab. ignot.
LEONURUS Sibiricus, *L.*	Tropical Asia, Africa and America.
ROYLEA elegans, *Wall.*	Western Himalaya.
LEUCAS biflora, *R Br.*	India Ceylon.
——— linifolia, *Spreng.*	India, Ceylon, Java, Philippines.
EREMOSTACHYS superba, *Royle.*	Deyra Dhoon in Western Himalaya.
GOMPHOSTEMMA melissæfolium, *Wall.*	Silhet, Assam.

PLUMBAGINACEÆ.

PLUMBAGO scandens, *L.*	Tropical America from Mexico to Brazil.
——— ——— Zeylanica, *L.*	Tropical Asia, Australia, Pacific islands, Senegambia, Cape de Verde Islands.
——————— coccinea, *Boiss.*	Tropical Asia.
——————— Capensis, *Thunb.*	Cape of Good Hope, Natal.
——————— aphylla, *Boyer.*	Madagascar.

PLANTAGINACEÆ.

PLANTAGO Major, *L.*	Europe and temperate regions. of Asia to China.
——————— Lagopus, *L.*	Southern Europe, islands of the Mediterranean, Algeria, Canaries.
——————— amplexicaulis, *lav.*	Spain, Greece, Asia, Minor, North-Africa.
——————— Coronopus, *L*	Europe, Northern Africa, Western Asia
——————— Hookeriana, *Fisch. et Mey.*	Texas.

PLANTAGO longispica,	Hab. ignot.

NYCTAGINACEÆ.

MIRABILIS Jalapa, *L.*	South America, cultivated in Gardens.
BOUGAINVILLEA spectabilis, *Willd.*	Brazil.
——————— glabra, *Chois*,	Rio Janeiro, Minas Geraes.
PISONIA aculeata, *L.*	Tropical Asia and America.
——— villosa, *Poir.*	Southern and Central India.
——— alba, *Spanh.*	Timor.
——— sp.	Java.
——— sp.	Hab. ignot.
——— nigricans, *Swartz.*	West Indian Islands.
BOERHAAVIA scandens, *L.*	Tropical Asia, Africa, America and Australia.

POLYGONACEÆ.

CERATOGONUM atriplicifolium, *Meisn.*	Shores of South Eastern Africa.
RUMEX vesicarius, *L.*	Tropical Asia, Egypt, Shores of the Mediterranean, Canaries,
POLYGONUM tomentosum, *Willd.*	India, Ceylon.
——————— repens, *Wall.*	Tropical Himalaya, Khasia Hills. India.
——————— adenotrichum, *Griff.*	
COCCOLOBA uvifera, *Jacq.*	Antilles, Florida, Brazil, Surinam
——————— coronata, *Jacq.*	Carthagena in Colombia.
——————— excoriata, *L.*	West Indian Islands.
——————— platyclada, *Hook.*	Solomon's Islands.
——————— acuminata, *Kunth.*	Colombia, Isthmus of Darien.
TRIPLARIS Americana, *L.*	Central America.

SALSOLACEÆ.

ATRIPLEX variegata,	Cape of Good Hope.

AMARANTACEÆ.

DEERINGIA Indica, *Zoll.*	Java, Moluccas, Philippines.
CELOSIA cristata, *Moq.*	India, Java.
——— *var.* castrensis.	India.
——— *var.* coccinea.	Cultivated.
——— argentea, *Moq.*	Mauritius, Bourbon, Japan.
——— *var.* margaritacea,	Mauritius, Bourbon, Japan.

AMARANTUS oleraceus, *Roxb*,	Cultivated in tropical gardens.
——————— *var.* tricolor.	
ÆRVA sanguinolenta, *Blume.*	Java, Amboina, Timor.
GOMPHRENA globosa, *L.*	Cultivated in gardens.
——————— *var.* carnea.	

PROTEACEÆ.

GREVILLEA robusta, *A. Cunningh.*	Moreton Bay.
RHOPALA complicata, *H. B. K.*	Panama, Columbia, Guiana.
——————— Corcovadensis,	Equatorial America.
——————— Skinneri,	Equatorial America.

THYMELACEÆ.

WIKSTRŒMIA viridiflora, *Meisn.*	Singapore, Cochin China, China.
LASIOSIPHON eriocephalus, *Dcne.*	Mountains of Southern India and Ceylon.
DRYMISPERMUM Blumei, *Dcne.*	Java.
——————— laurifolium, *Dcne.*	Timor.
——————— sp.	Java.

HERNANDIACEÆ.

HERNANDIA Sonora, *L.*	Moluccas, Amboina, Java, Ceylon, Figi Islands.
——————— ovigera, *L.*	Amboina.

AQUILARIACEÆ.

AQUILARIA Agallocha, *Roxb.*	Eastern Bengal, Silhet, Assam.

SANTALACEÆ

SANTALUM album, *L.*	Malabar, Canara, Coorg, Islands of Malay Archipelago.

ELÆAGNACEÆ.

ELÆAGNUS latifolia, *L.*	Tropical India, Ceylon, Java.
——————— ferruginea, *Ach. Rich.*	Java.
——————— arborea, *Roxb.*	Nepal, Garrow Hills.

LAURACEÆ.

CINNAMOMUM Malabathrum, *Batk.*	Penang, Java, Sumatra.
——————— nitidum, *N. ab E.*	Sumatra.
——————— Zeylanicum, *Breyn.*	Ceylon.

CINNAMOMUM aromaticum, *N. ab E.*	China, Japan.
——————— caudatum, *N. ab E.*	Nepal.
CAMPHORA officinarum, *Bauh.*	Japan, China.
APOLLONIAS Zeylanica, *Thw.*	Ceylon.
PHOEBE lanceolata, *N. ab E.*	Silhet, Tropical Himalaya.
PERSEA gratissima, *N. ab E.*	Tropical America.
BEILSCHMIEDIA Roxburghiana. *N. ab E.*	Tipperah.
CRYPTOCARYA floribunda, *N. ab E.*	Silhet.
SASSAFRAS officinale, *N. ab. E.*	Canada, United States.
TETRANTHERA Roxburghii, *N. ab. E.*	Circars, Behar.
——————— tomentosa, *Roxb.*	Silhet, Assam, Chittagong.
——————— glauca, *Wall.*	Silhet.
——————— rubra, *N. ab E.*	Java.
——————— quadriflora, *Roxb.*	Garrow hills.
——————— sp.	Sikkim.
——————— sp.	Hab. ignot.
LITSAEA foliosa, *N. ab. E.*	Silhet.
LAURUS nobilis, *L.*	Asia Minor, Shores of the Mediterranean.

CELTIDEÆ.

ULMUS parvifolia, *Jacq.*	Assam, China, Japan.
——— erosa, *Roth ?.*	Mountains of Southern India.
CELTIS sinensis, *Pers.*	China.
——— tetrandra, *Wall.*	Nepal.
SPONIA orientalis, *Planch.*	India, Ceylon.

CANNABINEÆ.

CANNABIS sativa, *L.*	Central Asia, Himalaya.

URTICACEÆ.

LAPORTEA crenulata, *Gaud.*	India, Ceylon, Java, Philippine Islands.
——— naucliflora, *T. Anders.*	Khasia Hills.
GERARDINIA heterophylla, *Dcne*	India, Ceylon, Malay Islands.
BOEHMERIA scabrella, *Gaud.*	India, Java, Sumatra.
——— nivea, *Gaud.*	India, Ceylon, Malayan Islands.
——— Chinensis.	China, Japan.
POUZOLSIA ovalis, *Miq.*	Java, Sumatra.

POUZOLSIA tuberosa, *Wight.*	India.
——— subperforata,	India.
——— salicifolia,	India.
——— sp.	India.
SARCOCHLAMYS pulcherrima, *Gaud.*	India, Sumatra.

MORACEÆ.

STREBULUS asper, *Lour.*	India, Ceylon, Islands of Malay Archipelago.
——— Mauritianus, *Blume.*	Mauritius, Madagascar.
MORUS Indica, *L.*	Himalaya, Java, Celebes.
——— alba, *L.*	Himalaya, Persia, Asia Minor.
——— tatarica, *Pall.*	Europe, Central Asia, North West Himalaya.
——— multicaulis, *Perott.*	Philippine Islands, China.
——— bifaria, *Wall.*	Hab. ignot.
BROUSSONETIA papyrifera, *Vent.*	China, Japan.
MACLURA Crista-galli, *Lodd*	North America ?
PLECOSPERMUM spinosum, *Trêc.*	India, Ceylon.
——— fruticosum, *T. Anders.*	Chittagong.
CEPHALOTROPHIS Javanica, *Blume.*	Java, Timor, China.
ARTOCARPUS incisa, *L. fil.*	Islands of the Pacific Ocean.
——— pubescens, *Willd.*	Malabar.
——— echinata, *Roxb.*	Malayan Peninsula.
——— integrifolia, *L.*	Moluccas, Sunda Islands, islands of the Pacific Ocean.
——— Lakoocha, *Roxb.*	India, Ceylon, Java.
——— Blumei, *Trêc.*	Java.
——— Chaplasha, *Roxb*	Assam, Chittagong, Tipperah.
——— oblonga, *Wall.?*	Hab. ignot.
BROSIMUM Alicastrum, *Swartz.*	Mexico, West Indian Islands.
ANTIARIS toxicaria, *Lesch.*	Sumatra, Borneo, Celebes, Philippine islands.
DORSTENIA Houstonii, *L.*	Campeachy.
FICUS nymphæfolia, *L.*	Equatorial America.
——— syringæfolia, *Kth.*	Caraccas.
——— macrophylla, *Desf.*	Tropical Australia, Timor.
——— rubiginosa, *Desf.*	Tropical Australia.
——— lucida.	Tropical Australia ?
——— religiosa, *L.*	India, Ceylon, Java.
——— cordifolia, *Roxb.*	Bengal, Assam.

FICUS infectoria, *Roxb.*	Bengal.
——— comosa, *Roxb.*	Northern Circars, Parasnath.
——— pilosa, *Reinw.*	Java.
——— Indica, *L.*	India, Ceylon.
——— Borbonica,	Mauritius.
——— xylophylla, *Wall.*	Singapore.
——— artocarpifolia, *Wall.*	Penang.
——— elastica, *Roxb.*	Tropical Sikkim, Assam, Silhet, Cachar.
——— pilulifera, *Wall.*	Penang.
——— retusa, *Miq.*	India, Ceylon, Malay Peninsula, and islands.
——— mangifolia, *Wall.*	Penang.
——— sp.	India.
——— sp.	India.
——— sp.	India.
——— Carica, *L.*	Southern Europe, Syria.
——— repens, *Willd.*	Bengal, Assam.
——— politoria, *Lam.*	Islands of Malayan Archipelago.
——— urophylla, *Wall.*	Penang, Java, Borneo.
——— Altimeraloo, *Roxb.*	Moluccas, Philippine islands.
——— stipulata, *Thunb.*	China, Japan.
——— Riedellii, *Kurz.*	Moluccas.
——— oppositifolia, *Willd.*	India, Ceylon.
——— conferta, *Wall.*	Silhet.
——— conglomerata, *Roxb.*	Tropical Eastern Himalaya, Chittagong.
——— rhizocarpa, *Kurz.*	Moluccas.
——— begoniæfolia, *Kurz.*	Moluccas.
——— sp.	Tropical Sikkim.
——— glomerata, *Willd.*	Bengal.

EUPHORBIACEÆ.

PEDILANTHUS tithymaloides, *Poir.*	West Indian Islands.
EUPHORBIA sp.	Hab. ignot.
——— fulgens, *Karwinsk.*	Mexico.
——— pulcherrima, *Willd.*	Mexico, Guatimala.
——— pyrifolia, *Lam.*	Mauritius.
——— splendens, *Bojer.*	Madagascar.
——— Bojeri, *Hook.*	Madagascar.
——— neriifolia, *L.*	India.

EUPHORBIA antiquorum, *L.*	India.
——— trigona, *Haw.*	Southern India.
——— arborescens, *Roxb.*	Bengal ?
——— Royleana, *Boiss.*	Tropical Western Himalaya.
——— Cattimandoo, *Elliott.*	Vizagapatam.
——— polyacantha ? *Boiss.*	Abyssinia.
——— Tirucalli, *L.*	Zanzibar, cultivated in India.
——— Schimperi, *Presl.*	Arabia Felix, Aden.
——— Playfairii, *T. Anders.*	Abyssinia.
RICINUS communis, *L.*	Cultivated in the warm regions of the Old and New World.
SPATHIOSTEMON Javense, *Blume.*	India, Ceylon, Burmah, Java.
JATROPHA multifida, *L.*	West Indian Islands.
——— gossypifolia, *L.*	West Indies, Tropical America, Naturalized in India.
——— hastata, *Jacq.*	Trinidad, Cuba.
——— spinosa, *Vahl.*	Aden.
——— integerrima, *Jacq.*	Cuba.
MANIHOT Janipha, *Pohl.*	Tropical South America.
——— utilissima, *Pohl.*	Tropical South America, West Indian islands.
CURCAS purgans, *Med.*	West Indian islands, tropical America and Asia.
ANDA Gomesii, *A. H. Hil.*	Brazil.
TRIGONOSTEMON nemoralis, *Thw.*	Ceylon.
ALEURITES triloba, *Forst.*	Moluccas, Timor, cultivated in the tropics.
CROTON oblongifolium, *Roxb.*	India, Ceylon.
——— urophyllum, *Wall.*	Assam.
——— drupaceum, *Roxb.*	Eastern Bengal.
——— Joufra, *Roxb.*	Silhet.
——— Tiglium, *L.*	Moluccas, Amboina
——— bineurosum,	India.
——— sp.	India.
EREMOCARPUS Knimoni,	Java.
CODIAEUM variegatum, *Blume.*	Amboina, Timor, Philippine islands.
var. β, medium,	
c, crispum,	
δ, longifolium,	
GIVOTIA Rottleraeformis, *Griff.*	Mountains of Southern India, and Ceylon.

OSTODES paniculata, *Blume.*	Tropical Eastern Himalaya, Assam, Khasia Hills, Java.
BALIOSPERMUM polyandrum, *Wight.*	Bengal, Assam, Tropical Himalaya.
CLEIDION Javanicum, *Blume.*	Bengal, Sikkim, Assam, Neilgherries, Ceylon, Burmah, Java.
GELONIUM fasiculatum, *Roxb.*	Bengal.
REDIA tricocca, *Cas.*	Brazil.
TREWIA nudiflora, *Willd.*	Bengal, Assam, Tropical Himalaya, Southern India, Ceylon.
CŒLEBOGYNE ilicifolia, *J. Smith.*	Australia.
ROTTLERA rhombifolia, *Thw.*	Silhet, Assam, Southern India, Ceylon.
——————— tetracocca, *Roxb.*	Assam, Southern India, Tropical Himalaya, Ceylon.
——————— barbata, *Wall.*	Tenasserim, Penang.
——————— rugosa,	India.
——————— tinctoria, *Roxb.*	Mountains of India, Ceylon.
——————— sp.	Assam.
——————— sp.	Hab ignot.
MAPPA Javanica, *Blume.*	Singapore, Java.
MACARANGA Wightiana, *Baill.*	Circars, Malabar, Neilgherries.
ACALYPHA colorata, *Spreng.*	Mauritius.
——————— densiflora, *Blume.*	Moluccas.
TRAGIA involucrata, *Willd.*	India, Ceylon.
SYMPHYLLIA Siletiana, *Baill.*	Silhet.
DALECHAMPIA Madagascariensis, *Bojer.*	Madagascar.
STILLINGIA sebifera, *A. Juss.*	China.
——————— ilicifolia, *Willd.* ?	Tropical America.
SAPIUM indicum, *Willd.*	Bengal, Assam, Southern India.
——————— baccatum, *Roxb.*	Assam.
EXCAECARIA Agallocha, *L.*	Sea coasts of India, Ceylon, and Malayan Islands.
——————— bicolor, *Zoll.*	Java.
FALCONERIA insignis, *Royle.*	Bengal, Tropical Himalaya, Central India.
OMALANTHUS populifolius, *Grab.*	Java.
HURA crepitans, *L.*	Tropical America.
PACHYSTEMON trilobus, *Blume.*	Malayan Peninsula, Java.
PIERARDIA sapida, *Roxb.*	Eastern Bengal, Burmah, Malayan Peninsula.

HEMICYCLIA sepiara, *W. et A.*	Southern India, Ceylon.
AMANOA collina, *Baill.*	Silhet, Southern India, Ceylon.
——— lævigata, *T. Anders.*	India.
——— attenuata, *T. Anders.*	Assam.
——— oblongifolia, *Baill.*	Silhet.
BRIEDELIA amoena, *Wall.*	Burmah.
——— lancaefolia, *Roxb.*	Bengal.
——— spinosa, *Willd.*	Bengal, Assam, Orissa.
——— glauca, *Wall.*	India.
——— scandens, *Willd.*	Northern Circars.
FLUGGEA retusa, *Roxb.*	Bengal, Northern India.
BISCHOFIA Javanica, *Blume.*	Bengal, Tropical Eastern and Central Himalaya, Burmah, Java.
ANTIDESMA Bunius, *Spreng.*	India, Ceylon, Java, Moluccas, Philippine Islands.
——— paniculatum, *Roxb.*	India, Ceylon.
——— diandrum, *Spreng.*	India, Java.
——— Roxburghii, *Wall.*	Assam.
KIRGANELLIA multiflora, *Baill.*	India, Ceylon.
——— phyllanthoides, *A. Juss.*	Mauritius.
——— reclinata, *Baill.*	Sumatra.
——— baebotryoides, *Wall.*	Silhet.
CICCA disticha, *L.*	Cultivated in Tropical Gardens.
PROSORUS indica, *Dalz.*	Southern India, Ceylon.
PHYLLANTHUS Emblica, *L.*	Bengal, Tropical Himalaya, Central India, Coromandel coast.
PHYLLANTHUS angustifolius, *Sw.*	Jamaica, Cuba.
——— elongatus, *Jacq.*	Jamaica.
——— Niruri, *L.*	Tropical Asia, Africa, and America.
MELANTHESA Simsiana, *Baill.*	Malabar, Southern India.
SAUROPUS stricta, *Baill.*	Malabar islands.
——— retroversa, *Wight.*	Southern India.
——— scandens, *T. Anders.*	India.
——— cordata, *T. Anders.*	India.
GLOCHIDION nitidum, *Voight.*	Northern Circars.
——— multiloculare, *Voight.*	Bengal.
——— lanceolarium, *Voight.*	Assam.
——— glaucum, *Blume.*	Java.
——— hirsutum, *Baill.*	Penang.
PUTRANJIVA Roxburghii, *Wall.*	Bengal, Tropical Western Himalaya, Southern India, Ceylon.

APOROSA Roxburghii, *Baill.*	Khasia Hills.
——— integrifolia, *T. Anders.*	Silhet.
EPISTYLIUM glaucescens, *Miq.*	Java.
——— sp.	Java.
SCEPASMA buxifolia, *Blume.*	Java.
OLDFIELDIA Africana, *Hook. et B.*	Central Africa.
BUXUS sempervirens, *L.*	Temperate Himalaya, Persia, Caucasus, Southern Europe.
——— sp.	Hab. ignot.
SARCOCOCCA pruniformis, *Lindl.*	Tropical Himalaya, Nilgherries, Ceylon.

MONIMIACEÆ.

AMBORA sp.	Mauritius.
DORYPHORA Sassafras, *Tul.*	Eastern Australia.

DATISCEÆ.

TETRAMELES nudiflora, *R. Br.*	Western India, Ceylon, Java,

NEPENTHACEÆ.

NEPENTHES Rafflesiana, *Jack.*	Singapore, Sumatra.
——— ampullacea, *Jack.*	Singapore, Sumatra.

ARISTOLOCHIACEÆ.

ARISTOLOCHIA Indica, *L.*	India, Ceylon, Burmah, Java,
——— anguicida, *Jacq.*	New Grenada.
——— caudata, *Booth.*	Brazil.
——— labiosa, *Ker.*	Brazil.
——— gigas, *Lindl.*	Guatimala.
——— sp.	Pegu.

PIPERACEÆ.

PEPEROMIA cuneifolia, *A. Dietr.*	Caracas.
——— obtusifolia, *A. Dietr.*	Guiana, West Indian Islands.
CHAVICA Betle, *Miq.*	Cultivated in tropical Asia.
——— peepuloides, *Miq.*	Tropical Eastern Himalaya, Khasia Hills, Chittagong, Moulmein.
——— Roxburghii, *Miq.*	Bengal, Southern India, Ceylon, Burmah.
——— sylvatica, *Miq.* ?	North Western Bengal.
PIPER nigrum, *L.*	India, Ceylon, Malayan Archipelago and Islands.

CHLORANTHACEÆ.

CHLORANTHUS inconspicuus, *Swartz.* China, Japan.

SAURURACEÆ.

HOUTTUYNIA cordata, *Thunb.* Tropical Himalaya, Assam, Khasia Hills, China, Japan.

JUGLANDACEÆ.

JUGLANS sp. Sydney.
ENGELHARDTIA spicata, *Blume.* Tropical Sikkim, Java.

CUPULIFERÆ.

QUERCUS Suber, *L.* Southern Europe.
CASTANEA Indica, *Roxb.* Tropical Himalaya, Khasia Hills, Chittagong.
——— sp. Tropical Sikkim.
——— argentea, *Blume.* Java.

SALICACEÆ.

SALIX Babylonica, *L.* Southern Europe, Asia Minor.
——— tetrasperma, *Roxb.* Lower Gangetic Plains, Oude, Peninsula of India.

CASUARINACEÆ.

CASUARINA equisetifolia, *Forst.* Chittagong, Malayan peninsula, and islands of the Archipelago, Islands of the Pacific.
——— Sumatrana, *Jungh.* Sumatra, Celebes.
——— quadrivalvis, *Lab.* Australia, Tasmania.

CONIFERÆ.

JUNIPERUS virginiana, *L.* Southern United States, Florida.
——— chinensis, *L.* China, Japan.
——— cernua, *Roxb.* China.
FRENELA crassivalvis, *Miq.* Tropical Australia.
THUJA orientalis, *L.* China, Japan.
——— occidentalis, *L.* Canada.
——— sp. China.
CUPRESSUS fastigiata, *DC.* Southern Europe, Asia Minor.
——— torulosa, *D. Don.* Nepal, Kumaon.

CUPRESSUS funebris, *Endl.*	China, cultivated in Sikkim.
—— globulifera, *Parlat.*	Cult. in Bot. Garden Florence.
—————— sphærocarpa, *Parlat.*	Cult. in Bot. Garden Florence.
GLYPTOSTROBUS heterophyllus, *Endl.*	China.
CRYPTOMERIA Japonica, *Don.*	China, Japan.
PINUS longifolia, *Roxb.*	Tropical Himalaya.
——— Khasyana, *Griff.*	Khasia Hills.
——— Halepensis, *Ait.*	South of Europe, Asia Minor, Northern Africa.
——— sinensis, *Lamb.*	China.
ARAUCARIA columnaris, *Hook.*	New Caledonia
——————— excelsa, *Ait.*	Norfolk Island.
——————— Cunninghami, *Ait.*	Moreton Bay.
——————— *var.* glauca,	Moreton Bay.
——————— Bidwillii, *Hook.*	Brisbane Mountains, Moreton Bay.
DAMMARA alba, *Rumph.*	Islands of Malay Archipelago.
——————— australis, *Lamb.*	New Zealand.
——————— obtusa, *Lindl.*	New Hebrides
——————— ovata,	
——————— robusta,	
——————— Brownei,	
PODOCARPUS Nageia, *R. Br.*	China, Japan.
——————— nereifolia, *Wall.*	Tropical Himalaya, Burmah, Singapore, Java, China.
——————— Maki, *S. & Z.*	China, Japan.
——————— elongata, *Herit.*	Cape of Good Hope.
——————— spinulosa, *Spreng.* ?	Tasmania ?
——————— sp.	Java.
——————— cupressina, *R. Br.*	Malayan Peninsula and Islands.
DACRYDIUM elatum, *Wall.*	Malayan Peninsula and Islands.
SALISBURIA adiantifolia, *Smith.*	China, Japan.

GNETACEÆ.

GNETUM Gnemon, *L*	Java, Moluccas, New Guinea, Philippine Islands.

CYCADACEÆ.

CYCAS revoluta, *Thunb.*	China, Japan.
——— Rumphii, *Miq.*	Moluccas, Ternate.
——— sphærica, *Roxb.*	Amboina.
——— pectinata, *Griff.*	Tropical Eastern Himalaya.

CYCAS sp. Assam
DIOON edule, *Lindl.* Mexico.
CERATOZAMIA Mexicana, *Brongn.* Mexico.
MACROZAMIA spiralis, *Miq.* Tasmania.
——————— Denisonii, *Moore. et Muell.* Moreton Bay.
ENCEPHALARTOS horridus, *Lehm* Cape of Good Hope.

ORCHIDACEÆ.

LIPARIS longipes, *Lindl.* Tropical Sikkim, Khasia Hills, Ceylon.
OBERONIA iridifolia, *Lindl.* Tropical Himalaya.
APORUM anceps, *Roxb.* Sikkim.
——— Serra, *Lindl.* Singapore, Java.
——— indivisum, *Blume.* Singapore, Java.
DENDROBIUM macrophyllum, *Lindl.* Philippine Islands.
——————— nobile, *Lindl.* Tropical Sikkim, Khasia Hills, Assam.
——————— pulchellum, *Roxb.* Khasia Hills, Bhotan
——————— Pierardii, *Roxb* Tropical Himalaya, Khasia Hills, Assam.
——————— primulinum, *Lindl.* Tropical Sikkim, Assam.
——————— transparens, *Wall.* Tropical Eastern Himalaya, Assam.
——————— breviflorum, *Lindl.* Singapore.
——————— chrysanthum, *Wall.* Tropical Sikkim, Khasia Hills.
——————— Paxtoni, *Lindl.* Khasia Hills.
——————— ochreatum, *Lindl.* Khasia Hills.
——————— crumenatum, *Swartz.* S. India, Ceylon, Malay Peninsula, Java.
——————— angulatum, *Wall.* Banks of the Atran, Burmah.
——————— secundum, *Wall.* Martaban, Tenasserim.
——————— formosum, *Roxb.* Khasia Hills, Martaban, Tenasserim.
——————— fimbriatum, *Hook.* Sikkim, Nepal.
——————— Gibsoni, *Paxt.* Khasia Hills, Assam.
——————— moschatum, *Wall.* Silhet, Sikkim.
——————— fuscatum, *Lindl.* Sikkim, Khasia Hills.
——————— Dalhousianum, *Paxt.* Mergui, Moulmein.
——————— ramosissimum, *Wight.* Central India, Parasnath.
——————— nudum, *Lindl* Singapore, Java.
——————— speciosum, *Smith.* Tropical Australia.
——————— aemulum, *R. Br.* Tropical Australia.
——————— chrysotoxum, *Lindl.* Burmah, Khasia Hills.

DENDROBIUM aggregatum, *Roxb.* Arracan.
——————— densiflorum, *Wall.* Sikkim, Nepal, Khasia Hills.
——————— Jenkinsii, *Wall.* Assam.
——————— Grotii, *T. Anders.* Moulmein.
——————— sp. Burmah.
——————— sp. Burmah.
——————— sp. Java.
——————— sp. India.
——————— sp. Rangoon.
——————— sp. Singapore.
SARCOPODIUM multicaule, *T. Anders.* Khasia Hills,
BOLBOPHYLLUM elegans, *Gard.* Ceylon.
——————— Careyanum, *Spreng.* Tropical Eastern Himalaya, Burmah.
——————— sp. Andamans.
——————— sp. Ootacamund.
——————— sp. Ootacamund.
——————— sp. Darjeeling.
CIRROPETALUM sp. Tropical Sikkim.
ERIA myristicæformis, *Hook.* Moulmein.
—— flava, *Lindl.* Tropical Sikkim, Nepal.
—— stellata, *Lindl.* Java. ?
—— elongata, *Lindl.* Moulmein.
—— convallarioides, *Lindl.* Tropical Himalaya, Khasia Hills.
—— excavata, *Lindl.* Tropical Himalaya.
—— paniculata, *Lindl.* Tropical Sikkim, Khasia Hills.
—— ferruginea, *Lindl.* Assam, Khasia & Jyntea Hills.
—— pauciflora, *Wight.* Neilgherries.
—— sp. Darjeeling.
—— sp. Burmah.
—— sp. Java.
—— sp. Darjeeling.
CŒLOGYNE flaccida, *Lindl.* Nepal, Kumaon.
——————— Parishii, *Hook.* Moulmein.
——————— ochracea, *Lindl.* Temperate Eastern Himalaya.
——————— nitida, *Lindl.* Nepal, Sikkim.
——————— ocellata, *Lindl.* Temperate Himalaya, Khasia Hills.
——————— elata, *Lindl.* Sikkim, Nepal, Kumaon.
——————— flavida, *Hook. fil.* Sikkim, Khasia Hills.
——————— glumacea, *T. Anders.* Darjeeling.
——————— Falconeri, *T. Anders.* Moulmein.

CŒLOGYNE sp.	Rangoon.
——— Wallichiana, *Lindl.*	Sikkim, Nepal, Khasia Hills.
PHOLIDOTA imbricata, *Lindl.*	Sikkim, Khasia Hills.
——— undulata, *Wall.*	Sikkim.
——— articulata, *Lindl.*	Sikkim, Khasia Hills.
OTOCHILUS alba, *Lindl.*	Sikkim, Khasia Hills.
EPIDENDRUM ciliare, *L.*	West Indies, Tropical America.
——— falcatum, *Lindl.*	Mexico.
——— viviparum, *Lindl.*	Demerara.
——— cochleatum, *L.*	West Indian Islands, Mexico.
——— nutans, *Swartz.*	West Indian Islands, Brazil.
——— ellipticum, *Grahm.*	Organ Mountains Brazil.
——— polyanthum, *Lindl.*	Mexico.
——— *var.* densiflorum, *Lindl.*	Mexico.
——— latifolium.	Tropical America
——— sp.	Tropical America
——— sp.	Tropical America
——— sp.	Bahia.
——— sp.	Tropical America.
CATTLEYA intermedia, *Grah.*	Brazil.
——— Forbesii, *Lindl*	Brazil.
——— bicolor, *Lindl.*	Brazil.
BRASSAVOLA cucullata, *R. Br.*	West Indian Islands.
PHAJUS albus, *Lindl.*	Tropical Eastern Himalaya, Nepal, Khasia Hills.
ARUNDINA chinensis, *Blume.*	China.
BLETIA hyacinthina, *R. Br.*	China, Japan
——— verecunda, *R. Br.*	West Indies.
SPATHOGLOTTIS plicata, *Blume.*	Singapore, Java.
EULOPHIA campestris, *Lindl.*	Plains of central and North-Western India.
——— virens, *R. Br.*	Southern India, Ceylon.
CYRTOPERA flava, *Lindl.*	Sikkim and Nepal Terai.
LUISIA brachystachys, *Blume.*	Bengal, Khasia Hills, Himalaya, Borneo, Java.
——— trichorhiza, *Blume.*	Khasia Hills, Sikkim.
VANDA gigantea, *Lindl.*	Tenasserim Provinces.
——— Roxburghii, *R. Br.*	Bengal, Southern India, Ceylon.
——— tricolor, *Lindl.*	Java.
——— teres, *Lindl.*	Sikkim, Khasia Hills, Burmah.
——— Cathcartii, *Lindl.*	Sikkim

VANDA cœrulea, *Griff.*	Khasia Hills.
——— densiflora, *Lindl.*	Burmah.
——— cristata, *Lindl.*	Nepal, Sikkim, Bhotan.
——— sp.	Ceylon.
ACAMPE multiflora, *Lindl.*	China.
——— longifolia, *Lindl.*	Tavoy, Burmah.
——— papillosa, *Lindl*	Bengal, Tropical Himalaya, Malabar, Chittagong, Burmah.
——— dentata, *Lindl.*	Tropical Sikkim.
RENANTHERA coccinea, *Lour.*	Cochin China.
——— arachnites, *Lindl.*	Japan.
PHALÆNOPSIS grandiflora, *Lindl.*	Java, Singapore.
——— amabilis, *Blume.*	Islands of Malayan Archipelago, Philippine Islands.
CAMAROTIS pallida, *Lindl.*	Khasia Hills.
SACCOLABIUM guttatum, *Lindl.*	India, Ceylon, Burmah, Java, Cochin China.
——— micranthum, *Lindl.*	Bhotan, Sikkim, Nepal Mergui.
——— ampullaceum, *Lindl.*	Sikkim.
——— calceolare, *Lindl.*	Sikkim, Khasia Hills, Java.
——— bracteatum, *T. Anders.*	Rangoon.
SARCOCHILUS sp.	Hab ignot.
CLEISOSTOMA armigera,	India.
SARCANTHUS junceus, *Wall.*	Assam.
——— sp.	Ceylon.
——— sp.	Sikkim.
AGROSTOPHYLLUM planicaulis, *Griff.*	Khasia Hills.
AËRIDES affine, *Wall.*	Bengal, Eastern Himalaya, Assam, Burmah.
——— odoratum, *Lour.*	Khasia Hills, Sikkim.
——— sp.	Assam.
——— sp.	Sikkim.
——— sp.	Sikkim.
ANGRÆCUM superbum, *Thouars.*	Madagascar.
——— Richardi, *Wall.*	Madagascar.
CYMBIDIUM aloifolium *Swartz.*	Southern India, Ceylon, Bengal, Sikkim.
——— elegans, *Lindl.*	Sikkim, Khasia Hills
——— giganteum, *Wall.*	Sikkim, Khasia Hills.
——— ensifolium, *Swartz.*	Southern India, Ceylon, Singapore, Java.

GRAMMATOPHYLLUM speciosum, *Lindl.* Straits of Malacca, Cochin China, Java.
——————— fastuosum, *Lindl.* Malacca.
ANSELLIA Africana, *Lindl.* Fernando Po.
ONCIDIUM flexuosum, *Sims.* Brazil.
——— ampliatum, *Lindl.* Central America.
——— luridum, *Lindl.* West Indian islands, Mexico
STANHOPEA oculata, *Lindl.* Mexico.
——— Wardii, *Lodd.* Central America.
——— sp. Tropical America.
PERISTERIA elata, *Hook* Peru.
ACROPERA Loddigesii, *Lindl.* Mexico.
ZYGOPETALUM Mackaii, *Hook.* Brazil.
CATASETUM tridentatum, *Hook.* Central America, Trinidad.
——— *var.* Claveringi, *Lindl.* Brazil.
——— luridum, *Lindl.* Brazil.
——— ochraceum, *Lindl.* Bogota.
——— sp. Tropical America.
——— sp. Tropical America.
CALANTHE sp. Tropical Sikkim.
——— sp. Tropical Sikkim.
——— sp. Assam.
GEODORUM candidum, *Wall.* Silhet, Moulmein.
——— attenuatum, *Griff.* Burmah.
——— sp. Pegu.
HABENARIA commelinifolia, *Wall.* Bengal, Southern India, Burmah.
POGONIA carinata, *Lindl* Bengal.
——— plicata, *Lindl.* Lower Bengal.
DIDYMOPLEXIS pallens, *Griff.* Lower Bengal.
VANILLA aromatica, *Swartz.* Brazil.
——— planifolia, *Andr.* West Indian Islands.
——— clavicoulata, *Swartz.* West Indian Islands.
——— albida, *Blume.* Java.
——— aphylla, *Blume,* Java.
——— grandiflora, *Lindl.* French Guiana.
——— sp. Ceylon.
ZEUXINE sulcata, *Lindl.* Lower Bengal.
CYPRIPEDIUM venustum, *Wall.* Khasia Hills.
——— insigne, *Wall.* Khasia Hills.
——— Fairieanum, *Lindl.* Assam.

MUSACEÆ.

MUSA Rumphiana, *Kurz.*	Malay Archipelago, cultivated.
—— *var* violacea,	Tropical Himalaya, Khasia hills, Malay Archipelago.
—— Chinensis, *Sw.*	Islands of Malay Archipelago, China.
—— Cliffortiana, *L.*	Tropical Mountains of India, Ceylon, Malay Islands.
—— *var.* culta,	Cultivated in all warm countries.
—— *var.* vitatta,	Cutivated in tropical Africa.
—— sylvestris, *Rumph.*	Philippines, Moluccas.
—— glauca, *Roxb.*	Pegu, Java
—— superba, *Roxb.*	Mountains of Southern India.
—— Ensete, *Gmel.*	Abyssinia
—— uranoscopos, *Rumph.*	Moluccas.
—— rubra, *Wall.*	Burmah.
HELICONIA buccinata, *Roxb.*	Sumatra, Moluccas.
———— bicolor, *Klotzsch.*	South America.
RAVENALA Madagascariensis, *Sonner.*	Madagascar.
STRELITZIA augusta, *Thunb.*	Cape of Good Hope.
———— angustifolia, *Dryand.*	Cape of good Hope.

ZINGIBERACEÆ.

GLOBBA marantina, *L.*	Moluccas.
——— bracteolata, *Wall.*	Tenasserim, Pegu.
ZINGIBER officinale, *Rosc.*	Cultivated in tropical countries.
———— Zerumbet, *Rosc.*	India, Ceylon, Malay islands, Islands of the Pacific.
———— Cassumunar, *Roxb.*	Bengal, South India, Ceylon, Java.
———— squarrosum, *Roxb.*	Burmah.
CURCUMA aromatica, *Salisb.*	Bengal, Southern India, Ceylon.
———— longa, *Roxb.*	Cultivated in India.
———— Amada, *Roxb.*	Bengal, Concan.
———— elata, *Roxb*	Burmah.
———— plicata, *Wall.*	Burmah.
———— comosa, *Roxb.*	Burmah.
———— leucorhiza, *Roxb*	Behar.
———— ferruginea, *Roxb.*	Bengal.
———— petiolata, *Roxb.*	Burmah.
———— angustifolia, *Roxb.*	Central India.

CURCUMA sp.	Burmah.
——— sp.	Burmah.
——— sp.	Sikkim.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
HITCHENIA glauca, *Wall.*	Banks of the Irawaddi.
KÆMPFERIA Galanga, *L.*	Bengal, Java.
——— rotunda, *L.*	Cultivated in Gardens.
——— ovalifolia, *Roxb*	Burmah, Malay Peninsula.
——— sp.	Rangoon.
——— sp.	Burmah.
——— sp.	Burmah.
——— sp.	Burmah.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
ELETTARIA speciosa, *Blume.*	Java.
——— fœtens, *Blume.*	Java.
——— anthodioides, *Teysm. et Binn.*	Java.
HEDYCHIUM coronarium, *Koen.*	Bengal, Southern India, Ceylon, Malay islands.
——— angustifolium, *Roxb.*	Chittagong, Silhet.
——— sp	Rangoon.
——— sp.	Rangoon.
——— sp.	Rangoon.
——— sp.	Rangoon.
ALPINIA nutans, *Rosc.*	India, Ceylon, Malay Archipelago, Philippines, China.
——— cernua, *Hassk.*	Java.
——— calcarata, *Rosc.*	China.
——— Allughas, *Rosc.*	Southern India, Ceylon, Malay Archipelago.
——— Galangha, *L.*	Southern India. Ceylon.
——— Malaccensis, *Rosc*	Malay Peninsula and islands, Moluccas.
——— sp.	Rangoon
GASTROCHILUS sp.	Hab. ignot.
HELLENIA melanocarpa, *Teysm. et Binn.*	Sumatra.
MONOLOPHUS elegans, *Wall*	Martaban, Pegu.

MONOLOPHUS sp.	Pegu.
PHÆOMERIA magnifica, *Lindl.*	Mauritius.
COSTUS speciosus, *Smith.*	India, Ceylon, Malay Islands.
——— argyrophyllus, *Wall.*	Burmah.
——— Malortianus,	Hab ignot.
——— fragrans,	Hab ignot.

MARANTACEÆ.

MARANTA arundinacea, *L.*	South America, cultivated within the tropics.
——— dichotoma, *Wall.*	Bengal, Silhet, Assam. Coromandel, Malay islands, Moluccas.
——— regalis, *Hort.*	Tropical America
PHRYNIUM sanguineum, *Hook.*	Tropical America ?
CALATHEA zebrina, *Lindl.*	Brazil.
——— aurantiaca, *Hort.*	Tropical America.
CANNA indica, *L.*	Tropical Mountains of India and Malay Archipelago.
——— *var.* lutea,	Tropical Mountains of India.
——— Roscoeana, *Hort. Berol.*	India.
——— crenulata, *Hort.*	India ?
——— diversicolor, *Hort.*	India ?
——— glauca, *L.*	Africa.
——— discolor, *Lindl.*	Trinidad.
——— Lagunensis, *Lindl.*	Mexico.
——— coccinea, *Ait.*	America.
——— limbata, *Rosc.*	Brazil.
——— Achiras, *Gill.*	Mexico.
——— flaccida, *Rosc.*	Mississippi.
——— edulis, *Ker.*	Brazil.
——— esculenta, *Lodd.*	South America.
——— Cubensis, *Hort.*	Cuba
——— Lamberti, *Lindl.*	Trinidad.
——— Warszewiczii, *Dietr.*	Costa Rica.

IRIDEÆ.

CIPURA Northiana, *Endl.*	Tropical South America
——— plicata,	Tropical South America.
——— humilis, *H. B. K.*	Tropical South America.
MORÆA iridioides, *L.*	Cape of Good Hope.
IRIS Nepalensis, *Don.*	Sub-tropical Western Himalaya.

PARDANTHUS chinensis, *Ker.*	China.
GLADIOLUS psittacinus, *Hook,*	Cape of Good Hope.
IXIA sp.	Cape of Good Hope.

AMARYLLIDACEÆ.

MOLINERIA plicata, *Colla.*	Malay peninsula and islands, Moluccas.
——— recurvata, *Herb*	India, Java.
——— orchidioides, *Gærtn.*	Bengal, Behar, Khasia, Java, China.
HYPOXIS malabarica, *Kurz.*	Southern India.
——— sp.	Hab. ignot.
AMARYLLIS Belladonna, *L.*	West Indies.
ZEPHYRANTHES candida, *Herb.*	Peru.
——— carinata, *Hook.*	Mexico.
——— rosea, *Lindl.*	West Indies.
HABRANTHUS tubispathus,	South America.
SPREKELIA Dalhouseæ. *Wall.*	Brayil.
——— formosissima, *Herb.*	Giratomula.
HIPPEASTRUM equestre, *Herb.*	West Indian islands.
——— reticulatum, *Herb.*	South America.
——— fulgidum, *Herb.*	Brazil.
——— ambiguum, *Hook.*	Lima.
——— stylosum, *Herb.*	Brazil.
——— Johnsoni, *Herb.*	South America.
——— acuminatum, *Herb*	South America.
——— sp.	South America.
——— sp.	South America.
NERINE venusta, *Herb.*	Cape of Good Hope.
——— Sarniensis, *Herb.*	Cape of Good Hope.
——— sp.	Cape of Good Hope.
CRINUM defixum, *Herb.*	Bengal.
——— Americanum, *L.*	West Indian islands, South America.
——— amœnum, *Roxb.*	Silhet.
——— longifolium, *Roxb.*	Bengal.
——— toxicarium, *Roxb.*	Ceylon.
——— pedunculatum, *R. Br.*	Australia.
——— scabrum, *Sims.*	Brazil.
——— Zeylanicum, *L.*	India.
——— latifolium, *Roxb.*	Bengal.

CRINUM speciosum, *Herb.*	Northern Bengal.
——— Wallichii,	Burmah ?
——— sp.	Burmah.
——— sp.	Pegu.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
——— sp.	Sydney.
HÆMANTHUS cinnabarinus, *Hort.*	Cape of Good Hope.
EUCHARIS grandiflora, *Planch. et Lind.*	New Granada
EURYCLES Amboinensis, *Herb.*	Islands of Malay Archipelago, Moluccas.
PANCRATIUM maritimum, *L.*	Shores of the Mediterranean.
——— Zeylanicum, *L.*	Ceylon
——— tortuosum, *Herb.*	Shores of Arabia Felix.
HYMENOCALLIS speciosa, *Salisb.*	North America.
——— amoena, *Salisb.*	Guiana.
——— littoralis, *Jacq.*	West Indian islands.
——— caribaea, *Salisb.*	West Indian islands.
ISMENE Calathina, *Herb.*	Brazil, Chili.
ALSTROEMERIA sp.	Tropical America
DORYANTHES excelsa, *Correa.*	Tropical Australia.
LITTÆA geminiflora, *Brign.*	Peru.
AGAVE Americana, *L.*	South America
——— yuccæfolia, *Red.*	Mexico.
——— univittata, *Haw.*	New Spain.
——— lurida, *Ait.*	Mexico.
——— Jacquiniana, *Schultes.*	Mexico.
——— maculosa, *Hook.*	Texas.
——— sp.	Tropical America.
FOURCROYA Cantula, *Haw.*	Tropical America ? cultivated in tropical Asia.
——— gigantea, *Vent.*	South America.

TACCACEÆ.

TACCA pinnatifida, *Forst.*	Southern India, Ceylon, Moluccas, tropical Australia.
——— lævis, *Roxb.*	Burmah, Malay Peninsula.

BROMELIACEÆ.

ANANASSA sativa, *Lindl.*	South America, cultivated in tropical countries.

ANANASSA sativa, *Lindl. var*	South America
——— bracteata, *Lindl.*	South America
BROMELIA sceptrum, *Fenzl.*	South America.
——— Karatas, *L.*	South America.
——— humilis, *L.*	South America.
ACHMEA fulgens, *Hort.*	South America.
——— discolor, *Morren.*	Guiana.
BILBERGIA vittata, *Hort.*	Brazil.
——— pyramidalis, *Sims,*	Brazil.
——— melanantha, *Lindl.*	Trinidad.
——— tricolor, *Hort.*	South America.
——— humilis, *Lindl.*	South America.
——— zonata, *Hort.*	South America.
——— sp.	South America.
PITCAIRNIA Olfersi, *Link.*	Tropical South America.
——— punicea, *Lindl.*	Tropical South America.
——— Altensteinii, *Lem.*	Colombia.
——— integrifolia, *Gawl*	West India islands.
DYCKIA rariflora, *Schultes.*	Brazil.

LILIACEÆ.

LILIUM Wallichianum, *Schultes.*	Nepal, Kumaon.
GLORIOSA superba, *L.*	Bengal, Assam. North West and Central India, Ceylon.
HEMEROCALLIS flava, *L.*	Southern Europe, Siberia.
FUNKIA cordata, *Grahm*	China, Japan.
AGAPANTHES umbellatus, *L.' Herit.*	Cape of Good Hope.
POLIANTHES tuberosa, *L.*	Tropical America, cultivated in tropical gardens.
PHORMIUM tenax, *Forst*	Australia, New Zealand.
SANSEVIERA guineensis, *Willd.*	Guinea.
——— Roxburghiana, *Schultes.*	Southern India, Bengal.
——— thyrsiflora, *Thunb.*	Cape of Good Hope
——— sessiliflora, *Gawl.*	China.
——— angolensis,	Tropical Africa.
——— sp.	Hab. ignot.
ALOE coarctata, *Rœm, et Schultes.*	Cape of Good Hope.
——— Abyssinica, *Lam.*	Abyssinia.
——— barbadensis, *Mill*	Tropical America, naturalized in countries near the Mediterranean.

ALOE soccotrina, *Lam.*	Socotra.
——— saponaria, *Haw.*	Cape of Good Hope.
——— obscura, *Mill.*	Cape of Good Hope.
——— arborescens, *Mill.*	Cape of Good Hope.
——— nigricans, *Haw.*	Cape of Good Hope.
——— intermedia, *Haw.*	Cape of Good Hope.
——— sp.	Cape of Good Hope.
LOMATOPHYLLUM macrum, *Salm-Dyck.*	Mauritius.
YUCCA aloifolia, *L.*	Jamaica, Mexico, Southern United States.
——— *var* variegata.	
——— gloriosa, *L.*	Virginia, Carolina.
ALLIUM scorodoprasum, *L.*	Southern and Central Europe.
——— Roxburghii, *Kunth.*	Cultivated near Calcutta.
——— fragrans, *Vent.*	Virginia, Carolina.
——— floridum.	Mexico.
URGINIA indica, *Kunth.*	South India, tropical Himalaya.
ORNITHOGALUM caudatum, *Ait.*	Cape of Good Hope.
——— juncifolium, *Jacq.*	Cape of Good Hope.
ALBUCA fastigiata, *Dryand.*	Cape of Good Hope.
LEDEBOURIA hyacinthina, *Roth.*	Central and Southern India.
DRIMIA ? revoluta, *Kunth.*	Cape of Good Hope.
EUCOMIS undulata, *Ait.*	Cape of Good Hope.
ASPHODELUS fistulosus, *L.*	Countries of the Mediterranean and the Levant, Asia Minor, Arabia, India.
ANTHERICUM tuberosum, *Roxb.*	Bengal, Sikkim and Nepal Terai, Assam, Southern India.
——— vespertinum, *Jacq.*	Cape of Good Hope.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
HERRERIA stellata, *R. et. P.*	Chili.
DIANELLA ensifolia, *Red.*	Himalaya, Khasia Hills, Malay peninsula and islands, China, Mauritius.
EUSTREPHUS latifolius, *R. Br.*	Tropical Australia.
——— augustifolius, *R. Br.*	Tropical Australia.
ASPARAGUS racemosus, *Willd.*	Bengal, Behar, Southern India, Ceylon.
——— Sieboldii, *Planch.*	Java

CORDYLINE reflexa, *Planch.*	St. Helena, Madagascar, Mauritius.
——— ensifolia, *Planch.*	Silhet.
——— Rumphii, *Hook.*	Amboyna.
——— Helferiana, *T. Anders.*	Tenasserim ?
DRACŒNOPSIS australis, *Planch.*	Tropical Australia.
——— sp.	Sydney.
CALODRACON Jacquinii, *Planch.*	Malay, Peninsula, Moluccas, China.
——— *var.* atrosanguinea,	Cultivated in gardens.
TUPISTRA augustifolia, *Wall*	Khasia Hills.
OPHIOPOGON Wightianus, *Wall.*	Hab. ignot.
——— sp.	Hab. ignot.
FLUGGEA Japonica, *Rich.*	China, Japan.
——— sp.	Hab. ignot.
PELIOSANTHES Teta, *Andr.*	Chittagong, Silhet.
SMILAX ovalifolia, *Roxb.*	Bengal, tropical Himalaya, Southern India, Ceylon, Burmah, Java.
——— maculata, *Roxb.*	Bengal, tropical Himalaya, Malay Peninsula, Ceylon.
——— syphilitica, *H. B. K.*	Brazil.

PONTEDERIAECÆ.

MONOCHORIA vaginalis, *Presl.*	India, Malay Archipelago, China.

DIOSCOREACÆ.

DIOSCOREA bulbifera, *L.*	Bengal, tropical Himalaya, North Western India, Southern India, Ceylon, Burmah.
——— pentaphylla, *L.*	Bengal, tropical West Himalaya, Southern India ; Malay Peninsula, Ceylon.
ROXBURGHIA viridiflora, *Sm.*	Silhet, Chittagong Siam, Cochin China, Moluccas

COMMELYNACEÆ.

COMMELYNA salicifolia, *Roxb.*	India, Ceylon, Malay, Peninsula and Islands, China.
——— Bengalensis, *L*	Tropical Asia, Africa, & America.
——— communis, *L,*	India, Ceylon, Malay Archipelago, China.

ANEILEMA sp.	Sikkim Terai
——————— nudiflorum, *R. Br.*	India, Ceylon, Malay Peninsula and Islands, China.
——————— scapiflorum, *Wight.*	Southern India.
TRADESCANTIA subaspera, *Ker.*	Warm parts of N. America.
——————— discolor, *L, Herit.*	Tropical North America, Jamaica.
——————— sp.	America.
SPIRONEMA fragrans, *Lindl.*	Mexico.
FLAGELLARIA indica, *L.*	India, Ceylon, Malay Peninsula and Islands, Moluccas, tropical Australia, Islands of Pacific.

PALMACEÆ.

HYOPHORBE indica, *Gærtn.*	Mascarhene Islands.
EUTERPE sp.	Mauritius.
OREODOXA regia, *Kunth.*	Cuba.
——————— oleracea, *Mart.*	West Indian Islands.
PINANGA Kuhlii, *Blume.*	Java.
ARECA Catechu, *L.*	Malayan Peninsula and islands, cultivated in India and Ceylon.
——— triandra, *Roxb.*	Chittagong, Assam, Bengal.
——— horrida, *Griff.*	Malacca.
——— Madagascariensis, *Mart.*	Madagascar.
——— Borbonica, *var. alba*	Bourbon.
SEAFORTHIA elegans, *R. Br.*	Tropical Australia.
KLOPSTOCKIA cerifera, *Karst.*	Columbia.
WALLICHIA caryotoides, *Roxb.*	Tropical Sikkim, Assam, Chittagong, Arracan.
ARENGA saccharifera, *Labill.*	Shores of Malay Peninsula and Islands, Siam, Moluccas.
IGUANURA sp.	Java.
CARYOTA urens, *L.*	Tropical Sikkim, Southern India.
——— sobolifera, *Wall.*	Malacca.
——— mitis, *Lour.*	Cochin China.
——— obtusa, *Griff.*	Mishmi Hills.
——— sp.	Assam.
CALAMUS ciliaris, *Blume.*	Java, Sumatra, Borneo
——————— Rotang, *L.*	Bengal, Behar, Southern India Ceylon.
——— fasciculatus, *Roxb.*	Bengal, Orissa.

CALAMUS arborescens, *Griff.*	Pegu.
ZALACCA edulis, *Reinw.*	Bali, Java, Moluccas.
PLECTOCOMIA Assamica, *Griff.*	Upper Assam.
RAPHIA Ruffia, *Mart.*	Mascarhene islands, Madagascar.
METROXYLON elatum, *Mart.*	Celebes.
BORASSUS flabelliformis, *L.*	Bengal, Behar, North Western & Central India, Carnatic, Ceylon
LATANIA Borbonica, *L.*	Bourbon.
—— Commersonii, *L.*	Bourbon, Mauritius, Madagascar
——— glaucophylla,	Bourbon.
——— sp.	Bourbon.
HYPHÆNE coriacea, *Gærtn.*	Tropical Eastern Africa
——— Schætan,	Mauritius.
CORYPHA Taliera, *Roxb.*	Bengal.
——— umbraculifera, *L.*	Malabar, Ceylon.
——— elata, *Roxb.*	Bengal.
——— sp.	Hab. ignot.
LIVISTONA Mauritiana, *Wall.*	Mauritius.
——— Australis, *R. Br.*	Port Jackson in tropical Australia.
——— olivæformis, *Mart.*	Java.
——— Jenkinsii, *Griff.*	Assam.
——— altissima,	Java.
——— Hoogendorfii,	Java. ?
——— sp.	Hab. ignot.
LICUALA spinosa, *Warmb.*	Malay Peninsula, Java.
——— peltata, *Roxb.*	Tropical Sikkim, Assam.
——— pumila, *Reinw*	Java, Celebes.
COPERNICIA tectorum, *Mart.*	Cumana
SABAL Adansoni, *Guerns.*	Southern United States.
——— umbraculifera, *Mart.*	West India islands
——— Palmetto, *Lodd.*	Carolina, Florida.
——— grandis,	America.
——— columnaris,	America
——— Mucinii, *Hort.*	America.
CHAMÆROPS humilis, *L.*	South Europe, North Africa.
——— Martiana, *Wall.*	Nepal, Kumaon.
——— Fortunei, *Hook.*	China.
——— sp.	Singapore.
RAPHIS flabelliformis, *Ait.*	China.
——— Javanica, *Blume*	Java.

THRINAX parviflora, *Swartz.*	Jamaica.
——— glauca,	West Indian Islands.
PHŒNIX dactylifera, *L*	North Africa, Syria, Arabia, Persia, Affghanistan.
——— sylvestris, *Roxb.*	Bengal.
——— Leonensis, *Lodd*	Sierra Leone.
——— farinifera, *Roxb.*	Sea shores of Southern India.
——— acaulis, *Roxb.*	Bengal, Behar.
——— paludosa, *Roxb.*	Sunderbuns, Martaban.
——— sp.	Western Africa.
——— sp.	Hab. ignot.
BACTRIS Maraja, *Mart.*	Brazil, Banks of the Amazon.
——— major, *Kunth.*	Carathagena, Guiana.
——— flavispina,	Brazil.
——— sp.	Brazil.
ATTALEA speciosa, *Mart.*	Brazil.
——— sp.	Brazil.
ELÄIS Guineensis, *Jacq.*	Shores of Western Africa.
COCOS nucifera, *L.*	Sea shores of South India, Malay Islands and Islands of Pacific, cultivated within the Tropics.
——— comosa, *Mart.*	Brazil.
——— Cumanensis,	Cumana.
——— oleracea, *Mart.*	Minas Geraës.
——— butyracea, *Mart.*	New Granada, tropical Andes.
——— flexuosa, *Mart.*	Bahia, Minas Geraës
——— schizophylla, *Mart*	Bahia.
——— coronata, *Mart.*	Bahia, Pernambuco.
MAXIMILIANA regia, *Mart*	Para, banks of upper Amazon.
DIPLOTHEMIUM candescens, *Mart.*	Eastern Brazil.

PANDANACEÆ.

NIPA fruticans, *Thunb.*	Estuaries in Bengal, Burmah, Malay Peninsula, Java.
PANDANUS odoratissimus, *L. f.*	Shores of India and Arabia.
——— fascicularis, *Lam.*	Shores of Southern India.
——— utilis, *Bojer.*	Mauritius.
——— lucidus, *Wall.*	Mauritius.
——— furcatus, *Roxb.*	Tropical Sikkim ? Chittagong, Pegu.
——— moschatus, *Rumph.*	Indian Archipelago, Cochin-china

PANDANUS fœtidus, *Roxb.*	Lower Bengal.
——————— stenophyllus, *Kurz.*	Java.
——————— latifolius, *Rumph.*	Indian Archipelago
——————— Samak, *Hassk ?*	Java.
——————— variegatus, *Miq.*	Balie.
——————— Leram, *Jones.*	Nicobar Islands
——————— Candelabrum, *Beauv*	Tropical Africa.
——————— sp.	Pegu.

TYPHACEÆ.

TYPHA angustifolia, *L.*	Warmer parts of Europe & Asia.
——— elephantina, *Roxb.*	India.

ARACEÆ.

TYPHONIUM trilobatum, *Schott.*	India, Ceylon, Moluccas, tropical Australia.
——————— sp.	Moulmein.
——————— sp.	Hab. ignot.
——————— sp.	Hab. ignot.
AMORPHOPHALLUS campanulatus, *Blume.*	Tropical Asia, Africa, New Guinea.
——————————— bulbifer, *Blume.*	Bengal, Malay Peninsula, and Islands.
——————————— nepalensis, *T. Anders.*	Tropical Himalaya.
COLOCASIA odora, *Brongn.*	Pegu.
——————— ? fornicata, *Kunth.*	Bengal, Chittagong.
——————— antiquorum, *Schott.*	Cultivated in tropical Asia.
——————— esculenta, *Schott.*	Cultivated in India.
——————— indica, *Schott.*	Cultivated in India
——————— sp	Tropical Sikkim.
SAUROMATIUM sessiliflorum, *Kunth.*	Northern India.
SCHISMATOGLOTTIS calyptrata, *Zoll. et Mor.*	Moluccas.
CALADIUM bicolor *Vent.*	Tropical South America.
——————— *var.* Chantini,	
——————— *var.* Verschaffeltii,	
——————— *var.* Neumanii,	
——————— *var.* Houllettii,	
RICHARDIA Africana, *Kunth.*	Cape of Good Hope.
SCINDAPSUS officinalis, *Schott.*	Bengal.
——————— giganteus, *Schott.*	Penang.
——————— sp.	Hab. ignot.

SCINDAPSUS sp.	Tropical Sikkim.
POTHOS scandens, *L.*	Tropical Himalaya, Bengal, Malay Peninsula and Islands.
LASIA Loureirii, *Schott.*	Circars, Cochin China.
ANTHURIUM acaule, *Schott.*	Tropical America.
DRACONTIUM triphyllum, *Hort.*	Tropical America.
ACORUS Calamus, *L.*	Warmer parts of Europe, Siberia, North America, cultivated in Indian gardens.
——— gramineus, *Ait.*	Cultivated in China.

JUNCAGINACEÆ.

APONOGETON undulatum, *Roxb.*	Bengal.
——— monostachys, *L f.*	India, Burmah, China.

PISTIACEÆ.

WOLFFIA Schleideni, *Miq*	Lower Bengal, Java.
LEMNA minor, *L.*	All parts of the globe.
——— trisulca, *L.*	Europe, Asia and America.
SPIRODELA polyrrhiza, *Schleid.*	Europe, Asia.
PISTIA stratiotes, *L.*	India, Ceylon, Burmah, Malay Peninsula and Islands

HYDROCHARIDACEÆ.

HYDRILLA verticillata, *L.*	Bengal, Northern India, Coromandel.
VALLISNERIA spiralis, *L.*	Tropical Asia, Southern Europe.
OTTELIA alismoides, *Pers.*	India, Ceylon, Malay Peninsula and Islands, Northern Africa.

CYPERACEÆ.

CYPERUS rotundus, *L.*	India, Malay Archipelago, China, temperate Europe and America.
——— umbellatus, *Benth,*	India, Malay Archipelago, China.
——— Roxburghii, *N. ab. E.*	Bengal, Ceylon.
——— tegetiflorus, *Roxb.*	Bengal, Burmah.
——— Iria, *L.*	India, Malayan Archipelago, Philippine Islands, China.
——— compressus, *L.*	India, Ceylon, Burmah, Malay Islands, China.

KYLLINGIA monocephala, *L.*	Tropical Asia, Africa and Australia.
ABILGAARDIA monostachya, *Vahl.*	Tropical Asia, Africa, Australia, and America.
ELEOCHARIS tumida, *Roxb.*	India, Malay Archipelago.
FIMBRISTYLIS diphylla, *Vahl.*	Tropical Asia, and Africa.
——————— complanata, *Link.*	Tropical Asia, Africa, and South America.

GRAMINACÆ.

ORYZA sativa, *L.*	Cultivated in tropical and temperate countries.
POTAMOCHLOA aristata, *Griff.*	India
PANICUM brizoides, *L.*	India, Malay Archipelago.
——————— sanguinale, *L.*	All tropical regions, cultivated.
——————— colonum, *L.*	All tropical regions.
——————— glaucum, *L.*	All tropical regions.
——————— asperatum, *Kunth.*	All tropical regions.
——————— filiforme, *Jacq.*	All tropical regions.
——————— ciliare, *Retz*	All tropical regions.
——————— corymbosum, *Roxb.*	Bengal, Circars.
THYSSANOLÆNA acarifera, *N. ab. E.*	Bengal, Northern India, China.
OPHIURUS perforatus, *Trin.*	Bengal.
ROTTBOELLIA glabra, *Roxb.*	Bengal.
IMPERATA arundinacea, *Cyr.*	Tropical Asia, Africa, Shores of Mediterranean, North America.
SACCHARUM officinarum, *L*	Cultivated in tropical countries.
——————— spontaneum, *L.*	India, Malay Archipelago.
POGONATHERUM saccharoideum, *Beauv.*	India. Ceylon, Malay Peninsula and Islands, Philippines, China.
ANDROPOGON muricatus, *Retz.*	India, Malay peninsula and Islands.
——————— Ischœmum, *L.*	India, Malay Archipelago
SPOROBOLUS indicus, *R. Br.*	All tropical countries.
CYNODON Dactylon, *Pers*	All tropical and temperate countries.
DACTYLOCTENIUM Ægyptiacum,	*Willd.* All tropical countries.
ELEUSINE indica, *Gœrtn.*	All tropical countries.
LEPTOCHLOA chinensis, *N. ab. E,*	India, Malay Peninsula, Burmah, China.

ERAGROSTIS plumosa, *Link.*	Tropical Asia.
——— punctata, *Roem. et Schult.*	Bengal.
ARUNDINARIA stolonifera, *Kurz.*	China, Japan.
BAMBUSA Tulda, *Roxb.*	Bengal Burmah, Siam.
——— Balcooa, *Roxb.*	Bengal.
——— spinosa, *Roxb.*	Bengal.
——— arundinacea, *Roxb.*	Bengal, Ceylon, Burmah.
——— auriculata, *Kurz.*	Bengal, Burmah.
——— Thouarsii, *Kunth. var.*	Malay Archipelago.
——— nana, *Roxb.*	China, Japan.
——— gigantea, *Wall.*	Burmah.
——— monogyna, *Griff.*	Western Himalaya.
——— regia, *Thoms.*	Burmah.
MELOCANNA striata, *Kurz.*	Pegu.
——— gracilis, *Kurz.*	Sumatra.
——— bambusaeoides, *Trin.*	Chittagong, Arracan.

POLYPODIACEÆ.

ACROSTICHUM aureum, *L.*	All tropical countries.
STENOCHLÆNA scandens, *J. Sm.*	India, Malay Peninsula and Islands.
PLATYCERIUM Wallichii, *Hook.*	Moulmein.
PŒCILOPTERIS sp.	Sub-tropical Sikkim.
GYMNOPTERIS sp.	Assam.
HEMIONITIS cordata, *Roxb.*	Bengal, Burmah, Java.
GYMNOGRAMMA sp.	Hab. ignot.
POLYPODIUM quercifolium, *L.*	Bengal, Behar, tropical Sikkim.
——— phymatodes, *L.*	Neilgherries.
——— normale, *Don.*	Tropical Sikkim.
PLEOPELTIS irioides, *Lam.*	Bengal, Behar, tropical Himalaya, Southern India.
NIPHOBOLUS porosus, *Wall.*	Tropical Himalaya, Neilgherries.
——— sp.	Ootacamund.
——— sp.	Hab. ignot.
DRYMOGLOSSUM piloselloides, *Presl.*	Tropical Himalaya, Malay peninsula and islands, China.
CHEILANTHES farinosa, *Kaulf.*	Tropical Himalaya, Khasia hills, Neilgherries.
——— tenuifolia, *Sw.*	Tropical mountains of India and Ceylon, Arabia, Abyssinia, Philippine, Islands.

ADIANTUM lunulatum, *Burm.*	Tropical Asia, Africa, and America.
——— trapeziforme, *L.*	Tropical America, Cuba.
——— concinnum, *H. B. K*	Tropical America.
——— tenerum, *Sw.*	Central America.
——— formosum, *R. Br.*	Tropical Australia, New Zealand.
PTERIS longifolia, *L.*	All tropical and temperate countries.
——— cretica, *L.*	All tropical and temperate countries.
——— serrulata, *L.*	China.
——— *var.* variegata,	Japan.
——— quadriaurita, *Retz.*	India, Ceylon, Malay Peninsula and Islands, Philippines, China.
ASPLENIUM falcatum, *Lam.*	Southern India, Ceylon, Tennasserim, Mauritius, Bourbon, Islands of the Pacific.
ACTINIOPTERIS radiata, *Link.*	Drier parts of India, and Burmah, South Africa, Bourbon, Madagascar, Egypt, Arabia.
ONYCHIUM lucidum, *Spreng.*	Tropical Himalaya, Khasia and Mishmi Hills.
ASPIDIUM exaltatum, *Sw.*	All tropical regions.
——— falcatum, *Sw.*	China, Japan.
——— tuberosum, *Bory.*	India, Ceylon, Malay Peninsula and Islands, China.
——— sp.	Pegu.
NEPHRODIUM Filix mas, *var.*	Mountains of tropical India,
——— cochleatum,	Ceylon, Burmah.
DAVALLIA sp.	Darjeeling.
——— sp.	Hab. ignot.
——— sp.	Hab. ignot.
CERATOPTERIS thalictroides, *Brongn.*	Tropical Asia, Africa, America, Australia
LYGODIUM scandens, *Sw.*	India, Ceylon, Malay peninsula & Islands, China, N. Australia.
——— flexuosum, *Sw.*	Bengal Southern India.

MARATTIACEÆ.

ANGIOPTERIS evecta, *Hoffm.*	Tropical Asia, Madagascar, Islands of the Pacific.

OPHIOGLOSSACEÆ.

OPHIOGLOSSUM vulgatum, *L.*	Tropical and temperate countries of Europe Asia and America, indigenous in Botanic Garden.

LYCOPODIACEÆ.

LYCOPODIUM Hookeri, *Wall.*	Subtropical Himalaya.
SELAGINELLA bicolor, *Hort.*	Hab. ignot.
——————— sp.	Ceylon.
——————— sp.	Hab. ignot.
——————— sp.	Hab. ignot.

MARSILEACEÆ.

MARSILEA quadrifolia, *L.*	Tropical and temperate Europe and Asia.
SALVINIA cucullata, *Roxb.*	Bengal.
——————— verticillata, *Roxb.*	Bengal.

Index

OF

ORDERS AND GENERA.

ABELIA, ... 26
ABELMOSCHUS, ... 5
ABILGAARDIA, ... 78
ABROMA, ... 6
ABRUS, ... 14
ABUTILON, ... 5
ACACIA, ... 17
ACALYPHA, ... 55
ACAMPE, ... 63
ACANTHACEÆ,.. 42
ACANTHUS, ... 43
ACERACEÆ, ... 9
ACER, ... 9
ACHILLEA, ... 29
ACHIMENES, ... 38
ACHMEA, ... 70
ACORUS, ... 77
ACROPERA, ... 64
ACROSTICHUM,.. 79
ACTINIOPTERIS, ... 80
ACTINOPHORA, ... 6
ADANSONIA, ... 5
ADENANTHERA, ... 17
ADENIUM, ... 34
ADENOCALYMNA, ... 37
ADENOSMA, ... 42
ADIANTUM, ... 80
ÆGICERAS, ... 31
ÆGLE, ... 8
AERIDES, ... 63
ÆRVA, ... 50
ÆSCHYNANTHUS, ... 38
AGANOSMA, ... 35
AGAPANTHUS, ... 70
AGATI,.. 13
AGAVE, ... 69
AGLAIA, ... 10
AGROSTOPHYLLUM, ... 63
AILANTHUS, ... 11
AKEBIA, ... 3
ALANGIACEÆ,.. 20
ALANGIUM, ... 20
ALBIZZIA, ... 17
ALBUCA, ... 71
ALEURITES, ... 54
ALLAMANDA, ... 33
ALLIUM, ... 71
ALOE, ... 71
ALPHONSEA, ... 2
ALPINIA,.. 66
ALSODEIA, ... 4
ALSTONIA, ... 34
ALSTROEMERIA, ... 69
ALTHÆA, ... 5
ALYSICARPUS,.. 14
AMANOA, ... 56
AMARANTACEÆ, ... 49
AMARANTUS, ... 50
AMARYLLIDACEÆ, ... 68
AMARYLLIS, ... 68

AMBORA, ... 57
AMHERSTIA, ... 16
AMOORA, ... 10
AMORPHOPHALLUS, ... 76
AMPELIDEÆ, ... 10
AMPHILOPHIUM, ... 37
ANACARDUM, ... 12
ANAMIRTA, ... 2
ANANASSA, ... 69
ANCISTROLOBUS, ... 8
ANDA, ... 54
ANDIRA, ... 15
ANDROGRAPHIS, ... 43
ANDROPOGON, ... 78
ANEILEMA, ... 73
ANGELONIA, ... 41
ANGIOPTERIS, ... 80
ANGRÆCUM, ... 63
ANISOCHILUS, ... 47
ANODENDRON, ... 35
ANONA, ... 2
ANONACEÆ, ... 2
ANSELLIA, ... 64
ANSTRUTHERIA, ... 21
ANTHERICUM, ... 71
ANTHURIUM, ... 77
ANTIARIS, ... 52
ANTIDESMA, ... 56
APHELANDRA, ... 43
APHRAGMIA, ... 42
APOCYNACEA, gen, ignot. .. 35
APOCYNACEÆ, ... 33
APOLLONIAS, ... 51
APONOGETON, ... 77
APOROSA, ... 57
APORUM, ... 60
AQUILARIA, ... 50
AQUILARIACEÆ, ... 50
ARACEÆ, ... 76
ARAUCARIA, ... 59
ARDISIA, ... 31
ARECA, ... 73
ARENGA, ... 73
ARGEMONE, ... 3
ARGYREIA, ... 38
ARISTOLOCHIA, ... 57
ARISTOLOCHIACEÆ, ... 57
ARTABOTRYS, ... 2
ARTEMISIA, ... 30
ARTHROSTEMMA, ... 19
ARTOCARPUS, ... 52
ARUNDINA, ... 62
ARUNDINARIA, .. . 79
ASCLEPIADACEÆ, ... 35
ASCLEPIADACEA, gen. ignot, . 36
ASCLEPIAS, ... 35
ASPARAGUS, ... 71
ASPHODELUS, ... 71
ASPIDIUM, ... 80
ASPIDOPTERYS, ... 9
ASPLENIUM, ... 80
ASTER, ... 29
ASTRAPÆA, ... 7
ASYSTASIA, ... 44
ATALANTIA, ... 8
ATRIPLEX, ... 49
ATTALEA 75
AVERRHOA, ... 11
AZADIRACHTA, ... 10

BACONIA, ... 28
BACTRIS, ... 75
BALANITES, ... 8
BALIOSPERMUM, ... 55
BALSAMINEÆ, ... 11
BALSAMODENDRON, ... 13
BAMBUSA, ... 79
BANISTERIA, ... 9
BARLERIA, ... 43
BARNADESIA, . . 30
BARRINGTONIA, ... 21
BASSIA, ... 31

Batatas, ... 39
Bauhinia, ... 16
Beaumontia,.. 34
Begonia, ... 23
Beilschmiedia, ... 51
Benincasa, ... 22
Bénthamia, ... 26
Berberideæ,.. 3
Berberis, ... 3
Berchemia, ... 12
Bergera, ... 8
Berrya, ... 7
Bidens, ... 29
Bignonia, ... 37
Bignoniaceæ, ... 37
Bilbergia, ... 70
Biophytum, ... 11
Bischofia, ... 56
Bixa, ... 4
Blaberopus, ... 34
Bletia, ... 62
Blighia, ... 9
Blumea, ... 29
Boerhaavia,.. 49
Böhmeria, ... 51
Bolbophyllum, ... 61
Boragineæ, ... 40
Borassus, ... 74
Boswellia, ... 13
Boucerosia, ... 36
Bouea, ... 12
Brachypterum, ... 15
Brassavola, ... 62
Brehmia, ... 36
Breweria, ... 39
Briedelia, ... 56
Bromelia, ... 70
Bromeliaceæ, ... 69
Brosimum, ... 52
Broussonetia, ... 52
Browallia, ... 41
Brownea, ... 16
Brownlowia,.. 7
Bruguiera, ... 21
Brunfelsia, ... 41
Bryonia, ... 22
Bryophyllum, ... 23
Buchanania, ... 12
Bugainvillea, ... 49
Buddlea, ... 36
Butea,.. 14
Buxus,.. 57
Byrsonima, ... 9
Byttneria, ... 6
Byttneriaceæ, ... 6

Cactaceæ, ... 24
Cæsalpinia, ... 15
Cajanus, ... 14
Caladium, ... 76
Calamus, ... 73
Calanthe, ... 4
Calathea, ... 67
Calliandra,.. 18
Callicarpa, ... 45
Calliopsis, ... 29
Callistemon, ... 20
Calodracon, ... 72
Calonyction, ... 39
Calophyllum, ... 8
Calosanthes, ... 37
Calotropis, ... 35
Calycanthaceæ, ... 18
Calycanthus, ... 18
Calystegia, ... 39
Camarotis, ... 63
Camellia, ... 7
Campanula, ... 30
Campanulaceæ, ... 30
Camphora, ... 51
Cananga, ... 2
Canarium, ... 13

Canella, ... 10
Canellaceæ, ... 10
Canna, ... 67
Cannabineæ, ... 51
Cannabis, ... 51
Canscora, ... 37
Canthium, ... 28
Capparidaceæ, ... 3
Capparis, ... 3
Capsicum, ... 40
Carallia, ... 21
Cardiospermum, ... 9
Careya, ... 21
Carissa, ... 33
Caryophyllaceæ, ... 5
Caryopteris, ... 45
Caryota, ... 73
Casearia, ... 4
Casparea, ... 16
Cassia, ... 15
Castanea, ... 58
Castanospermum, ... 15
Casuarina, ... 58
Casuarinaceæ, ... 58
Catasetum, ... 64
Catesbæa, ... 27
Cattleya, ... 62
Cedrela, ... 10
Cedrelaceæ, ... 10
Celastrineæ, ... 11
Celastrus, ... 11
Celosia, ... 49
Celsia, ... 41
Celtideæ, ... 51
Celtis, ... 51
Centaurea, ... 30
Centradenia, ... 19
Centranthus, ... 28
Centrosema, ... 14
Centrostemma, . .. 36
Cephalotrophis, ... 52
Ceratogonum, ... 41
Ceratonia, ... 17
Ceratopteris, ... 80
Ceratozamia, ... 60
Cerbera, ... 34
Cereus, ... 24
Ceropegia, ... 36
Cestrum, ... 41
Chamærops, ... 74
Chavica, ... 57
Cheilanthes, ... 79
Cheiranthus, ... 3
Chickrassia, ... 10
Chiococca, ... 28
Chloranthaceæ, ... 58
Chloranthus, ... 58
Chloroxylon, ... 10
Chondrospermum, ... 33
Chonemorpha, ... 35
Choripetalum, ... 31
Chrysobalanaceæ, ... 18
Chrysobalanus, ... 18
Chrysophyllum, ... 31
Cicca, ... 56
Cinchona, ... 26
Cinnamomum, ... 50
Cipura, ... 67
Cirropetalum, ... 61
Cissampelos, ... 3
Cissus, ... 10
Citharexylon, ... 45
Citrus, ... 8
Clausena, ... 8
Clavija, ... 31
Cleidion, ... 55
Cleisostoma, ... 63
Clematis, ... 1
Cleome, ... 3
Clerodendron, ... 46
Climacandra, ... 31
Clitoria, ... 14

Clypea, ... 3
Coccinia, ... 22
Coccoloba, ... 49
Cocculus, ... 3
Cochlospermeæ, ... 10
Cochlospermum, ... 10
Cocos,.. 75
Codiæum, ... 54
Cœlebogyne, ... 55
Cœlogyne, ... 61
Coffea, ... 27
Colea, ... 38
Colebrookia, ... 47
Coleus, ... 47
Colocasia, ... 76
Colubrina, ... 12
Combretaceæ, .. . 19
Combretum, ... 19
Commelyna, ... 72
Commelynaceæ, ... 72
Compositæ, ... 29
Congea, ... 45
Coniferæ, ... 58
Conocarpus,.. 19
Convolvulaceæ, ... 38
Cookia, ... 8
Copaifera, ... 17
Copernicia, ... 74
Cordia, ... 40
Cordyline, ... 72
Coreopsis, ... 29
Cornaceæ, ... 26
Corypha, ... 74
Cosmos, ... 29
Costus, ... 67
Cotoneaster, ... 18
Crassula, ... 23
Crassulaceæ, ... 23
Cratægus, ... 18
Cratæva, ... 3
Crescentia, ... 38
Crinum, ... 68
Crossandra,.. 43
Crossostephium, ... 30
Crotalaria, ... 13
Croton, ... 54
Cruciferæ, ... 3
Crudya, ... 17
Cryptocarya, ... 51
Cryptolepis,.. .. . 35
Cryptomeria, ... 59
Cryptostegia, ... 35
Cucumis, ... 22
Cucurbitaceæ, ... 22
Cupania, ... 9
Cupressus, ... 58
Cupuliferæ,.. 58
Curcas, ... 54
Curcuma, ... 65
Cuscuta, ... 40
Cycadaceæ, ... 59
Cycas,.. 59
Cylista, ... 14
Cymbidium, ... 63
Cynodon, ... 78
Cynometra, ... 16
Cyperaceæ, ... 77
Cyperus, ... 77
Cypripedium,.. 64
Cyrtanthera, ... 43
Cyrtopera, ... 62
Cyrtosiphonia, ... 33

Dacrydium, ... 59
Dactyloctenium, ... 78
Dædalacanthus, ... 43
Dæmia, ... 35
Dalbergia, ... 15
Dalechampia, ... 55
Dammara, ... 59
Datisceæ, ... 57
Datura, ... 41

Davallia, ... 80
Decaneuron, ... 29
Deeringia, ... 49
Delima, ... 1
Delphinium, ... 1
Dendrobium,.. 60
Derris, ... 15
Desmodium, ... 14
Deutzia, ... 25
Dialium, ... 17
Dianella, ... 71
Dianthus, ... 5
Dichrostachys, ... 17
Diclíptera, ... 44
Didymoplexis, ... 64
Dillenia, ... 1
Dilleniaceæ, ... 1
Dioon,.. 60
Dioscorea, ... 72
Dioscoreacæ, ... 72
Diospyros, ... 32
Diplothemium, ... 75
Dipsacaceæ, ... 29
Dipsacus, ... 29
Dipterocarpeæ, ... 7
Dipterocarpus, ... 7
Dischidia, ... 36
Dolichos, ... 14
Dombeya, ... 6
Dorstenia, ... 52
Doryanthes,.. 69
Doryphora, ... 57
Dracænopsis, ... 72
Dracontium, ... 77
Drimia ?, ... 71
Drymispermum, . .. 50
Drymoglossum, ... 79
Duabanga, ... 22
Duranta, ... 45
Dyckia, ... 70
Dysophylla,.. 47
Ebenaceæ, ... 32
Echaltium, ... 34
Echinocactus, ... 24
Echinopsis, ... 24
Echites, ... 35
Echium, ... 40
Edwardsia, ... 15
Ehretia, ... 40
Elæagnaceæ, ... 50
Elæagnus, ... 50
Elæocarpus,.. 7
Elæodendron, . .. 12
Elais, ... 75
Eleocharis, ... 78
Elettaria, ... 66
Eleusine, ... 78
Embelia, ... 31
Encephalartos, ... 60
Engelhardtia, ... 58
Entada, ... 17
Epicharis, ... 10
Epidendrum,.. 62
Epiphyllum,.. 25
Epistylium, ... 57
Eragrostis, ... 79
Eremocarpus, . .. 54
Eremostachys, ... 48
Eria, ... 61
Ericaceæ, ... 30
Eriobotrya,.. 18
Eriodendron, ... 5
Eriolæna, ... 7
Erycibe, ... 38
Erythrina, ... 14
Erythroxylaceæ, ... 9
Erythroxylon, ... 9
Eucalyptus, ... 20
Eucharis, ... 69
Eucomis, ... 71
Eugenia, ... 20
Eulophia, ... [illegible]

EUONYMUS, 12
EUPATORIUM, . 29
EUPHORBIA, .. . 53
EUPHORBIACEÆ, 53
EURYALE, ... 3
EURYCLES, ... 69
EUSTREPHUS, 71
EUTERPE, ... 73
EXACUM, .. 36
EXCÆCARIA, . . . 55

FAGRÆA, .. . 36
FALCONERIA, ... 55
FATSIA, ... 26
FERONIA, ... 8
FICOIDEÆ, ... 24
FICUS, ... 52
FILICIUM, ... 9
FIMBRISTYLIS, ... 78
FIRMIANA, ... 6
FLACOURTIA, ... 4
FLACOURTIACEÆ, ... 4
FLAGELLARIA, .. . 73
FLEMINGIA 14
FLUGGEA, ... 56
FLUGGEA, ... 72
FŒTIDIA, ... 21
FORSTERONIA, ... 35
FORSYTHIA, ... 32
FOURCROYA, ... 69
FRAGARIA, ... 18
FRAXINUS, .. . 32
FRENELA, ... 58
FUNKIA, ... 70

GARCINIA, ... 8
GARDENIA, ... 27
GARDNERA, ... 36
GASTROCHILUS, 66
GAURA, . . 22
GAYLUSSACIA, ... 30
GEISSOMERIA, .. 43
GELONIUM, ... 55
GENTIANACEÆ, .. . 36
GEODORUM, ... 64
GERANIACEÆ, . 10
GERANIUM, .. . 10
GERARDINIA, ... 51
GESNERA, .. 38
GESNERACEÆ, ... 38
GETONIA, ... 19
GILIA, ... 38
GINORIA, ... 22
GIVOTIA, ... 54
GLADIOLUS, ... 68
GLEDITSCHIA, ... 17
GLOBBA, ... 65
GLOCHIDION, ... 56
GLORIOSA, ... 70
GLOXINIA, ... 38
GLYCOSMIS, ... 8
GLYPTOSTROBUS, ... 59
GMELINA, ... 46
GNAPHALIUM, ... 30
GNETACEÆ, ... 59
GNETUM, ... 59
GOMPHOSTEMMA, ... 48
GOMPHRENA, ... 50
GONIOTHALAMUS, ... 2
GOODENOVIACEÆ, ... 30
GOSSYPIUM 5
GOUANIA, ... 12
GRAMMATOPHYLLUM, . 64
GRAPTOPHYLLUM, ... 44
GREVILLEA, ... 50
GREWIA, ... 7
GRISLEA, ... 21
GRUMILIA, . . 27
GUATTERIA, ... 2
GUAZUMA, . . . 6
GUETTARDA, . .. 28
GUILANDINA, . .. 15

Gustavia, ... 21
Guttiferæ, ... 8
Gymnema, ... 36
Gymnogramma, ... 79
Gymnopteris, ... 79
Gynocardia, ... 4
Gynura, ... 30

Habenaria, ... 64
Habranthus, ... 68
Hæmadyction, ... 34
Hæmanthus, ... 69
Hæmatoxylon, ... 15
Haloragaceæ, . .. 22
Hamelia, ... 26
Hardwickia, ... 16
Hariota, ... 25
Harpullia, ... 9
Hedera, ... 26
Hedychium, ... 66
Helichrysum, ... 30
Heliconia, ... 65
Helicteres, ... 5
Heligome, ... 34
Heliotropium, ... 40
Hellenia, ... 66
Hemerocallis, ... 70
Hemiagraphis, ... 42
Hemicyclia, ... 56
Hemidesmus, ... 35
Hemionitis, ... 79
Heritiera, ... 6
Hernandia, ... 50
Hernandiaceæ, ... 50
Herreria, ... 71
Heynea, ... 10
Hibiscus, ... 5
Hildegardia, . .. 6
Hippeastrum, . .. 68
Hippocratea, ... 8
Hippocrateaceæ, ... 8

Hiptage, ... 9
Hitchenia, ... 66
Holarrhena, ... 34
Holbollia, ... 3
Holigarna, ... 13
Holmskioldia, ... 47
Holostemma, ... 35
Homalium, ... 4
Hopea, ... 7
Houttuynia, ... 58
Hoya, ... 36
Humboldtia, ... 16
Hunteria, ... 33
Hura, ... 55
Hydnocarpus, ... 4
Hydrangea, ... 25
Hydrilla, ... 77
Hydrocera, ... 11
Hydrocharidaceæ, ... 77
Hydrolea, ... 38
Hydroleaceæ, .. . 38
Hydrophyllaceæ, ... 38
Hygrophila, ... 42
Hymenæa, ... 16
Hymenocallis, ... 69
Hymenodictyon, ... 26
Hymenopyramis, ... 45
Hyophorbe, ... 73
Hypericineæ, ... 8
Hypericum, ... 8
Hyphæne, ... 74
Hypoestes, ... 44
Hypoxis, ... 68
Hyptianthera, ... 27
Hyssopus, ... 48

Ichnocarpus, ... 35
Iguanura, ... 73
Ilex, ... 32
Imbricaria, ... 31
Impatiens, ... 11

Imperata, ... 78
Indigofera, ... 13
Ipomæa, ... 39
Irideæ, ... 67
Iris, ... 67
Ismene, ... 69
Isolobus, ... 30
Ixia, ... 68
Ixora,.. 28

Jacaranda, ... 38
Jacquinia, ... 31
Jambosa, ... 20
Jasminaceæ,.. 32
Jasminum, ... 33
Jatropha, ... 54
Juglandaceæ, ... 58
Juglans, ... 58
Juncaginaceæ, ... 77
Juniperus, ... 58
Jussiæa, ... 22
Justicia, ... 44

Kadsura, ... 2
Kæmpferia, ... 66
Kalanchoë, ... 24
Kerria, ... 18
Kigelia, ... 38
Kirganelia, ... 56
Kleinhovia, ... 6
Kleinia, ... 30
Klopstockia, ... 73
Kopsia, ... 33
Kydia, ... 7
Kyllingia, ... 78

Labiatæ, ... 47
Lactaria, ... 34
Lafoensia, ... 22
Lagerströmia, ... 22
Lantana, ... 45
Laportea, ... 51
Lardizabaleæ, ... 3
Lasia,.. 77
Lasiobema, ... 16
Lasiosiphon,.. 50
Latania, ... 74
Lauraceæ, ... 50
Laurus, ... 51
Lavandula, ... 47
Lawsonia, ... 22
Lebidibia, ... 15
Lecontea, ... 28
Ledebouria, ... 71
Leguminosæ, ... 13
Leea, ... 10
Lemna, ... 77
Leonurus, ... 48
Lepidium, ... 3
Lepidagathis, ... 43
Lepismium, ... 25
Leptochloa, ... 78
Leptodermis, ... 28
Leucæna, ... 17
Leucas, ... 48
Leucomeris, ... 30
Licuala, ... 74
Liliaceæ, ... 70
Lilium, ... 70
Limnanthemum, ... 37
Limonia, ... 8
Lineæ, ... 5
Linociera, ... 32
Liparis, ... 60
Lippia, ... 45
Litsæa, ... 51
Littæa, : .. . 69
Livistona, ... 74
Lobelia, ... 30
Loganiaceæ. 36
Lomatophyllum, ... 71
Lonicera, ... 26

LORANTHACEÆ, .. 26
LORANTHUS, .. . 26
LUISA, ... 62
LYCIUM, .. . 41
LYCOPODIACEÆ, . .. 81
LYCOPODIUM, ... 81
LYGODIUM, ... 80
LYTHRACEÆ, ... 21

MABA, ... 32
MACARANGA, ... 55
MACFADYENA, ... 37
MACLURA, ... 52
MACROZAMIA, ... 60
MÆSA, ... 30
MAGNOLIA, ... 1
MAGNOLIACEÆ, ... 1
MALLEA, ... 10
MALPIGHIA, ... 9
MALPIGHIACEÆ, .. . 9
MALVACEÆ, ... 5
MAMMEA, ... 8
MAMMILLARIA, ... 24
MANETTIA, ... 26
MANGIFERA, ... 12
MANIHOT, ... 54
MAPPA, ... 55
MARANTA, ... 67
MARANTACEÆ, ... 67
MARATTIACEÆ, ... 80
MARSDENIA, ... 35
MARSILEA, ... 81
MARSILEACEÆ, ... 81
MARTYNIA, ... 38
MASCARENHASIA, ... 35
MAURANDIA, ... 41
MAXIMILIANA, ... 75
MAZUS, ... 41
MEDINILLA, ... 20
MELALEUCA, ... 20
MELANORRHŒA, ... 13
MELANTHESA, ... 57
MELASTOMA, ... 19
MELASTOMACEÆ, ... 19
MELIA, ... 10
MELIACEÆ, ... 10
MELICOCCA, ... 9
MELIOSMA, ... 9
MELOCACTUS, ... 24
MELOCANNA, ... 79
MELOCHIA, ... 6
MELODINUS, ... 33
MELODORUM, ... 2
MEMECYLON, ... 20
MENISPERMACEÆ, .. . 2
MENISPERMUM, . .. 3
MENTHA, ... 47
MERIANDRA, ... 48
MESEMBRYANTHEMUM, .. 24
MESUA, ... 8
METROSIDEROS, ... 20
METROXYLON, ... 74
MEZONEURON, ... 15
MICHELIA, ... 1
MICROGLOSSA, ... 29
MICROTROPIS, ... 11
MILLINGTONIA, ... 37
MILIUSA, ... 2
MILNEA, ... 10
MIMOSA, ... 17
MIMUSOPS, ... 31
MIRABILIS, ... 49
MODECCA, ... 23
MOLINERIA, ... 68
MOMORDICA, ... 22
MONARDA, ... 48
MONIMIACEÆ, ... 57
MONOCHORIA, ... 72
MONOCYCLIS, ... 10
MONOLOPHUS, ... 66
MORACEÆ, ... 52
MORÆA, ... 67

Morinda, 28
Moringaceæ, 13
Moringa, .. 13
Morus, 52
Mukia, 22
Muraltia, .. 4
Murraya, . .. 8
Murucuja, .. 23
Musa, .. 65
Musaceæ, .. . 65
Mussænda, . 27
Myonima, 28
Myoporaceæ, 47
Myoporum, .. 47
Myriophyllum, 22
Myristica, 2
Myristicaceæ, 2
Myrsinaceæ, . 30
Myrsine, . 31
Myrtaceæ, ... 20
Myrtus, 21

Naravelia, . 1
Nauclea, .. 27
Negundo, 9
Nelitris, 21
Nelsonia, 42
Nelumbiaceæ, . 3
Nelumbium, ... 3
Nemophila, . .. 38
Nepenthaceæ, . 57
Nepenthes, 57
Nephelium, . . 9
Nephrodium, .. . 80
Neptunia, . .. 17
Neriandra, . 35
Nerine, .. 68
Nerium, .. 35
Nesæa, ... 21
Nicotiana, 41
Niebuhria, 3
Nigella, ... 1
Nipa, . 75
Niphobus, 79
Noronhia, .. 33
Notelæa, . 32
Notonia, . . 30
Nyctaginaceæ, .. 49
Nyctanthes, ... 33
Nyctocallus, ... 37
Nymphæa, ... 3
Nymphæaceæ, 3

Oberonia, ... 60
Ochna, ... 11
Ochnaceæ, . 11
Ochroma, ... 6
Ocimum, ... 47
Odina, ... 13
Œnanthe, ... 26
Œnothera, ... 22
Olacineæ, ... 7
Olax, ... 7
Oldfieldia, ... 57
Olea, ... 32
Omalanthus, ... 55
Onagrariaceæ, ... 22
Oncidium, .. 64
Onychium, ... 80
Ophiopogon, .. 72
Ophioglossaceæ, . 81
Ophioglossum, ... 81
Ophioxylon, ... 33
Ophiurus, .. . 78
Opuntia, . .. 25
Orchidaceæ, 60
Orrodoxa, . 73
Ormocarpum, ... 14
Ormosia, ... 15
Ornithogalum, .. 71
Orthosiphon, . 47
Oryza, 78

Osmanthus, ... 32
Ostodes, ... 55
Otochilus, ... 62
Otosema, ... 15
Ottelia, ... 77
Ougeinia, ... 13
Outea,.. 16
Oxalideæ, ... 11
Oxalis, ... 11
Oxyanthus, ... 27
Oxystelma, ... 35

Pachystachys, .. . 43
Pachystemon, ... 55
Pæderia, ... 28
Pajanelia, ... 38
Palmaceæ 73
Panax 26
Pancratium 69
Pandanaceæ.. 75
Pandanus, ... 75
Pangiaceæ, ... 4
Panicum, ... 78
Papaveraceæ, ... 3
Papilionaceæ, ... 13
Pardanthus, ... 68
Paritium, ... 5
Parkia, ... 17
Passiflora, ... 22
Passifloraceæ, ... 22
Paullinia, ... 9
Paulownia, ... 41
Pavetta, ... 27
Pavonia, ... 5
Pedilanthus, ... 53
Pelargonium, ... 10
Peliosanthes, ... 72
Pentapetes, ... 6
Pentas, ... 26
Pentstemom, ... 41
Peperomia, ... 57
Pereskia, ... 25
Pergularia,. 35
Periploca, ... 35
Peristeria, ... 64
Peristrophe, ... 44
Persea, ... 51
Persica, ... 18
Petalidium, ... 42
Petrea, ... 45
Petunga, ... 27
Petunia, ... 41
Phæomeria, ... 67
Phajus, ... 62
Phalænopsis, ... 63
Phanera, ... 16
Pharbitis, ... 39
Philadelphaceæ, ... 25
Phlox,.. 38
Phoberos, ... 4
Phœbe, ... 51
Phœnix, ... 75
Pholidota, ... 62
Phormium, ... 70
Photinia, ... 18
Phrynium, ... 67
Phyllanthus, ... 56
Phyllarthron, ... 38
Physalis, ... 41
Pierardia, ... 55
Piliostigma, ... 16
Pimenta, ... 21
Pinanga, ... 73
Pinus, ... 59
Piper,.. 57
Piperaceæ, ... 57
Pisonia, ... 49
Pistia,.. 77
Pistiaceæ, ... 77
Pitcairnia, ... 70
Pithecolobium, ... 18
Pithecoctenium, ... 37

PITTOSPOREÆ, ... 11
PITTOSPORUM, ... 11
PLANTAGINACEÆ, ... 48
PLANTAGO, ... 48
PLATYCERIUM, ... 79
PLECOSPERMUM, ... 52
PLECTOCOMIA, ... 74
PLECTRANTHUS, ... 47
PLEOPELTIS, ... 79
PLEROMA, ... 19
PLUCHEA, ... 29
PLUMBAGINACEÆ, ... 48
PLUMBAGO, ... 48
PLUMIERIA, ... 34
PODOCARPUS, ... 59
PŒCILOPTERIS, ... 79
POGONANTHERUM, ... 78
POGONIA, ... 64
POGOSTEMON, ... 47
POINCIANA, ... 15
POIVRÆA, ... 19
POLANISIA, ... 3
POLEMONIACEÆ, ... 38
POLIANTHES, ... 70
POLYGALACEÆ, ... 4
POLYGONACEÆ, ... 49
POLYGONUM, ... 49
POLYPODIACEÆ, ... 79
POLYPODIUM, ... 79
PONGAMIA, ... 15
PONTEDERIACEÆ, ... 72
POOTIA, ... 34
PORANA, ... 39
PORTLANDIA, ... 26
PORTULACA, ... 4
PORTULACACEÆ, ... 4
PORTULACARIA, ... 5
POTAMOCHLOA, ... 78
POTENTILLA, ... 18
POTHOS, ... 77
POUPARTIA, ... 13
POUZOLSIA, ... 51
PREMNA, ... 45
PRIOTROPIS, ... 13
PROSOPIS, ... 17
PROSORUS, ... 56
PROTEACEÆ, ... 50
PRUNUS, ... 18
PSIADIA, ... 29
PSIDIUM, ... 21
PSYCHOTRIA, ... 27
PTERIS, ... 80
PTEROCARPUS, ... 14
PTEROSPERMUM, ... 7
PTERYGOTA, ... 6
PUERARIA, ... 14
PUNICA, ... 20
PUTRANJIVA, ... 56
PYGEUM, ... 18
PYRETHRUM, ... 29
PYRUS, ... 18

QUAMOCLIT, ... 39
QUASSIA, ... 11
QUERCUS, ... 58
QUISQUALIS, ... 19

RANDIA, ... 27
RANUNCULACEÆ, ... 1
RANUNCULUS, ... 1
RAPHIA, ... 74
RAPHIS, ... 74
RAUWOLFIA, ... 33
RAVENALA, ... 65
REDIA, ... 55
REINWARDTIA, ... 5
RENANTHERA, ... 63
RESEDA, ... 4
RESEDACEÆ, ... 4
RHAMNACEÆ, ... 12
RHAMNUS, ... 12
RHAPHIOLEPIS, ... 18

Rhinacanthus, ... 44
Rhipsalis, ... 25
Rhizophoraceæ, ... 21
Rhodamnia, ... 21
Rhodanthe, ... 30
Rhodostoma, ... 27
Rhopala, ... 50
Rhus, ... 13
Richardia, ... 76
Ricinus, ... 54
Rivea, ... 38
Rondeletia, ... 26
Roupellia, ... 34
Rosa, ... 18
Rosaceæ, ... 18
Rospidios, ... 32
Rottbœllia, ... 78
Rottlera, ... 55
Roxburghia, ... 72
Roydsia, ... 4
Roylea, ... 48
Rubentia, ... 12
Rubiaceæ, ... 26
Rubus, ... 18
Rudbeckia, ... 29
Ruellia, ... 42
Rumex, ... 49
Rungia, ... 44
Russelia, ... 41

Sabal, ... 74
Saccharum, ... 78
Saccolabium, ... 63
Saccopetalum, .. . 2
Saccostoma, ... 47
Salacia, ... 8
Salicaceæ, ... 58
Salisburia, ... 59
Salix, ... 58
Salmalia, ... 5
Salsolaceæ, ... 49
Salvia, ... 48
Salvinia, ... 81
Sandoricum, ... 10
Sanseviera, ... 70
Santalaceæ, ... 50
Santalum, ... 50
Sapindaceæ, ... 9
Sapindus, ... 9
Sapium, ... 55
Saponaria, ... 5
Sapota, ... 31
Sapotaceæ, ... 31
Sarcanthus, ... 63
Sarcochilus, ... 63
Sarcochlamys, ... 52
Sarcococca, ... 57
Sarcopodium, ... 61
Sarcostemma, ... 35
Sassafras, ... 51
Sauromatium, ... 76
Sauropus, ... 56
Saururaceæ, ... 58
Saxifraga, ... 25
Saxifragaceæ, ... 25
Scævola, ... 30
Scepasma, ... 57
Schaueria, ... 44
Schinus, ... 13
Schismatoglottis, ... 76
Schizandreæ, ... 2
Schleichera, ... 9
Schotia, ... 16
Scindapsus, ... 76
Scoparia, ... 42
Scrophularineæ, ... 41
Scutellaria, ... 48
Scutia, ... 12
Seaforthia, ... 73
Securidaca, ... 4
Sedum, ... 24
Selaginella, ... 81

SEMECARPUS, ... 12
SERICOGRAPHIS, ... 43
SERISSA, ... 27
SESAMEÆ, ... 38
SESAMUM, ... 38
SETHIA, ... 9
SIDEROXYLON, ... 31
SIMARUBACEÆ, ... 11
SIMONSIA, ... 37
SMILAX, ... 72
SMITHIA, ... 14
SOLANACEÆ, ... 40
SOLANDRA, ... 41
SOLANUM, ... 40
SOLIDAGO, ... 29
SONCHUS, ... 30
SOPHORA, ... 15
SORINDEJA, ... 13
SOYMIDA, ... 10
SPATHIOSTEMON, . .. 54
SPATHODEA, ... 37
SPATHOGLOTTIS, .. . 62
SPERMADYCTION, ... 28
SPHÆNODESMA, ... 45
SPHÆROSACME, ... 10
SPHÆROSTEMA, ... 2
SPILANTHES, ... 29
SPIRÆA, ... 18
SPIRODELA, ... 77
SPIRONEMA, ... 73
SPONDIAS, ... 13
SPONIA, ... 51
SPOROBOLUS, ... 78
SPREKELIA, ... 68
STACHYTARPHA, ... 44
STANHOPEA, ... 64
STEMODIA, ... 41
STEMONACANTHUS, ... 42
STENACTIS, ... 29
STENOCHLÆNA, ... 79
STEPHANIA, ... 3
STEPHANOPHYSUM, ... 42
STEPHANOTIS, ... 35
STERCULIA, ... 6
STERCULIACEÆ, ... 5
STEREOSPERMUM, ... 37
STIGMAPHYLLON, ... 9
STILLINGIA, ... 55
STREBLUS, ... 52
STRELITZIA, ... 65
STREPTOCAULON, ... 35
STROBILANTHES, ... 42
STROPHANTHUS, ... 34
STRYCHNOS, ... 36
STYLOCORYNE, ... 27
STYRACACEÆ, ... 32
STYRAX, ... 32
SWIETENIA, ... 10
SYMPHOREMA, ... 45
SYMPHYLLIA, ... 55
SYZYGIUM, ... 20

TABERNÆMONTANA, ... 34
TACCA, ... 69
TACCACEÆ, ... 69
TAGETES, ... 29
TALAUMA, ... 1
TAMARINDUS, ... 16
TAMARISCINEÆ, ... 4
TAMARIX, ... 4
TANGHINIA, ... 34
TARAXACUM, ... 30
TECOMA, ... 37
TECTONA, ... 45
TEPHROSIA, ... 13
TEREBINTHACEÆ, . .. 12
TERMINALIA, ... 19
TERNSTRŒMIACEÆ, ... 7
TETRAMELES, ... 57
TETRANEMA, ... 41
TETRANTHERA, ... 51
THALICTRUM, ... 1

Theobroma, ... 6
Theophrastaceæ, . . 31
Thespesia, ... 5
Thevetia, ... 33
Thrinax, ... 75
Thryallis, ... 9
Thuja, ... 58
Thunbergia,.. 42
Thyssanolæna, ... 78
Tiliaceæ, ... 7
Tiliacora, ... 3
Tinospora, ... 2
Toddalia, ... 11
Tournefortia, ... 40
Tradescantia, ... 73
Tragia, ... 55
Trapa,.. 22
Trevesia, ... 26
Trewia, ... 55
Trichodesma, ... 40
Trichosanthes, ... 22
Tridax, ... 29
Trigonostemon, ... 54
Triphasia, ... 8
Triplaris, ... 49
Tropæolaceæ, ... 11
Tropæolum, ... 11
Tupidanthus, . .. 26
Tupistra, ... 72
Turnera, ... 23
Turneraceæ, ... 23
Tylophora, ... 35
Typha, ... 76
Typhaceæ, ... 76
Typhonium, ... 76

Ulmus,.. 51
Umbelliferæ, ... 26
Unona, ... 2
Uraria, ... 14
Urginea, ... 71
Urticaceæ, ... 51
Uvaria, ... 2

Valerianaceæ, ... 28
Vallaris, ... 34
Vallisneria, ... 77
Vanda, ... 62
Vandellia, ... 42
Vangueria, ... 28
Vanilla, ... 64
Vateria, ... 7
Vatica, ... 7
Ventilago, ... 12
Verbena, ... 44
Verbenaceæ, ... 44
Vernonia, ... 29
Viburnum, ... 26
Vicarya, ... 36
Victoria, ... 3
Vinca, ... 34
Viola,.. 4
Violaceæ, ... 4
Virgilia, ... 15
Visenia, ... 7
Visiania, ... 32
Vitex,.. 46
Volkameria, ... 46

Wallichia, ... 73
Walsura, ... 10
Wendlandia, .. . 26
Whitfieldia, ... 43
Wickstrœmia, ... 50
Wisteria, ... 13
Wolffia, ... 77
Wrightia, ... 34

Xanthochymus, ... 8
Xanthoxylaceæ, ... 11
Xanthoxylon, ... 11
Xylia,.. 17

YUCCA, ... 71

ZALACCA, ... 74
ZANONIA, ... 22
ZEPHYRANTHES, ... 68
ZEUXINE, ... 64
ZINGIBER, ... 65
ZINGIBERACEÆ, ... 65
ZINNIA, ... 29
ZIZYPHUS, ... 12
ZYGOPETALUM, ... 64

PRINTED AT BISHOP'S COLLEGE PRESS.
MDCCCLXV.